

FREE APPLICATION DESIGN SERVICE

Bogen's Application Design Service was created to assist with the design of paging systems for any and every project encountered. It's fast, comprehensive, and **FREE**. So let us design it for you!

The Application Design Service provides:

- **Speaker Placement Design**
- **Complete Bill of Material** - This includes product description, model number, and quantity. We can even fax it to the distributor of your choice for pricing, if you wish.
- **Connectivity Drawings**
- **Scope of Work**
- **Detailed Assumptions**
- **Red-lined Blueprints** (blueprints must be supplied; AutoCAD® accepted)



www.bogen.com/support/pdfs/deswksht.pdf

Here's how the Application Design Service works:

1. You provide information about the project (see *Design Request Form* on our website: www.bogen.com/support/pdfs/deswksht.pdf). For large or complex applications, your local Bogen Field Sales Manager can visit the site for exact specifications.
2. Bogen will provide you with a working technical bid response document... and then all you have to do is deliver it.

A copy of the bid will also be sent to your local Bogen Field Sales Manager for immediate follow-up, and to see if you have any questions or need additional assistance.

Put Bogen's resources and expertise to work for you.

No application is too big, small, simple, or complex for Bogen paging products.

Call 1-800-999-2809 (option 2)
for more information or to send in a project for us to work on right now.

FREE PRODUCT LITERATURE

Available Online at: www.bogen.com



- ▶ **SPEC SHEETS**
- ▶ **MANUALS**
- ▶ **NEW PRODUCTS**
- ▶ **PRODUCT CATALOG**
- ▶ **A&E SPECS**

Product Updates via e-mail

Sign Up For **FREE** Product Literature Updates by E-mail at



www.bogen.com

MODEL INDEX

Category Index on Page 84

2518/2520/2522	62, 81	GSRPK	41, 80	S86T725PG8U/WBRVR	9
A2/T	4-5	GSRVC	41, 80	S86T725PG8U/WVK	9
A6/T	4-5	GSTRC	41, 80	S86T725PG8U/WVVR	9
A8/T	4-5	HDO100	59	S810/T725	14
A12	5	HDU150/250	59	S810T725PG8U/W	9
ACD2X2/U	23	HFC51/LP	6	S810T725PG8U/WVK	9
ADP1	54	HFSF1	7	S810T725PG8U/WVVR	9
AFDS2	81	HSES10	12, 16, 28, 80	SAH5/15/30	26
AH5/15A	28	HST7/15/30EZ	16	SAX1R	39
AMBSL/Q1	24	HTA125/250A	46	SB6	60
AMT-12/15	1	IH8A	12	SBA225	62, 81
ANS1R	40	KFLDS30T	12	SCR25A	62, 81
ANS500M	40, 51	LMM/R1S	39	SCU250	60
ANS501	51	M300/450/600	45	SCW20/35	11
ASM1	24	MA3	39, 80	SF4	60
ASTB4	4, 81	MAC	60	SG8W	14
ASUG1/DK	23	MAX1R	39	SGHD8	11
ASWB1	25	MB8TSLVR	10	SI35A	62
ASWG1/DK	23	MB8TSQ/R	10	SLC	29
AT10/35A	13	MBS1000A	58, 62	SM1EZ	15
ATP10/35	13	MC27	59	SM4T	15
BAL2S	39	MC28	58	SMTB	15, 24, 80
BBF/S	40, 80	MFM	60	SP58A/158A/308A	12
BBFM6/BBSM6	11	MGN19	59	SPS2406/10/25/54	30
BC1	12, 16, 26, 28, 80	MIC1S/X	39	SPT5/15/30A	12
BCBC	81	MIC2S/X	39	SRCA6	81
BCBM	81	MR8	9, 16, 23, 80	T725/10	81
BCBRA	81	MSM	60	TAMB	32, 36, 52, 53
BCBRBP	81	MT250D	46	TB8	9, 16, 23, 80
BCHM	58, 81	MVP130/210/410/810BG	37	TBA15	36, 52
BCHRBP	81	NR100	51	TBCR	2, 6, 80
BCIRS	81	OCS1	2	TBL1S	39
BCLM	81	OPS1B/W	3	TBSF	7, 80
BCWBT	81	PCM2000	34-35	TCSPT1	12, 16, 28, 80
BCWHT	81	PCMPCPU/TBM/TIM/ZPM	34-35	TEL1S	39
BCWR	81	PCMPS2	30, 35, 81	TG4C	53
BCYA	81	PEQ1R	40	TL100/600	46, 80
BDT30A	12	PG8A/U/W	14	TL156	62, 81
BPA60	46	PI35A	62	TNG1S	39
BRG1R	39	PM3000/3180	47	TP30D	55
BUFEX	29	PRO4/8/12/16	63	TPU15A	43
C10/20/MOH	42	PRS2403	30, 51	TPU35/60/100B	43
C35/60/100	42	PRS40C	30, 52, 53, 57	TPU250	43
CA10A/11A/17	62, 81	PRS48	30, 32, 36, 39	TWK351	62, 81
CAM2	50	PRSLSI	25, 32, 36	UBP16	58
CAM8/PRO	49	PVMC	38, 45, 48, 80	UDMS16BP/HH	58
CDR1	57, 62	PVSC	38, 48, 80	UDR16	58
CG8A/W	14	R8/T	4	UHT16	58
CK10/B/W	2, 3, 6, 7, 80	RE84	9, 16, 23, 80	UT1	31
CMP1R	40	RIO1S	40	UT1312	33
CS1EZ	16	RK78	57, 80	V35/60/100/150/250	38
CSD1X2/VR(U)	8	RM350D	56	VAR1	52
CSD1X2NB/VR(U)	8	RMPWMK3	47, 80	VHSK	63, 81
CSD2X2/VR(U)	8	RPK35B	42, 50, 80	VHUB	63
CSUB	7	RPK46A	55, 80	VMIX	48
DCM290P	55	RPK47	56, 80	VRS1/2	13
DDU250	58, 62	RPK50	42, 80	WB1EZ	16
DFT120	53	RPK53	46, 80	WB8	14
DS3	60	RPK79	47, 80	WBS8T725/BR/BRV/V	10
Enhancer	61	RPK82	43, 80	WBS810T725	10
ESYS1/2/3/4/M	61	RPK84	35, 80	WCU250	60
FG15B/W	11	RPK86	44, 45, 80	WMAD	40, 80
FG20S	11	RPK87	38, 48, 80	WMK1	42, 50, 80
FG30	11	RPK88	35, 80	WMT1A	41, 42, 43, 46, 53, 54, 56, 62
FGSM/W	11, 80	RPK89	58, 80	WSGCU250	59
FMH15T	11	RPK90	58, 80	WV100/150/250	40
FMHAR8	11	RPKUT11	31, 80	X300/450/600	44
FMR	57	RVCP	38, 40, 48, 80	XLR25	60
GA2/GA6A	42	S86/T725/BR	14	ZPM3	36, 52
GCU250	59	S86T725PG8U/W	9	ZX3	33
GDU150	59	S86T725PG8U/WBR	9		
GS35/60/100/150/250	41	S86T725PG8U/WBRVK	9		

Note: Products are featured on pages which are listed in boldface type.

CATEGORY INDEX

Model Index on Page 83

Accessories, Product	80-81	Horn Speakers, Self-Amplified (24V)	26-28	Speakers, Cone	14
Ambient Noise Sensor Systems	40, 51	HTA-Series Power Amplifiers	46	Speakers, Drop-In Ceiling	8
Amplifier Features Chart	78	Input Modules, Advanced	39	Speakers, Drop-In Ceiling, Self-Amplified (24V)	23
Amplifier Specs Chart	79	Insertion Tool	81	Speakers, Easy Design	15-16
Amplifiers	38-47	Intercoms	62	Speakers, Easy Install	15
Amplifiers, Black Max Power	44	Interfaces, Telephone	31-33	Speakers, Easy Install, Self-Amplified (24V)	24
Amplifiers, Classic Series	42	Landscape Speakers, Rock	4	Speakers, Foreground FG-Series	11
Amplifiers, Dual-Channel	44-45	Level Controls, 24V Systems	29	Speakers, Horn	11-12, 16
Amplifiers, GA-Series	42	Line/MIC Input Modules	39	Speakers, Horn, Self-Amplified (24V)	26-28
Amplifiers, Gold Seal Series	41	Literature, Product	82	Speakers, Landscape Rock	4
Amplifiers, HTA-Series	46	Loop Start Interface/Power Supply	25	Speakers, Metal Box	10
Amplifiers, M-Class	45	M-Class Amplifiers	45	Speakers, Metal Box, Self-Amplified (24V)	24
Amplifiers, Modular	38, 40	Metal Box Speakers	10	Speakers, NEAR	2-5
Amplifiers, Power	44-46	Metal Box Speakers, Self-Amplified (24V)	24	Speakers, Outdoor	4-5, 11-12
Amplifiers, Power Vector Series	38, 40	MIC Input Modules	39	Speakers, Outdoor, Self-Amplified (24V)	26-28
Amplifiers, Pro-Matrix Digital	47	Microphones & Accessories	58-60	Speakers, Passive	1-16
Amplifiers, Public Address	41-42	Microphones, Boundary	60	Speakers, Pendant	3
Amplifiers, Talk Back	52	Microphones, Desktop	58	Speakers, Rock Landscape	4
Amplifiers, Telephone Paging	43	Microphones, Gooseneck	59	Speakers, Self-Amplified (24V)	22-29
Amplifiers, TPU-Series	43	Microphones, Handheld	59	Speakers, Sound Columns	11
Amplifiers, Utility	42	Microphones, Overhead	60	Speakers, Splashproof	11
Amplifiers, Wall-Mount	40	Microphones, Wireless	58	Speakers, Surface-Mount Ceiling	15
AMT-Series Speakers, Apogee	1	Mixers	47-50	Speakers, Surface-Mount Ceiling (24V)	24
Apogee Sound Intl Speakers	1	Module Adapter	39, 80	Speakers, Vandal-Resistant	11, 13
Application Design Service, Free	82	Modules, Advanced Input/Output	39-40	Speakers, Wall-Mount	10-11, 16
A-Series Speakers	4-5	Mono AUX Input Module	39	Speakers, Wall-Mount, Self-Amplified (24V)	24-25
Attenuators	13, 29	Mounting Kits	80	Speakers, Weatherproof	4-5, 11-12
Automatic Failure Detector Substitutor	81	Music & Input Sources	55-57	Speakers, Weatherproof, Self-Amplified (24V)	26-28
Balanced Input Module	39	Music-On-Hold System	63	Splashproof Speaker	11
Beam Clamp	12, 16, 26, 28, 80	NEAR Speakers	2-5	Stereo AUX Input Module	39
Black Max Power Amplifiers	44	Night Ringer	51	Subwoofer, Ceiling	7
Bridging Input Module	39	Noise Sensor Systems, Ambient	40, 51	System Design Guide	64-77
Buffer/Expander/Volume Control, 24V Systems	29	Office Communications	61-63	System Design, Free Service	82
Call-In Switches	62, 81	Orbit Ceiling Speakers, NEAR	2	System Design, Easy Design	17-21
CAM8-Series Mixers/Pre-amps	49	Orbit Pendant Speakers, NEAR	3	Talk Back Amplifier	52
CD Players	55, 57	Outdoor Loudspeakers	4-5, 11-12	Teleconference Phone	63
Ceiling Speakers	2, 6-10, 16	Outdoor Loudspeakers, Self-Amplified (24V)	26-28	Telephone Access Module	32
Ceiling Speakers, Self-Amplified (24V)	23-24	Output Modules, Advanced	40	Telephone Electronics	54
Ceiling Subwoofer	7	Paging Controllers	31-37	Telephone Input Module	39
Charts	77-81	Paging Electronics	51-53	Telephone Interfaces	31-33
Classic Series Amplifiers	42	Paging Horn	12	Telephone Paging Amplifiers	43
Compressor/Limiter Module	40	Parametric Equalizer Module	40	Tile Bridges	80
Cone Speakers	14	PCM2000 Paging Control System	34-35	Tone Generator	53
Conference Phone	63	Pendant Speakers	3	Tone Generator Input Module	39
Connector Kits	62, 81	Phone, Teleconference	63	TPU-Series Telephone Paging Amplifiers	43
Current Units (24V Systems)	22, 68	Power Supplies	25, 30	Transformer-Balanced Input Module	39
Digital Feedback Elimination	53	Power Supply/Loop Start Interface	25	Transformers	54, 80
Door Phone, Analog	54	Power Vector Amplifiers	38, 40	Trapezoidal Speakers	1
Drop-In Ceiling Speakers	8	Power Vector Mixers	48	Tuners, AM/FM	55
Drop-In Ceiling Speakers, Self-Amplified (24V)	23	Pre-Amplifiers	47-50	Utility Amplifiers	42
Easy Design Speaker Guide	17-21	Pro Audio Speakers	1	UTI-Series	31, 33
Easy Design Speakers	15-16	Product Literature	82	Vandal-Resistant Speakers	13
Easy Install Speakers	15	ProHold Series	63	Voice Enhancement System	61
Easy Install Speakers, Self-Amplified (24V)	24	Pro-Matrix Series, Amp & Pre-Amp	47	Voice-Activated Relay	52
Emergency Bypass Function	13, 29	Receivers, AM/FM	56-57	VoIP Gateways for Paging	37
Enhancer	61	Relay Input/Output Module	40	Volume Control/Buffer/Expander, 24V Systems	29
Enhancer Accessories	81	Rock Landscape Speakers	4	Wall Baffle	14
ESYS Enhancer Packages	61	Safety Cables	2, 3, 6, 7, 80	Wall Baffle Speakers	10, 16
Expander/Buffer/Volume Control, 24V Systems	29	Self-Amplified (24V) Systems	22-30	Wall Baffle Speakers, Self-Amplified (24V)	25
Feedback Elimination, Digital	53	Signal Level Control, 24V Systems	29	Wall-Mount Amplifiers	40
FG-Series Speakers	11	Signal-Processing Output Modules	40	Weatherproof Speakers	4-5, 11-12
Foreground Speakers	11	Site Survey Check List	72	Weatherproof Speakers, Self-Amplified (24V)	26-28
Free Application Design Service	82	Sound Column Speakers	11	Wide-Angle Horn Speaker	12
GA-Series Utility Amplifiers	42	Sound Pressure Levels Chart	77	Zone Paging	33-37
Gold Seal Series Amplifiers	41	Speakers & Accessories	1-29		
Grilles, Ceiling Speaker	14	Speakers, A-Series	4-5		
High-Fidelity Ceiling Speakers	6-7	Speakers, Ceiling	2, 6-10, 16		
Horn Speakers	11-12, 16	Speakers, Ceiling, Self-Amplified (24V)	23-24		