



Farm Tough Stock Tank

Computer designed construction
Seamless single piece construction
Patented stacking blocks
Reinforced top rim and bottom
withstands the rough use of all
animals as well as the corrosive
action of barnyard liquids
Great beverage tank for get
together
Made in the USA



Item #	Gallons	Size
20-301	60	31" x 52" x 14"
20-302	75	31" x 44" x 25"
20-303	100	31" x 52" x 25"
20-304	150	42" x 57" x 25"
20-305	300	48" x 82" x 26"
20-306	500	86" x 86" x 24"



Free Flo Valve

Adjustable water level 4" to 20" above valve.
Mounts in sidewall of bottom of tank, out of
reach of livestock. Can be installed directly into
Freeland drain flange. No float, rod or guard
needed. Approved non-siphoning. Fits all tanks
and troughs. Automatically maintains water
level. Full 1 year guarantee. Protected from
surface freezing. Completely corrosion proof.
16" water level adjusting knob. Hook-up 1/4"
copper pipe, 1/2" metal pipe, garden hose or 1"
PVC adapter fitting.

Item #	Model
20-310	Free Flow

Stock Tank Float Valve



9" x 5" x 6.3". Weighs 2 lbs.
Used for all sized tanks.

Item #	Model
20-113	Rubbermaid

Dura-Mate Automatic Waterer



This unique and large capacity (16 qt)
waterer has been designed with the
adjustable float to maintain a constant level
of water. Adjustable metal brackets allow
for over the fence or on the wall installa-
tion. Red in color.



Item #	Model	Size
14-99	FW16	

Rubbermaid Stock Tanks



Item #	Gallons	Size
20-429	50	52" x 31" x 12"
20-423	70	40.5" x 32" x 24"
20-427	100	52" x 31" x 25"
20-424	150	58" x 39" x 25"
20-435	300	63.5" x 69" x 25"
20-420	Drain Plug	Tank Drain Plug

Automatic Stock Tank Float Valve

Automatic stock tank float valves are
the perfect way to supply water to
stock tanks, troughs, and barrels.



Item #	Model	Type
14-60	TM825	Plastic
14-62	TM830	Metal

Item #	Model	Type
14-64	TM825T	Plastic
14-66	TM830T	Metal



Non-Siphon



Item #	Model	Type
14-68	TM825AS	Plastic
14-70	TM83AS	Metal

Miller Stock Tanks



The new Little Giant Stock Tanks are built tough for superior performance and long lasting durability. Stock tanks have many versatile uses in the farm and ranch environment.

Item #	Model	Size
14-2		15 gallon
14-3		40 gallon
14-4		75 gallon
14-5		100 gallon
14-6		150 gallon

Drinker Tank



Behlen

The poly drinker has a big opening that makes it easier for animals to drink. The drinker box and float are molded from tough, food grade polyethylene for cleanliness and long life. The built-in float guard protects the valve and float mechanism. Valves adjust easily for proper water level. Each drinker accommodate approximately twenty, 200-pound hogs. 100 gallon tank w/Drinker.

Item #	Model	Size
75-440		2 x 2 x 4

Freedom Fountain Parts

Item #	Description
75-1071	bl valve
75-1072	bl float
75-1112	Drain Plug
75-2482	Thermostat
75-5720	10" Float Ball
75-1100	100 wt Heat Pad
75-1101	75 wt Heat Pad

Galvanized Stock Tanks

These rugged tanks are built to last. All are quality manufactured with heavy, galvanized corrugated sidewalls and extra heavy (20 ga.), galvanized tank bottoms. Built to stand up under the most severe farm and ranch conditions. Even in locations where extreme weather conditions present a serious corrosion problem, their protective, heavy, shiny, zinc coating helps them outlast competitor's tanks many times over. All tanks feature a reinforced tube rolled into the top lip for added strength and durability.



Shallow



Round End

Item #	Description	Gallons	Weight
75-392	2 x 2 x 3	65	35
75-393	2 x 2 x 4	110	44
75-394	2 x 2 x 5	140	52
75-395	2 x 2 x 6	175	64
75-403	2 x 2 x 8	230	81
75-399	2.5 x 2 x 8	252	102
75-400	3 x 2 x 8	300	94
75-401	3 x 2 x 10	385	120
75-402	4 x 2 x 10	512	150
75-405	2 x 1 x 4	44	28
75-406	2 x 1 x 6	70	60

Poly Stock Tanks



One piece molded design resists abuse. UV protected. Blue in color. 1 1/4" poly drain plug.

Item #	Description	Gallons	Weight
75-436	9 x 2' 4"	1000	112

Electric Freedom Drinker AHW250



Behlen

These one-piece, heavily insulated fountains are all poly... rust and corrosion free. Thick styrofoam floor keeps the frost line below the drinker. Tested to -20° F. It is impact resistant, UV stabilized. These state-of-the-art drinkers feature an all new low wattage, infra-red heat pad, placed directly under the water trough. These pads produce more heat, using less electricity. 34" x 29" x 30". Animal Capacity: 250 Beef / 125 Dairy.

Item #	Model	Size
75-505	AHW250	34" x 29" x 30"

Electric Freedom Drinker AHW80



Behlen

These one-piece, heavily insulated fountains are all poly... rust and corrosion free. Thick styrofoam floor keeps the frost line below the drinker. Tested to -20° F. It is impact resistant, UV stabilized. These state-of-the-art drinkers feature an all new low wattage, infra-red heat pad, placed directly under the water trough. These pads produce more heat, using less electricity. 28" x 18" x 30". Animal Capacity: 80

Item #	Model	Size
75-502	AHW80	28" x 18" x 30"

Electric Freedom Drinker AHW60



Behlen

These one-piece, heavily insulated fountains are all poly... rust and corrosion free. Thick styrofoam floor keeps the frost line below the drinker. Tested to -20° F. It is impact resistant, UV stabilized. These state-of-the-art drinkers feature an all new low wattage, infra-red heat pad, placed directly under the water trough. These pads produce more heat, using less electricity. Animal Capacity: 80. 28" x 18" x 22".

Item #	Model	Size
75-499	AHW60	28" x 18" x 22"

Freedom Fountain EF2C



Behlen

The two hole Freedom Fountains are built to provide a continual supply of fresh water to small or large groups of animals depending on the unit. The float balls keep the units algae free. The heavily insulated walls keeps water cool in summer and warm in winter. Animal Capacity: 160 Beef / 70 Dairy

Item #	Model	Size
75-304	EF2C	

Electric Freedom Drinker AHW30




Behlen

Made especially for horses, exotic pets or small farm animals. Is electric and uses a 75 watt super efficient infrared heating pad which is thermostatically controlled. 21" x 22" x 23".

Item #	Model	Size
75-510	AHW30	21" x 22" x 23"

Earth Tube Kit



Behlen

Our new and improved Earth Tube is now made in 18" lengths to meet the depth requirements for a variety of climates. Units connect together to desired length with two screws. The all poly shell is extremely durable and waterproof. No need to worry about collapsing when backfilling. 2" thick expanded urethane foam filled walls.

Item #	Model	Size
75-316		18"



Livestock Waterer MC32E

Waters up to 150 hogs. Install in a fence line to serve two pens. Rugged lids keep dirt out and save heat in winter. Mud grates keep water clean and sanitary. Heated.

Item #	Model	Size
75-166	MC32E	



Livestock Waterer MK32E

The most popular unit has lots of versatility. This unit is 18" high to water 25 horses, 40 ponies, 100 calves, 40 head of cattle, or small groups of wildlife. Heavy gauge sidewalls and drawn steel troughs are rounded to prevent livestock injury. Heated, 500 watt.

Item #	Model	Size
75-172	MK32E	

Single trough version of Model MK32E.

Item #	Model	Size
75-168	MJ31E	



Co-Line

Two Way Lockable Latch

Fits all gates with round tube from 1 5/8" - 2" diameter. Latch will release to allow gate to swing either direction. One-handed operation. Prevents gate end from sagging or swinging.

Item #	Model	Size
74-162	2 way	1 5/8" - 2"



Co-Line

One Way Lockable Latch

Fits all gates with round tube from 1 5/8" - 2" diameter. One-handed operation. Prevents gate end from sagging or swinging.

Item #	Model	Size
74-163	1 way	1 5/8" - 2"



Co-Line

Sure Stop Gate Anchor

Holds gate in any open position. Prevents gate end from sagging or swinging. May also be used horizontally as a slide latch. Makes daily chores easier.

Item #	Model	Size
74-165		



Co-Line

Gate Wheel

Fits all gates with round tube from 1 5/8" - 2" diameter.

Item #	Model	Size
74-167		1 5/8"-2"



Two Way Sure Latch Jr

For use on residential, commercial, or livestock gates with 1 1/4" - 1 1/2" O.D. round tube.

Item #	Model	Size
74-164		1 1/4"-1 1/2"

Hook Over Goat Trough



Double L

Designed to reduce feed waste while promoting animal safety and improved health. Mounts securely to wire livestock panels or 2" lumber or pipe. 9 quart capacity. Galvanized grid.
Dimensions: 38"L x 5"W x 4" D.

Item #	Model	Size
42-106		9 quart

Goat and Sheep Feeder



Double L

Reduces hay and grain waste. Loose hay falls into the trough, for less waste and healthier goats and sheep. Hot dipped galvanized steel for extended life. Trough is one piece durable black polyethylene. Accommodates 10 mature sheep or goats at feeding time.
 43" L x 31" W x 45.5" H

Item #	Size
42-508	43" x 31" x 45.5"

Calf Hutch



Riverside
Plastics

Includes tether rod & lift brackets, tether chain, and collar. 1 piece molded, draft free. Double-rolled bottom lib w/ stake holders. All climate for year round use. Only weighs 85 lbs. Easy to clean and sanitize. Adjustable air vent. 67" high, 7' long, 51 1/2" wide.

Item #	Model	Size
94-10		85 lbs

Calf Pails



Item #	Size	Mfg.	Color
76-48A	5 qt	Sapona	Red
76-48B	5 qt	Sapona	Black

Pail Holder



Holds two 5 quart pails. Wonderful for feeding your animals.

Item #	Color	Size
76-55	Black	

Calf Chain/Collar



Item #	Type	Size
94-20	Chain	55"
94-22	Collar	28"

Plastic Hay Feeder



Riverside
Plastics

Item #	Size
94-30	19 1/2" x 16 1/2" x 4" deep

Bottle Holder



Riverside
Plastics

Item #	Color	Size
94-32	Tan	

2" Heavy Duty Gates


Heavy Duty 2" Gate. 50" tall. Two fully adjustable 10 gauge 2-bolt clamp hinges. Heavy duty z-bar welded at each rail. Durable chain and latch. 8" radius corners for maximum safety. Notched rails for sturdy welds. All rails are 16 gauge steel. 6-rail. Complete with two 3/4" x 12" bolt hooks. Powder Coat Red.



Item #	Length	Weight	MFG
74-100	4'	42	Behlen
74-101	6'	58	Behlen
74-102	8'	80	Behlen
74-103	10'	97	Behlen
74-104	12'	113	Behlen
74-105	14'	134	Behlen
74-106	16'	151	Behlen
74-107	18'	172	Behlen
74-108	20'	188	Behlen
74-110	4'	43	Applegate
74-111	6'	60	Applegate
74-112	8'	81	Applegate
74-113	10'	99	Applegate
74-114	12'	115	Applegate
74-115	14'	137	Applegate
74-116	16'	151	Applegate
74-117	18'	175	Applegate
74-118	20'	194	Applegate

7 Rail Ranch Hand Gates

1 5/8" Ranch hand Gate. They are built from heavy 18 gauge steel tubing and are designed to take rugged abuse from animals and elements alike. All horizontal tubes are welded completely around the joints to the gate frame, and supported on longer gates by vertical "Z" braces. Comes with complete hinges, bolt hooks and latch chain. Powder Coat Green.



Item #	Length	Weight	MFG
74-420	4'	23	Behlen
74-421	6'	35	Behlen
74-422	8'	43	Behlen
74-423	10'	53	Behlen
74-424	12'	63	Behlen
74-425	14'	71	Behlen
74-426	16'	79	Behlen

1 5/8" Utility Galvanized Gate

Exclusive "double coat" Behlen finish creates a superior rust protection. Exclusive square corners.-Top rail extends past the verticals. 1 5/8" pipe. 20 gauge.



Item #	Length	Weight	MFG
74-801	4'	20	Behlen
74-802	6'	27	Behlen
74-803	8'	37	Behlen
74-804	10'	44	Behlen
74-805	12'	51	Behlen
74-806	14'	60	Behlen
74-807	16'	67	Behlen
74-808	18'	78	Behlen
74-809	20'	1 3/4" pipe gate. grey	

Gate Brackets

Used to attach gates to walls. 1 5/8"



Behlen

Item #	Model	Type
74-25		Flat
74-27		Corner

2' Chain & Snap Assembly



Behlen

Item #	Model	Type
74-168		2'

2" Red Hog Gates

2" Hog Gate. 38" tall and 16 gauge steel. 6 rails. Two fully adjustable 10 gauge 2-bolt clamp hinges and 3/4" x 12" bolt hooks. Heavy duty z-bar welded at each rail. Durable chain and latch. 8" radius corners for maximum safety. Notched rails for sturdy welds. Powder Coat red.



Item #	Length	Weight	MFG
74-120	4'	41	Applegate
74-121	6'	58	Applegate
74-122	8'	79	Applegate
74-123	10'	97	Applegate
74-124	12'	113	Applegate
74-125	14'	135	Applegate
74-126	16'	149	Applegate

Horizontal Hog Gate

1 3/8" tubing and has 8 rails. 16 gauge horizontals and 14 gauge uprights. Accessories are available and comes painted Silver. 36" High



Item #	Length	Weight	MFG
74-850	4'	26	Applegate
74-851	6'	39	Applegate
74-852	8'	52	Applegate
74-853	10'	65	Applegate
74-854	12'	78	Applegate
74-855	14'	90	Applegate
74-856	16'	105	Applegate
74-857	18'	120	Applegate



Behlen

Bolt Hook Assembly

Bolt hook assemblies offer maximum strength and versatility. Each bolt hook has a full 12" of thread and is easily adjustable with the double nut and washer package.

Item #	Description
74-150	5/8" x 13"
74-151	3/4" x 12"



Lag Screw

Lag Screw is 5/8" x 6".

Item #	Description
74-30	5/8" x 6"

Fence Panels

Item #	Description	Length
77-67	Sheep & Goat 1348-4-6	16'
77-68	Horse Panel 1660-2-6	16'
77-73	Hog Panel 1134-8-4	16'
77-74	Cattle Panel 1052-8-4	16'
77-75	Hog Panel 1134-8-1/4	16'
77-76	Cattle Panel 1052-8-1/4	16'
77-77	Combo Panel 1352-8-1/4	16'
77-79	Combo Panel 1352-8-4	16'

Electric Drive Thru Gate



Koehn

No more opening and closing gates. Adjustable from 13' to 19'. Simply drive through the gate with any equipment or tractor. Holds cattle, hogs, sheep, and horses like an electric fence.

Item #	Description
74-44	Drive Thru Gate
74-46	Hose w/Streamer
74-47	Fiberglass Rod



Behlen

Tube Gate Hinges

Item #	Description
74-148	1 3/4" zinc plated
74-149	2" zinc plated
74-5	1 3/8"



Behlen

MXV Chute w/Headgate

Left-hand control operation.
 Single side exit
 "Easy Action" vertical lift tailgate.
 Double- side squeeze.
 Double-side Drop-Down Side Bars.
 Drop-down Sheeted Side Panels.
 Double-side Bottom Floor adjusts from 7"-17" (9 settings) to accommodate a wide variety of animals.
 Height: 76 7/8"
 Length: 97 5/8"
 Width: 39"
 Weight: 740 LBS

Item #	Description
75-699	MXV Chute



Behlen

M1VST Chute

The new Big Valley M1-V Chute has an "Easy action vertical lift tailgate". Convenient double side squeeze. Reversible left or right controls. Accepts all six Big Valley headgates. Dual side exits. Dual removable access panels. Wide dual neck access. 16 position double floor adjustment. Premium green powder coat paint.

M1-V Specifications:

Weight	1060 lbs
Inside Height	69 1/2"
Inside Chute Length	96"
Outside Floor Width	29"
Chute Length	114"

Item #	Description
75-680	M1VST Chute

Manual Headgate HGM



Features the "Pos-o-lock" ratchet system, ensuring that cattle are caught safely and can't escape. Opening handle attaches parallel to the chute, out of the operator's way, offering plenty of leverage to reduce operator fatigue. Design of the handle allows it to swing from behind the animal encouraging forward movement. Attaches to any Big Valley chute, operates either right-handed or left-handed. Recommended for M1 & M1-V chutes.

Item #	Description
75-669	Manual Headgate HGM



Behlen

A. I. Cage

A.I. Cage provides a safe, convenient access area behind the chute. The sheeted double doors self lock to block alley and keep you safe. It allows quick access to the opposite working area. The A.I. Cage will attach to any Squeeze Chute.

Item #	Description
75-679	A.I. Cage



Behlen

CL-5 Headgate

"Walk through" design for either manual or self-catch operation. Yoke width adjusts from 4.5- 8". Left hand or right hand operation. Mounts to alleyway or squeeze chute. 235 lbs.

Item #	Description
75-673	CL-5 Headgate

Manual Headgate CL-4



The newly redesigned CL-4 is built to handle small calves to large cattle. Mounts to new M2 chute and Portable Care Center. Easily adapted to alleyway application. "Walk through" design with no sharp edges. Positive action ratchet. Curved yoke design holds firmly without choking. Full 26-1/2" width and 63-1/2" height opening for ease of exit. Left-hand 165 lbs.

Item #	Description
75-672	CL-4 Headgate

Self Catch Headgate




Behlen

Redesigned Self-Catch Headgate is now heavier, stronger and easier to use. The yoke is adjustable from both sides for a more precise fit and increased safety. The revolutionary, patented Nek-Stender® design pivots with the action of the yoke to create a Nek-Stender® that opens and closes with the action of the headgate. This headgate will attach to any Big Valley® chute. Can be set up for either right or left-hand operation. Designed to work on animals 300 lbs. and heavier. 280 lbs.

Item #	Description
75-671	Self-Catch Headgate

8' Heavy Duty Bale Feeder



Applegate

46" tall and 8' in diameter. 14 gauge steel. 1 1/4" diagonals and vertical bars. 15 vertical bars on open feeder. The hardware is included. Painted red. 181 lbs.

Item #	Model	Type
74-40		8'



Applegate

Thrifty Bunks

1 5/8" tubular base. 18" tall 26" wide. 12" deep. 16 gauge steel. Four legs on the 10' model. Painted Applegate Grey.

Item #	Model	Size
74-8	5'	Cattle
74-9	10'	Cattle

Thrifty V Racks




Applegate

Made for Applegate Thrifty Bunks.

Item #	Model	Size
74-10		5'
74-11		10'

5' Galvanized Feed Bunk



Behlen

Our Galvanized 5' Feed Bunks (GFB-5P & GUB-5P) have the same quality design features as our popular 10' galvanized bunk in a new 5' length. The GFB-5 is designed for cattle, while the GUB-5 is lower and ideal for smaller animals.

Item #	Model	Type
75-571	GFB-5	Cattle
75-569	GUB-5	Sheep

Hay Rack for Galvanized Bunk




Behlen

Optional Galvanized Hay Rack for 5' and 10' bunks is an efficient way to get more use from your bunk. Heavy duty construction with solid hay-saver rods. Easy to attach. Comes with all hardware. Hay Racks allow you to feed loose hay and grain at the same time. They are made from solid rod for extra durability. Made to fit the Behlen Galvanized Bunks.

Item #	Model	Size	Weight
75-573	VR5	5'	56 lbs
75-574	VR10	10'	86 lbs

Hay Feeder Panels



Behlen

Hay feeder panels are designed for feeding hay in-line or from a stack. They can be connected together or used alone. Hay feeder panels have been redesigned to withstand abuse from the toughest animals. They are now made from heavier 14 ga. 2" high strength steel tubing and stand 5' tall. The new "S-bar" design saves hay and helps keep calves out of feeders.

Item #	Size	Weight
75-472	6'	83
75-473	8'	103
75-474	10'	123
75-475	12'	139
75-476	16'	185

Thrifty 5' Horse Bunk



Applegate

1 5/8" tubular base. 35" tall 26" wide. 12" deep. 16 gauge steel. Painted Applegate Grey. 35 lbs.

Item #	Model	Type
74-7	5'	Horse

10' Galvanized Feed Bunk



Behlen

Strong & Portable... Designed to Ensure Total Feed Consumption. The recently introduced 10' Galvanized Feed Bunk (GFB-10) features heavy duty galvanized construction, a one-piece molded poly trough, and smooth, rounded corners - all at an affordable price. Model GFB-10.

Item #	Model	Type
75-572	GFB-10	Cattle


5' Horse Feed Bunk



Features heavy duty galvanized construction, a one-piece molded poly trough, and smooth, rounded corners - all at an affordable price. 60" x 40" x 35".

Item #	Model	Type
74-7	5'	Horse

14 Gauge All Steel Model



Applegate

1 5/8" tubular base. 36" width- 23" height- 14" depth. 10 ft models- 33.5 cubic ft. capacity. Painted Applegate Red

Item #	Model	Size
74-317	Bunk	10'
74-318	Hay Rack	10'



Applegate

16 Gauge Feed Bunks

- 20" tall - 27" wide - 12" deep
- 15/8" tubular base
 - Strong metal ends
 - Durable poly liner
 - Two wide support straps
 - Available in 5' and 10' models
 - Powder coat bright green.

Item #	Weight	Size
74-325	62 lbs	5'
74-326	105 lbs	10'

All Steel Fence Line Feeder



Applegate

2 ft Wide Model - • 1 5/8" tubular base • 24" width - 23" height - 14" depth • 10' length • Ultra-protected powder coat bright red Weighs 175 lbs.

Item #	Model	Size
74-319	Bunk	10'
74-321	Hay Rack	10'

Painted Red Feed Bunk



Features heavy duty galvanized construction, a one-piece molded poly trough, and smooth, rounded corners - all at an affordable price. Painted Behlen red.

Item #	Weight	Size
75-576	75 lbs	10'



Scenic Road

Corner Hay Rack

A convenient, economical way to feed hay to horses and ponies. They mount easily in a corner of a box stall. All-welded solid rod now with black finish.

Item #	Model	Size
55-308	SRC1100	
55-310	SR16	

8' Round Bale Feeder w/Panel



Applegate

46" tall and 8' in diameter. 14 gauge steel. 1 1/4" diagonals and vertical bars. The hardware is included. Painted red. 206 lbs.

Item #	Weight	Size
74-36	206 lbs	8'

Haysmart Round Bale Feeder




Behlen

Increases hay utilization to more than 96% according to university studies. Allows cattle to eat evenly through the toughest bales. Suspends hay off the ground to reduce waste. Long-lasting 16 gauge sheeting and Behlen Country's premium powder coat finish ensure durability and toughness. 6' tall. 624 lbs.

Item #	Weight	Size
75-554	624 lbs	8'

Poly Feed Bunks



Behlen

The PFB-10 & PFB-5 roto-molded, all-poly bunks are newly redesigned to be even stronger. They now have extra thick poly in their feed trough base in addition to their ribbed, double wall construction. Pluggable drain openings allow it to be used as a water tank.

Item #	Model	Size
75-559	PFB5	5'
75-560	PFB10	10'

Wall Hay Rack



Scenic Road

A convenient, economical way to feed hay to horses and ponies. They mount easily on the wall of a box stall. All-welded solid rod now with black finish. Made by Scenic Road.

Item #	Model	Size
55-300	SRW1475	

Hay & Grain Feeders



1-1/2" round steel tube, 14-gauge throughout. Each hay rack bar is made of 3/4" round 14-gauge tubing and is 4" on center, allowing the animal to pull out enough hay without wasting it. The rotationally molded tub is made from medium density polyethylene with U.V. inhibitors and divided compartments. Each tub compartment has a drain hole for water. There are 4 9/16" bolts located on the feeder to make animal height adjustments.

Item #	Width	Length	Height	Weight	Price	1200	2300
74-15	38"	3.5'	4'4" - 5'8"	160 lbs	\$253.78	\$241.09	\$219.39
74-16	38"	7'	4'4" - 5'8"	230 lbs	\$364.87	\$346.62	\$315.42

HEIGHTS ARE ADJUSTABLE ON BOTH MODELS



10' All Steel Bunk-36"

Our cattle bunk feeder is heavy duty, strong, and safe. 14-gauge 1-1/2" tubing makes up the frame of this feeder while the 16-gauge sheet metal makes up the feed compartment. The 1" round tube is roll formed and placed on the sheet metal edges so there is nothing sharp cutting into the cattle's chest. All ends are closed, keeping out bees and wasps. Weighs 170 lbs and is gray in color. The trough dimensions are:
Height 22" Length 10' and Depth 9".

Item #	Size	Price	1200	2300
74-315	10'	\$232.94	\$221.29	\$201.37

10' Cattle Bunk

Our cattle bunk feeder is heavy duty, strong, and safe. 14-gauge 1-1/2" tubing makes up the frame of this feeder. Comes with a black drop in poly liner.

Item #	Size	Price	1200	2300
74-17	10'	\$129.33	\$122.86	\$111.80



Vertical Bar Hog Gate

Heavy Duty vertical bar hog gates are made from 14 gauge steel. These gates are 40" tall.

Item #	Size	Price	1200	2300
74-870	6'	\$91.56	\$86.98	\$79.15
74-871	8'	\$113.89	\$108.19	\$98.45
74-872	10'	\$136.24	\$129.42	\$117.77

With Walk Thru

Vertical bar hog gates with Walk Thru Gate 40" tall. 14 gauge.

Item #	Size	Price	1200	2300
74-880	6'	\$110.56	\$105.03	\$95.57
74-881	8'	\$144.79	\$137.55	\$125.17
74-882	10'	\$180.97	\$171.92	\$156.44

Heavy Duty Poly Bull Feeders

These feeders are tough yet simple and easy enough for small animals to use. A self-closing rubber cover fits over the feeder to keep out rain, snow and dirt. These poly and rubber units are corrosion proof and will withstand cold temperatures. Three block model is 32" in diameter and 8" high. Four block model is 40" in diameter and 7" high.

Behlen



Item #	Model	Type
75-547	HDB-3	3-Block
75-548	HDB-4	4-Block

3 Block Bull Feeder

Applegate

30.5" wide, 14" high, and 12" deep compartments. Weighs 45 lbs. Dark Grey in color. Light Duty Model

Item #	Model	Size
74-64		30.5" x 14" x 12"

Low Profile Mineral Feeder



Applegate

24" wide, 13" high, 8" deep compartments. Stable, rotationally molded base. 18" high center support. Resistant to weather. Field proven with cattle, horses, sheep, and goats. Dark grey in color.

Item #	Model	Size
74-65		24" x 13" x 8"

Windvane Feeder



Behlen

The WV-4600 Windvane Mineral Feeder is our best selling mineral feeder because it is tough, functional and economical. We've recently re-engineered this unit to add even more value. The WV-4600 features an all poly rotating head that protects mineral in the 1.9 cu. ft. poly tub. The large 48" dia. base ring resists tipping and is made from solid 3/4" steel rod, not hollow tubing, for extra long life.

Item #	Model	Size
75-595	4600	48" dia

Poly Windvane Feeder



Behlen

Heavy Duty Poly Windvane Feeders will last for years. The one piece poly hood, trough and vane assembly is rust and corrosion proof. Free standing feeder WVP-6000 can take the roughest abuse. A grease zerk to an internal bearing assures easy turning in the wind. Base and long legs are heavy gauge tubing for long life.

Item #	Model	Size
75-600	WVP-6000	

Elk River Creep Feeders



Applegate

Item #	Model	Size
74-8113		650 lb
74-8114		1000 lb

Calf Pass Panel



Behlen

Calf Pass Panel is a versatile way to keep larger animals out of smaller feed areas. Manufactured with 2" (16 ga) heavy gauge steel. The galvanized height adjustment bar is adjustable to any height by means of a U-bolt. Green in color.

Item #	Size	Weight
75-620	12'	108 lbs

The Rattle Paddle

It is made from durable, high density polyethylene. The handle is fitted with a rubber grip for better handling and extra comfort. No electric shocks are given to the animal. The rattle is created by steel balls inside the paddle.

Item #	Size	MFG
23-12	37"	Kane
23-13	48"	Miller



Behlen

Creep Feeder

- Sloped top drains water toward back
 - 4" overhang prevents moisture from dripping into feed trough
 - Redesigned stalls are longer
 - Up to 20% more feed capacity
 - One piece polyethylene feed hopper
 - Galvanized adjustment bar
 - Top poly lid easily slides back for easy filling
- All metal parts are galvanized for long life and durability.

Item #	Model	Size
75-613	PCF-750	750 lb
75-614	PCF-1200	1200 lb

Baby Pig Waterer



Miller

This watering system includes polyethylene jug, base, and metal tray.

Item #	Model	Size
14-35	BPW4	1 gallon

Baby Pig Feeder



Miller

24-gauge galvanized steel 2 Hole and 3 Hole Styles.

Item #	Model	Size
14-33	BPF2	7 lb
14-34	BPF3	9 lb

Poly Herd Panels



KANE

These PolyTuff herd panels are tough and come in seven sizes. The polyethylene material is disease free, will not rot or rust, and is lightweight.

Item #	Size	Type
75-707	30" x 18"	Single
75-709	30" x 36"	Double
75-708	30" x 48"	Double
75-711		Hinge Kit

Kane Poly Heat Mats



KANE

Heat mats are made of a high density durable polyethylene. Electrically heated. Provides a warm bed for baby pigs and helps increase number of pigs per litter.

Item #	Wattage	Size
73-65	88	1 x 4
73-75	176	2 x 4

Kane Double Side Feeders



Capacity 204 lbs.

Item #	Size	Model
73-13	24" x 16" x 30"	DPNF-24



Baby Pig Creep Feeder

Model KCF-9 w/bracket. Comes with feed saver rolled lip.

Item #	Model	Type
73-15	KCF-9	w/Bracket
73-16		Bracket Only



Baby Pig Waterer

For watering or medication baby pigs. Heavy-duty polyethylene waterer with 2 gallon capacity. Stainless steel nipple, key-hole mounting and hang tab lid. Model KPW-B

Item #	Model	Size
73-40	KPW-B	2 gallon



Snap Feeder LP

This low profile snap feeder is non-rusting and non-corrosive. Locking device, and push-turn to attach & release. Adapts to all types of slatted creep areas.

Item #	Model	Size
73-21	KSF	2 2/4" high



Lamb Creep Feeder

Capacity 72 lbs.

Item #	Size	Model
73-60	24" x 8" x 24"	LFC-24



Poly Sure Start Creep Feeder

Heavy Duty double wall. Creep divider groove holds feeder in place between crates. 2 lb.

Item #	Model	Size
73-25		2 lb



Milk Replacement Feeders

Easy to clean and fill. One piece construction. Mounting brackets included.

Item #	Size	Model
73-30	3 gallon	KMF-3
73-31	8 gallon	KMF-8



Brower

Gro-Fast Hog Feeder

The Gro-Fast hog feeder is built to handle up to 20 hogs with two feed openings per side. Openings are designed wide enough to allow large hogs to eat comfortably. Hinged top allows cover to drop down flush with side of feeder for ease of filling. End pieces are angle iron reinforced solid steel 7 bu capacity. Model 2G.

Some assembly required

Item #	Model	Size
75-50	2G	7 bushel



Behlen

Behlen Hog Feeders

Galvanized steel hog feeder with trough feed adjustment control. Ideal for 4-H projects. Not recommended for confinement installations.

Item #	Model	Size
75-63	1 hole	80 lb
75-66	2 hole	155 lb



Miller

Miller Hog Feeders

Heavy duty steel construction. Welded and powder coated gray. the top door flips open for easy loading.

Item #	Model	Size
75-62	1 hole	50 lb
75-65	2 hole	100 lb



Freeland

Galvanized Hog Troughs

Full 12" width and 5-1/2" depth - inside measurements. Over 2-1/2 gallon capacity per foot of trough.

Item #	Model	Size
75-325	F142	2'
75-326	F144	4'
75-327	F146	6'



Nordic

Sheep & Pig Scale

Perfect for weighing pigs to assure best market weight. Portable with durable construction- sturdy welded frame, galvanized panels, wire mesh flooring for easy cleaning, hinged door for easy access accurate weighing from 0-400 lbs. The scale is shipped complete and assembled, except for weighing mechanism, which is packed inside and can be installed in a few minutes. Equipped with sturdy rubber wheels.

Item #	Model	Type	Size
114-10	4600	0-400 lbs	55" x 45" x 24"
114-12	4610	0-400 lbs	65" x 45" x 24"



Brower

20 Gallon Pig Waterer

All poly construction. High density polyethylene. Hindered amine light stabilizer, the most effective ultraviolet inhibitor. No rust. No corrosion. Model MPD20.

Item #	Model	Type
75-57	MPD20	20 gallons



Model Cup 33

Big enough for sows. Small enough for baby pigs. Orifice sleeve inside the filter controls high and low water pressure for uniform water flow. 7" long, 5 1/2" wide and 2" deep.

Item #	Model	Size
78-40	33	7" x 5 1/2" x 2"



Model Cup 13

For use on tank or barrel installations. Same size as Model 93. Has adjustable water flow. Cast iron. 9" long, 6 1/2" wide, and 2 1/2" deep.

Item #	Model	Size
78-41	13	9" x 6 1/2" x 2 1/2"

85 Gallon Hog Waterer



Brower

The 85-Gallon Utility Waterer is made of tough high density polyethylene that will never rust or corrode. Its light weight makes it easy to handle and all drinker edges are protected with heavy galvanized steel bite guards. Can be heated for winter use.

Item #	Model	Size
75-242		85 gallons

Stainless Steel Hog Nipples



Monoflo

Item #	Model	Size
78-203	Hog	1/2"
78-204	Pig	1/2"
78-207	Piglet	1/2"



Mounting Bracket

Trojan 12524 nipple mounting bracket attaches water pipe to wall or pen paneling. Built tough to resist hog abuse. Has stainless steel U-bolt for easy adjustment of nipple height.

Item #	Model	Type
78-50	12524	Bracket

Nipple Watering Brackets



Item #	Type
75-292	Double 1-Pen
75-294	2 Pen
75-299	Single 1-Pen



Gravity Flow Connector Kit Nipple 75

Part Number: 13235

- Efficient way to provide water quickly in your pens
- Sealing Ring and Groove
- Locknut Design
- Sharper and deeper teeth
- Hexagonal / Splined Body Design
- Precision Machine Tapered Threads
- Insulated Throat

Item #	Nipple	Model
78-30	75	13235