

Ventilation Fans Cross Reference Guide



WhisperGreen w/Built-In Controls Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM*	Noise (Sones)*	Installed Performance		Watt* 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM*	Noise (Sones)*				
						0.25" w.g.					
				0.1" w.g.		0.25" w.g.					
Panasonic	FV-08VKM3	Fan w/built in Motion Sensor	4" or 6"	80	<0.3	79	0.4	7.0	6	Y	7-2/5"
Broan	ZB80M	Fan w/built in Motion Sensor	4" or 6"	80	0.3	80	N/A	7.6	3	Y	7-5/8"
Panasonic	FV-13VKM3	Fan w/built in Motion Sensor	6"	130	<0.3	135	0.7	11.6	6	Y	7-2/5"
Broan	ZB110M	Fan w/built in Motion Sensor	6"	110	<0.3	110	N/A	7.7	3	Y	7-5/8"
Panasonic	FV-08VKS3	Fan	4" or 6"	80	<0.3	79	0.4	7.0	6	Y	7-2/5"
Broan	ZB80	Fan	4" or 6"	80	0.3	80	N/A	7.6	3	Y	7-5/8"
Nutone	ZN80	Fan	4" or 6"	80	<0.3	80	N/A	7.6	3	Y	7-5/8"
Panasonic	FV-13VKS3	Fan	6"	130	<0.3	135	0.7	11.6	6	Y	7-2/5"
Broan	ZB110	Fan	6"	110	<0.3	110	N/A	7.7	3	Y	7-5/8"
Nutone	ZN110	Fan	6"	110	<0.3	110	N/A	7.7	3	Y	7-5/8"

WhisperGreen Single Speed Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM*	Noise (Sones)*	Installed Performance		Watt* 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM*	Noise (Sones)*				
						0.25" w.g.					
				0.1" w.g.		0.25" w.g.					
Panasonic	FV-05VK3	Fan	4" or 6"	50	<0.3	54	0.3	4.3	6	Y	7-2/5"
Broan	XB50	Fan	4" or 6"	50	<0.3	50	N/A	5.1	3	Y	7-5/8"
Nutone	XN50	Fan	4" or 6"	50	<0.3	50	N/A	5.1	3	Y	7-5/8"
Panasonic	FV-08VK3	Fan	4" or 6"	80	<0.3	79	0.4	7.0	6	Y	7-2/5"
Broan	XB80	Fan	4" or 6"	80	<0.3	80	N/A	7.6	3	Y	7-5/8"
Nutone	XN80	Fan	4" or 6"	80	<0.3	80	N/A	7.6	3	Y	7-5/8"
Panasonic	FV-11VK3	Fan	4" or 6"	110	0.3	112	0.8	11.5	3	Y	7-2/5"
Broan	XB110	Fan	6"	110	<0.3	110	N/A	7.7	3	Y	7-5/8"
Nutone	XN110	Fan	6"	110	<0.3	110	N/A	7.7	3	Y	7-5/8"

*Performance with 4" duct



WhisperGreen-LED Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM*	Noise (Sones)*	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM*	Noise (Sones)*				
						0.25" w.g.					
				0.1" w.g.		0.25" w.g.					
NEW Panasonic	FV-08VKME3	Fan-LED Light w/ built in Motion Sensor	4" or 6"	80	<0.3	86	0.7	7.5	6†	Y	7-2/5"
No cross for Panasonic DC motor fan/LED with built in variable speed and motion sensor.											
NEW Panasonic	FV-08VKSE3	Fan-LED Light	4" or 6"	80	<0.3	86	0.7	7.5	6†	Y	7-2/5"
Delta Breez	VFB080D4LED1	Fan-LED Light	4"	80	0.5	58	1	9	3	N	7.98"

*Performance with 4" duct

† Panasonic LED Warranty - 5 Years

WhisperGreen-Lite w/Built-In Controls Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM*	Noise (Sones)*	Installed Performance		Watt* 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM*	Noise (Sones)*				
						0.1" w.g.					
Panasonic	FV-08VKML3/4	Fan-Fluorescent Light w/ built in Motion Sensor	4" or 6"	80	<0.3	79	0.6	7.4	6	Y	7-2/5"
Broan	ZB80ML	Fan-Fluorescent Light w/ built in Motion Sensor	4" or 6"	80	0.3	80	N/A	7.3	3	Y	7-5/8"
Panasonic	FV-13VKML3/4	Fan-Fluorescent Light w/ built in Motion Sensor	6"	130	0.8	137	1.3	14.2	6	Y	7-2/5"
Broan	ZB110ML	Fan-Fluorescent Light w/ built in Motion Sensor	6"	110	<0.3	110	N/A	8.7	3	Y	7-5/8"
Panasonic	FV-08VKSL3/4	Fan-Fluorescent Light	4" or 6"	80	<0.3	79	0.6	7.4	6	Y	7-2/5"
Broan	ZB80L	Fan-Fluorescent Light	4" or 6"	80	0.3	80	N/A	7.3	3	Y	7-5/8"
Nutone	ZN80L	Fan-Fluorescent Light	4" or 6"	80	0.3	80	N/A	7.3	3	Y	7-5/8"
Panasonic	FV-13VKSL3/4	Fan-Fluorescent Light	6"	130	0.8	137	1.3	14.2	6	Y	7-2/5"
Broan	ZB110L	Fan-Fluorescent Light	6"	110	<0.3	110	N/A	8.7	3	Y	7-5/8"
Nutone	ZN110L	Fan-Fluorescent Light	6"	110	<0.3	110	N/A	8.7	3	Y	7-5/8"

*Performance with 4" duct

WhisperGreen-Lite Single Speed Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM*	Noise (Sones)*	Installed Performance		Watt* 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM*	Noise (Sones)*				
						0.1" w.g.					
Panasonic	FV-08VKL3/4	Fan-Fluorescent Light	4" or 6"	80	<0.3	79	0.6	7.4	6	Y	7-2/5"
Broan	XB80L	Fan-Fluorescent Light	4" or 6"	80	<0.3	80	N/A	6	3	Y	7-5/8"
Nutone	XN80L	Fan-Fluorescent Light	4" or 6"	80	<0.3	80	N/A	6	3	Y	7-5/8"
Panasonic	FV-11VKL3/4	Fan-Fluorescent Light	4" or 6"	110	0.7	108	1.1	12.5	6	Y	7-2/5"
Broan	XB110L	Fan-Fluorescent Light	6"	110	<0.3	110	N/A	8.7	3	Y	7-5/8"
Nutone	XN110L	Fan-Fluorescent Light	6"	110	<0.3	110	N/A	8.7	3	Y	7-5/8"

*Performance with 4" duct

WhisperRecessed Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-08VRL1	Fan-Fluorescent Light	4" or 6"	80	0.8	66	0.7	20.5	3	Y	7-1/2"
Broan	744FL	Fan-Fluorescent Light	4"	70	1.5	55	N/A	34.4	1	Y	6-7/8"
Nutone	744FLNT	Fan-Fluorescent Light	4"	70	1.5	55	N/A	34.4	1	Y	6-7/8"

WhisperWelcome Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)*	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)*				
						0.1" w.g.					
Panasonic	FV-05VFM2	Fan with Motion Sensor	4" or 3"	50	<0.3	30	0.7	16.3	3	Y	5-5/8"
Panasonic	FV-08VFM2	Fan with Motion Sensor	4" or 3"	80	0.9	62	1.1	24.5	3	Y	5-5/8"
No cross reference for Panasonic fans with built-in motion sensor											

*Performance with 4" duct

WhisperComfort ERV											
Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-04VE1	Energy Recovery Ventilator-UL for Ceiling or Wall Mount	4"	40	0.8	N/A	N/A	23	3	N	7-7/8"
No cross for this small Panasonic spot balanced ventilation system											

WhisperWarm Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-11VH2	Fan-Heater	4"	110	0.6	89	1.0	30.7	3	N	7-3/4"
No cross reference for Panasonic 110 CFM fan/heater											
Panasonic	FV-11VHL2	Fan-Heater-Light	4"	110	0.7	89	1.0	30.6	3	N	7-3/4"
Broan	QTX110HFLT	Fan-Heater-Light	6"	110	0.9	82	N/A	42.8	3	N	7-5/8"
Nutone	QTXN110HFLT	Fan-Heater-Light	6"	110	0.9	82	N/A	42.8	3	N	7-5/8"

WhisperSense Competitive Cross Reference											
Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-08VQC5	Fan with built in Motion & Humidity Sensors	4" or 6"	80	<0.3	59	<0.3	15.8	3	Y	7-2/5"
Air King	ES80SH	Fan with built in Humidity Sensor	6"	80	<0.3	49	N/A	28.1	1	Y	9-7/8"
Delta Breez	VFB25ACH	Fan with built in Humidity Sensor	4"	80	<0.3	56	0.6	7.2	3	Y	7-63/64"
Panasonic	FV-11VQC5	Fan with built in Motion & Humidity Sensors	4" or 6"	110	0.3	91	0.5	24.3	3	Y	7-2/5"
Air King	ES130SH	Fan with built in Humidity Sensor	6"	130	<0.3	93	N/A	34.9	1	Y	9-7/8"
Broan	QTXE110S	Fan with built in Humidity Sensor	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Delta Breez	VFB25ADH	Fan with built in Humidity Sensor	4"	110	1.0	81	1.5	14.2	3	Y	7-63/64"
Nutone	QTXEN110S	Fan with built in Humidity Sensor	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Note: Only Panasonic WhisperSense fans include dual motion/humidity sensor technology											

WhisperSense-Lite Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-08VQCL5/6	Fan-Fluorescent Light with built in Motion & Humidity Sensors	4" or 6"	80	<0.3	62	0.4	17.5	3	Y	7-2/5"
Air King	AKF80H	Fan-Fluorescent Light w/built in Humidity Sensor	4"	80	1.0	70	N/A	27.6	1	Y	7-7/8"
No cross reference for Panasonic 80 CFM fan/light with built-in motion/humidity sensor											
Panasonic	FV-11VQCL5/6	Fan-Fluorescent Light with built in Motion & Humidity Sensors	4" or 6"	110	0.7	89	0.7	25.2	3	Y	7-2/5"
Broan	QTXE110SFLT	Fan-Fluorescent Light with built in Humidity Sensor	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Nutone	QTXEN110SFLT	Fan-Fluorescent Light with built in Humidity Sensor	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Note: Only Panasonic WhisperSense-Lite fans include dual motion/humidity sensor technology											

WhisperCeiling Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-05VQ5	Fan	4" or 6"	50	<0.3	36	0.4	11.1	3	Y	7-2/5"
Broan	QTXE050	Fan	6"	50	<0.3	31	N/A	19.6	3	Y	7-5/8"
Nutone	QTXEN050	Fan	6"	50	<0.3	31	N/A	19.6	3	Y	7-5/8"
Renewaire	V50	Fan	4"	50	<0.3	31	N/A	12.9	5	Y	8-1/16"
Panasonic	FV-08VQ5	Fan	4" or 6"	80	<0.3	62	0.4	14.7	3	Y	7-2/5"
Air King	ES80S	Fan	6"	80	<0.3	49	N/A	28.1	1	Y	9-7/8"
Broan	QTXE080	Fan	6"	80	0.3	55	N/A	23.3	3	Y	7-5/8"
Delta Breez	VFB25AC	Fan	4"	80	<0.3	56	0.6	7.2	3	Y	7-63/64"
Fantech	FQ80	Fan	4"	80	<0.3	60	N/A	23.4	5	Y	8-1/2"
Nutone	QTXEN080	Fan	6"	80	0.3	55	N/A	23.3	3	Y	7-5/8"
Renewaire	V80	Fan	4"	80	<0.3	60	N/A	16.1	5	Y	8-1/16"
Panasonic	FV-11VQ5	Fan	4" or 6"	110	<0.3	91	0.5	21.1	3	Y	7-2/5"
Air King	ES130S	Fan	6"	130	<0.3	93	N/A	34.9	1	Y	9-7/8"
Broan	QTXE110	Fan	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Delta Breez	VFB25AD	Fan	4"	110	1.0	81	1.5	14.2	3	Y	7-63/64"
Fantech	FQ110	Fan	4"	110	<0.7	85	N/A	28.1	5	Y	8-1/2"
Nutone	QTXEN110	Fan	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Renewaire	V110	Fan	4"	110	0.8	93	N/A	24.2	5	Y	8-1/16"
Panasonic	FV-15VQ5	Fan	6"	150	<0.3	127	0.5	28.4	3	Y	7-2/5"
Air King	AK150LS	Fan	6"	150	0.8	116	N/A	34.6	1	Y	7-7/8"
Broan	QTXE150	Fan	6"	150	1.4	118	N/A	51.3	3	Y	7-5/8"
Marley	8140ES	Fan	4"	140	2.5	111	N/A	46.3	6	Y	7-5/8"
Nutone	QTXEN150	Fan	6"	150	1.4	118	N/A	51.3	3	Y	7-5/8"
Renewaire	V150	Fan	6"	150	<0.3	110	N/A	32.7	5	Y	9-9/16"

**AMCA certification

WhisperCeiling Competitive Cross Reference (Cntd.)

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-15VQ5	Fan	6"	150	<0.3	127	0.5	28.4	3	Y	7-2/5"
Air King	AK150LS	Fan	6"	150	0.8	116	N/A	34.6	1	Y	7-7/8"
Broan	QTXE150	Fan	6"	150	1.4	118	N/A	51.3	3	Y	7-5/8"
Marley	8140ES	Fan	4"	140	2.5	111	N/A	46.3	6	Y	7-5/8"
Nutone	QTXEN150	Fan	6"	150	1.4	118	N/A	51.3	3	Y	7-5/8"
Renewaire	V150	Fan	6"	150	<0.3	110	N/A	32.7	5	Y	9-9/16"
Panasonic	FV-20VQ3	Fan	6"	190	0.8	144	1.4	43.7	3	Y	9-9/32"
Air King	AK200LS	Fan	6"	200	1.4	185	N/A	62.0	1	Y	9-7/8"
Broan**	L200	Fan	8"	214	1.8	196	2.3	127.0	1	N	11-3/4"
Panasonic	FV-30VQ3	Fan	6"	290	2.0	257	N/A	64.0	3	Y	9-9/32"
Air King	AK300LS	Fan	6"	290	3.0	265	N/A	79.9	1	Y	9-7/8"
Broan**	L300	Fan	8"	309	2.9	303	3.3	111.0	1	N	1-3/4"
Panasonic	FV-40VQ4	Fan	6"	390	3.0	356	3.0	111.4	3	Y	9-9/32"
Broan**	L400	Fan	4-1/2" x 18"	442	2.4	388	2.8	146.0	1	N	11-3/4"

**AMCA certification



WhisperLite Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-08VQL5/6	Fan-Fluorescent Light	4" or 6"	80	<0.3	62	0.4	14.9	3	Y	7-2/5"
Broan	QTXE080FLT	Fan-Fluorescent Light	6"	80	0.3	55	N/A	23.3	3	Y	7-5/8"
Fantech	FQ80FL	Fan-Fluorescent Light	4"	80	0.4	60	N/A	23.7	5	Y	8-1/2"
Nutone	QTXEN080FLT	Fan-Fluorescent Light	6"	80	0.3	55	N/A	23.3	3	Y	7-5/8"
Delta Breez	VFB25ACL	Fan-Fluorescent Light	4"	80	0.6	49	1.0	9.6	3	Y	7-63/64"
Panasonic	FV-11VQL5/6	Fan-Fluorescent Light	4" or 6"	110	0.5	90	0.6	23.4	3	Y	7-2/5"
Broan	QTXE110FLT	Fan-Fluorescent Light	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Nutone	QTXEN110FLT	Fan-Fluorescent Light	6"	110	0.7	90	N/A	33.5	3	Y	7-5/8"
Panasonic	FV-15VQL5/6	Fan-Fluorescent Light	6"	150	0.9	128	1.0	31.8	3	Y	7-2/5"
Broan	QTXE150FLT	Fan-Fluorescent Light	6"	150	1.4	118	N/A	51.3	3	Y	7-5/8"
Marley	8140FL	Fan-Fluorescent Light	4"	140	2.5	107	N/A	48.6	5	Y	7-5/8"
Nutone	QTXEN150FLT	Fan-Fluorescent Light	6"	150	1.4	118	N/A	51.3	3	Y	7-5/8"



WhisperFit-Warm Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
NEW Panasonic	FV-07VFH3	Fan Heater	4"	70	1.4	59	2.2	26.2	3	N	5-5/8"

No cross for Panasonic small fan/heater model

WhisperFit Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-05VF2	Fan	4" or 3"	50	0.4	30	0.9	15.0	3	Y	5-5/8"
Delta Breez	VFB050C4A1	Fan	4"	50	<0.3	36	1.0	4	3	Y	5-3/4"
Broan	770	Fan	4"	50	1.5	35	N/A	17.8	1	Y	5-3/4"
Greenheck**	SP-A50	Fan	6" Square	51	0.7	31	1.3	18.3	3	Y	11-5/8"
Panasonic	FV-08VF2	Fan	4" or 3"	80	0.8	60	1.0	24.5	3	Y	5-5/8"
Delta Breez	VFB080C4A1	Fan	4"	80	0.8	66	1.1	7.9	3	Y	5-3/4"
Broan	QTRE080	Fan	4"	80	0.8	55	N/A	28.4	3	Y	7-5/8"
Greenheck**	SP-A70	Fan	6" Square	70	0.8	42	1.6	20.2	3	Y	11-5/8"
	SP-A90	Fan	6" Square	88	1.0	61	1.2	29.4	3	Y	11-5/8"
Marley	8080ES	Fan	4"	80	1.0	72	N/A	32.1	5	Y	7-5/8"
Nutone	QTREN080	Fan	4"	80	0.8	55	N/A	28.4	3	Y	7-5/8"
Panasonic	FV-11VF2	Fan	4" or 3"	110	1.5	94	1.5	33.5	3	Y	5-5/8"
Broan	QTRE110	Fan	4"	110	1.3	90	N/A	36.3	3	Y	7-5/8"
Nutone	QTREN110	Fan	4"	110	1.3	90	N/A	36.3	3	Y	7-5/8"

WhisperFit-Lite Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-05VFL3/4	Fan-Fluorescent Light	4" or 3"	50	<0.3	35	0.4	15.9	3	Y	5-5/8"
Delta Breez	VFB050C4L1	Fan-Fluorescent Light	4"	50	<0.3	38	0.7	4	3	Y	5-3/4"
Air King	AKF50LS	Fan-Fluorescent Light	4"	50	0.3	33	N/A	26.4	1	Y	7-7/8"
Greenheck**	SP-A50L	Fan-Fluorescent Light	6" Square	51	0.7	31	1.3	18.3	3	Y	11-5/8"
Panasonic	FV-08VFL3/4	Fan-Fluorescent Light	4" or 3"	80	0.5	63	0.8	29.7	3	Y	5-5/8"
Delta Breez	VFB080C4L1	Fan-Fluorescent Light	4"	80	0.8	66	1	8.7	3	Y	5-3/4"
Broan	QTRE080FLT	Fan-Fluorescent Light	4"	80	0.8	55	N/A	28.4	3	Y	7-5/8"
Delta Breez	VFB25ACL	Fan-Fluorescent Light	4"	80	0.6	49	1.0	9.6	3	Y	7-63/64"
Greenheck**	SP-A70FL	Fan-Fluorescent Light	6" Square	70	0.8	42	1.6	20.2	3	Y	11-5/8"
	SP-A90FL	Fan-Fluorescent Light	6" Square	88	1.0	61	1.2	29.4	3	Y	11-5/8"
Nutone	QTREN080FLT	Fan-Fluorescent Light	4"	80	0.8	55	N/A	28.4	3	Y	7-5/8"
Panasonic	FV-11VFL3/4	Fan-Fluorescent Light	4" or 3"	110	1.3	96	1.5	33.6	3	Y	5-5/8"
Broan	QTRE110FLT	Fan-Fluorescent Light	4"	110	1.3	90	N/A	36.3	3	Y	7-5/8"
Delta Breez	VFB25ADL	Fan-Fluorescent Light	4"	110	1.1	89	1.4	15.4	3	Y	7-63/64"
Nutone	QTREN110FLT	Fan-Fluorescent Light	4"	110	1.3	90	N/A	36.3	3	Y	7-5/8"

WhisperValue Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-05VS1	Fan	4"	50	0.4	37	1.0	18.1	3	Y	3-3/4"
Air King	AK50LS	Fan	4"	50	0.3	32	N/A	26.4	1	Y	7-7/8"
	BFQ50	Fan	4"	50	0.5	38	N/A	28.1	1	Y	4-3/4"

WhisperValue Competitive Cross Reference (Cntd.)

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Broan	HD50	Fan	4"	50	1.5	38	N/A	27.1	1	Y	5-3/4"
	QTXR000HF/ QTR050F	Fan-Builder Pack	4"	50	0.4	28	N/A	26.8	3	N	7-5/8"
Delta Breez	VFB050B3A1	Fan	3"	50	1.0	36	1.2	6.4	3	Y	3-15/16"
Greenheck**	SP-B50	Fan	4"	54	1.4	40	2	37.8	3	Y	6-15/16"
Nutone	HD50NT	Fan	4"	50	1.5	38	N/A	27.0	1	Y	5-3/4"
	QTXRN000HF/ QTRN050F	Fan-Builder Pack	4"	50	0.4	28	N/A	26.8	3	N	7-5/8"
Panasonic	FV-08VS1	Fan	4"	80	1.3	71	1.5	27.4	3	Y	3-3/4"
Air King	AK80LS-1	Fan	4"	80	1.0	68	N/A	28.3	1	Y	7-7/8"
	AK80	Fan	4"	80	1.5	63	N/A	27.6	1	Y	7-7/8"
	BFQ75	Fan	4"	70	1.5	57	N/A	28.7	1	Y	4-3/4"
Broan	QTR080	Fan	4"	80	1.0	66	N/A	56.6	3	N	7-5/8"
	784	Fan	4"	80	2.0	65	N/A	26.1	1	Y	5-3/4"
	LP80	Fan	3" or 4"	80	1.1	60	N/A	12.0	1	Y	4"
Delta Breez	VFB070B3A1	Fan	3"	70	2.0	54	1.5	13.2	3	Y	3-15/16"
Greenheck**	SP-B70	Fan	4"	71	1.4	57	2.0	45.1	3	Y	6-15/16"
	SP-B80	Fan	4"	80	2.0	68	2.5	54.3	3	Y	6-15/16"
Marley	8080ES	Fan	4"	80	1.0	72	N/A	32.1	5	Y	7-5/8"
Nutone	QTRN080	Fan	4"	80	1.0	66	N/A	56.6	3	N	7-5/8"
Panasonic	FV-10VS1	Fan	4"	100	1.5	90	1.5	36.4	3	Y	3-3/4"
Air King	AK90	Fan	4"	90	1.5	78	N/A	29.9	1	Y	7-7/8"
	AK110PN	Fan	4"	100	1.5	86	N/A	29.9	1	Y	7-7/8"
	AK110	Fan	4"	110	2.0	94	2.0	34.0	1	Y	7-7/8"
Broan	QTR110	Fan	4"	110	1.5	98	N/A	70.5	3	N	7-5/8"
Greenheck**	SP-B90	Fan	4"	89	2.0	68	2.5	49.7	3	Y	6-15/16"
Nutone	QTRN110	Fan	4"	110	1.5	98	N/A	70.5	3	N	7-5/8"



WhisperValue-Lite Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM	Noise (Sones)	Installed Performance		Watt 0.1" w.g.	Warranty (Years)	ENERGY STAR	Housing Depth
						CFM	Noise (Sones)				
						0.1" w.g.					
Panasonic	FV-08VSL2	Fan-Fluorescent Light	4"	80	1.3	67	1.5	24.4	3	Y	3-3/4"
Air King	AKF80LS	Fan-Fluorescent Light	4"	80	1.0	70	N/A	27.6	1	Y	7-7/8"
	BFQF70	Fan-Fluorescent Light	4"	70	1.5	57	N/A	28.7	1	Y	5-11/16"
Broan	QTR080L	Fan-Incandescent Light	4"	80	1.0	66	N/A	56.6	3	N	7-5/8"
Greenheck**	SP-B70FL	Fan-Fluorescent Light	4"	71	1.4	57	2	45.1	3	Y	6-15/16"
	SP-B80FL	Fan-Fluorescent Light	4"	80	2.0	68	2.5	54.3	3	Y	6-15/16"
Marley	8080FL	Fan-Fluorescent Light	4"	80	1.0	73	N/A	31.6	5	Y	7-5/8"
Nutone	QTRN080L	Fan-Incandescent Light	4"	80	1.0	66	N/A	56.6	3	N	7-5/8"
Panasonic	FV-10VSL2	Fan-Fluorescent Light	4"	100	1.5	90	2.5	36.6	3	Y	3-3/4"
Air King	AKF100LS	Fan-Fluorescent Light	4"	100	1.5	84	N/A	29.2	1	Y	7-7/8"
Broan	QTR110L	Fan-Incandescent Light	4"	110	1.5	98	N/A	70.5	3	N	7-5/8"
Fantech	FQ110FL	Fan-Fluorescent Light	4"	110	1.3	85	N/A	29.4	5	Y	8-1/2"
Greenheck**	SP-B90FL	Fan-Fluorescent Light	4"	89	2.0	68	2.5	49.7	3	Y	6-15/16"
Nutone	QTRN110L	Fan-Incandescent Light	4"	110	1.5	98	N/A	70.5	3	N	7-5/8"

WhisperLine Competitive Cross Reference

Brand	Model Number	Description	Duct Size	CFM @ 0.2" w.g.	Watt 0.2" w.g.	Warranty (Years)	ENERGY STAR
Panasonic	FV-10NLF1	In-Line Fan	4"	120	36.2	3	Y
Air King	AIF4X	In-Line Fan	4"	90	19.4	1	Y
Broan	SP100	In-Line Fan	6"	110	N/A	1	N
	SP140	In-Line Fan	6"	150	N/A	1	N
Fantech	FR100	In-Line Fan	4"	90	19.4	5	Y
	FG4	In-Line Fan	4"	110	20.7	5	Y
	FR125	In-Line Fan	5"	120	18.0	5	Y
	FG5	In-Line Fan	5"	130	20.4	5	Y
	FR110	In-Line Fan	4"	150	80.0	5	N
	FG4XL	In-Line Fan	4"	150	71.0	5	N
Nutone	ILF120	In-Line Fan	4"	110	N/A	1	N
	ILF130	In-Line Fan	5"	120	18	1	N
Soler & Palau	PV-100	In-Line Fan	4"	100	N/A	5	N
	PV-100X	In-Line Fan	4"	130	N/A	5	N
	PV-125	In-Line Fan	5"	110	N/A	5	N
Panasonic	FV-20NLF1	In-Line Fan	6"	240	55.5	3	Y
Air King	AIF6Y	In-Line Fan	6"	230	72.5	1	Y
Broan	SP200	In-Line Fan	6"	210	N/A	1	N
Fantech	FG5XL	In-Line Fan	5"	190	73.0	5	Y
	FR140	In-Line Fan	6"	200	61.0	5	Y
	FR150	In-Line Fan	6"	230	72.5	5	Y
	FG6	In-Line Fan	6"	270	73.6	5	Y
Nutone	ILF250	In-Line Fan	6"	250	71.0	1	N
Soler & Palau	PV-150	In-Line Fan	6"	230	N/A	5	N
Panasonic	FV-30NLF1	In-Line Fan	6"	340	95.2	3	Y
Air King	AIF8X	In-Line Fan	8"	360	122.0	1	Y
Fantech	FR200	In-Line Fan	8"	360	122.0	5	Y
	FG6M	In-Line Fan	6"	370	122.0	5	Y
Nutone	ILF360	In-Line Fan	8"	360	118.0	1	N
Soler & Palau	PV-150X	In-Line Fan	6"	350	125.0	5	Y
Panasonic	FV-40NLF1	In-Line Fan	8"	440	136.0	3	Y
Fantech	FG6XL	In-Line Fan	6"	450	157.0	5	Y
	FG8	In-Line Fan	8"	410	121.0	5	Y
	FG8XL	In-Line Fan	8"	470	145.0	5	Y
	FG10	In-Line Fan	10"	480	141.0	5	Y
	FR225	In-Line Fan	8"	400	137.0	5	Y
Soler & Palau	PV-200X	In-Line Fan	8"	490	175.0	5	Y

N/A=Data not published in HVI Certified Products Directory.

Panasonic

Panasonic Eco Solutions North America
Eco Products Division
Two Riverfront Plaza
Newark, NJ 07102

us.panasonic.com/ventfans

For Distributor Order Information
PHONE: 866-292-7299
FAX: 888-553-0723
ventfans@us.panasonic.com



Design and specifications subject to change without notice



Printed on 10%
post-consumer
recycled paper



FV13022SS - June 2013