



## Balston – Headline – Parker-Finite Equivalent Specifications

These Millennium Filter elements are made of borosilicate glass microfibers with a fluorocarbon resin binder and are resistant to water, hydrocarbon and synthetic lubricants. Element sizes range from 0.5 inch Inside Diameter to 2.0 inch ID. Overall length ranges from 1.25-inches to over 18.0 inches. Filtration efficiency depends on grade level is measured as high as 99.998% efficiency at 0.3 microns.

### Grades BQ / BX

| BALSTON  | HEADLINE   | FINITE      | Inside Diameter | Overall Length |
|--|------------|-------------|-----------------|----------------|
| <b>BQ Grade 99.99% Efficiency at 0.3 microns</b> |            |             |                 |                |
| 050-05-BQ  | 12-32-50K  | 6G04-013X10 | 0.50            | 1.25           |
| 050-11-BQ  | 12-57-50K  | 6G04-023X10 | 0.50            | 2.25           |
| 100-09-BQ  | 25-51-50K  |             | 1.00            | 2.00           |
| 100-12-BQ  | 25-64-50K  | 6G04-025X10 | 1.00            | 2.50           |
| 100-18-BQ  | 25-127-50K |             | 1.00            | 5.00           |
| 100-25-BQ  | 25-178-50K | 6T10-070X10 | 1.00            | 7.00           |
| 150-19-BQ  | 38-152-50K | 6T15-060X10 | 1.50            | 6.00           |
| 200-16-BQ  | 51-89-50K  |             | 2.00            | 3.50           |
| 200-30-BQ  | 51-213-50K |             | 2.00            | 8.40           |
| 200-35-BQ  | 51-230-50K | 6T20-090X10 | 2.00            | 9.00           |
| 200-80-BQ  | 51-476-50K | 6T20-187X10 | 2.00            | 18.00          |
|  |            |             |                 |                |
| BALSTON  | HEADLINE   | FINITE      | Inside Diameter | Overall Length |
| <b>BX Grade 99.99% Efficiency at 0.3 microns</b> |            |             |                 |                |
| 050-05-BX  | 12-32-50C  | 6H04-013X10 | 0.50            | 1.25           |
| 050-11-BX  | 12-57-50C  | 6H04-023X10 | 0.50            | 2.25           |
| 100-09-BX  | 25-51-50C  | 6H10-020X8  | 1.00            | 2.00           |
| 100-12-BX  | 25-64-50C  | 6H10-025X8  | 1.00            | 2.50           |
| 100-18-BX  | 25-127-50C | 6H10-050X4  | 1.00            | 5.00           |
| 100-25-BX  | 25-178-50C | 6H10-070X4  | 1.00            | 7.00           |
| 150-19-BX  | 38-152-50C | 6H15-060X4  | 1.50            | 6.00           |
| 200-16-BX  | 51-89-50C  | 6H20-035X4  | 2.00            | 3.50           |
| 200-30-BX  | 51-213-50C |             | 2.00            | 8.40           |
| 200-35-BX  | 51-230-50C | 6H20-090X2  | 2.00            | 9.00           |
| 200-75-BX  | 51-460-50C |             | 2.00            | 18.00          |
| 200-80-BX  | 51-476-50C | 6H20-187X1  | 2.00            | 18.75          |

Millennium-Filters are guaranteed to meet or exceed OEM specifications in terms of form, fit and function. OEM part numbers for reference only.



## Balston – Headline – Parker-Finite Equivalent Specifications

These Millennium Filter elements are made of borosilicate glass microfibers with a fluorocarbon resin binder and are resistant to water, hydrocarbon and synthetic lubricants. Element sizes range from 0.5 inch Inside Diameter to 2.0 inch ID. Overall length ranges from 1.25-inches to over 18.0 inches. Filtration efficiency depends on grade level is measured as high as 99.998% efficiency at 0.3 microns.

### Grades BQ / BX

| BALSTON                                   | HEADLINE   | FINITE      | Inside Diameter | Overall Length |
|---|------------|-------------|-----------------|----------------|
| BQ Grade 99.99% Efficiency at 0.3 microns |            |             |                 |                |
| 050-05-BQ                                 | 12-32-50K  | 6G04-013X10 | 0.50            | 1.25           |
| 050-11-BQ                                 | 12-57-50K  | 6G04-023X10 | 0.50            | 2.25           |
| 100-09-BQ                                 | 25-51-50K  |             | 1.00            | 2.00           |
| 100-12-BQ                                 | 25-64-50K  | 6G04-025X10 | 1.00            | 2.50           |
| 100-18-BQ                                 | 25-127-50K |             | 1.00            | 5.00           |
| 100-25-BQ                                 | 25-178-50K | 6T10-070X10 | 1.00            | 7.00           |
| 150-19-BQ                                 | 38-152-50K | 6T15-060X10 | 1.50            | 6.00           |
| 200-16-BQ                                 | 51-89-50K  |             | 2.00            | 3.50           |
| 200-30-BQ                                 | 51-213-50K |             | 2.00            | 8.40           |
| 200-35-BQ                                 | 51-230-50K | 6T20-090X10 | 2.00            | 9.00           |
| 200-80-BQ                                 | 51-476-50K | 6T20-187X10 | 2.00            | 18.00          |
|   |            |             |                 |                |
| BALSTON                                   | HEADLINE   | FINITE      | Inside Diameter | Overall Length |
| BX Grade 99.99% Efficiency at 0.3 microns |            |             |                 |                |
| 050-05-BX                                 | 12-32-50C  | 6H04-013X10 | 0.50            | 1.25           |
| 050-11-BX                                 | 12-57-50C  | 6H04-023X10 | 0.50            | 2.25           |
| 100-09-BX                                 | 25-51-50C  | 6H10-020X8  | 1.00            | 2.00           |
| 100-12-BX                                 | 25-64-50C  | 6H10-025X8  | 1.00            | 2.50           |
| 100-18-BX                                 | 25-127-50C | 6H10-050X4  | 1.00            | 5.00           |
| 100-25-BX                                 | 25-178-50C | 6H10-070X4  | 1.00            | 7.00           |
| 150-19-BX                                 | 38-152-50C | 6H15-060X4  | 1.50            | 6.00           |
| 200-16-BX                                 | 51-89-50C  | 6H20-035X4  | 2.00            | 3.50           |
| 200-30-BX                                 | 51-213-50C |             | 2.00            | 8.40           |
| 200-35-BX                                 | 51-230-50C | 6H20-090X2  | 2.00            | 9.00           |
| 200-75-BX                                 | 51-460-50C |             | 2.00            | 18.00          |
| 200-80-BX                                 | 51-476-50C | 6H20-187X1  | 2.00            | 18.75          |

Millennium-Filters are guaranteed to meet or exceed OEM specifications in terms of form, fit and function. OEM part numbers for reference only.