

# Over Armour Offroad

2515 Bypass Road Flemingsburg, KY 41041  
606-845-7439

## Instructions for Installation and Care of Oreion Epic 4x4 Diamond Plate Aluminum Roof MD-EPIC-HT01

1. Check over the parts included in the carton with the parts list shown below:


40" Side Bulb Gasket -----	1 each
1 ½" Loom Clamp -----	8 each
1" Bolts -----	14 each
Large Rubber Washers-----	14 each
Large Stainless Washers-----	14 each
Small Washers -----	14 each
Locknuts -----	14 each
47.5" Rubber Strip -----	1 each
2" Rubber Strips -----	10 each
6" Slide-in Velcro Tab -----	2 each
6" Adhesive Velcro Strips -----	2 each

## **2. Hard Top**


- a. Begin by installing the gasket across the front. See photo below for proper placement.




- b. Now place the 47.5" rubber strip on top of the front edge of the rear section of the roof. The strip will cover all the holes along this edge. Make sure it is well adhered to the roof and then take a razor or knife and cut the holes out. Then place the front roof section on top of the rear section and bolt them together using the round holes. The long holes will be used to attach the roof to the roll cage.



- c. Next place the top on the vehicle and line the front up with the top of the windshield. Look to see where the top is going to touch the bars running down the middle. Take the top back off and attach the 2" rubber strips to the bottom surface where it will hit the bars to alleviate any noise. Please see photos below.



- d. Now replace the top on the vehicle and proceed to clamp it to the roll cage. Use the four 1 ½" clamps to attach the top. The 1" Bolts will run down through the top and then through the clamp. The diagram below shows how to install clamps.



- e. After the Top is secured with the clamps the last step is to take the two 6" Velcro Tabs and slide them into the two channels along the front edge of the roof. Use the two 6" adhesive Velcro strips and place them along the bottom of the window frame as shown in the photos below. Then pull the tabs down tight and attach them to the adhesive strips to hold the front edge down.



# **Return Policy**

## **Over Armour Offroad**

**2515 Bypass Rd, Flemingsburg, KY 41041**  
**Phone: 606-845-7439**

If for any reason you choose to return this product it must be returned within **30 days from date item is received**. You **MUST** package the product exactly as it was **originally packaged from the factory to get a full refund for the product!**

The vinyl windows should never be folded when packaging in the box or for storage purposes. Lay all the windows on top of each other with the canvas folded in between and the paper (if available) on both sides of the windows.

**All returned products will be inspected upon arrival at the production facility and must be in unused, factory new condition to receive refund - a 20% restocking fee will apply.**

If ordered from Over Armour Offroad please call at 606-845-7439 to gain a return authorization number, use our preferred shipping carrier (UPS) to return the item (unless the item is defective, you are responsible for paying the shipping to return the item.) **Any returns submitted to Over Armour Offroad without a return authorization number will be charged a 20% restocking fee.** If ordered from one of Over Armour Offroads many distributors', you must first call them and see what their return policy is. Once your item reaches our production facility, our customer satisfaction team will inspect your item to ensure unused, factory new condition. **NOTE: All windshields must be returned with the original protective film intact and not removed. Do NOT REMOVE if you have any intentions of returning the item. Refund/ replacement of a windshield will only be processed on items with original protective film or if the windshield is defective.**

Items must be properly packaged in the original shipping carton to protect them during transit and ensure your returned item arrives back factory fresh, and in new resalable condition (**any returned items that have been used, altered or damaged in any way will not be subject for a refund.**) All contents including instruction manuals, accessories, hardware, Velcro, etc. must be included in your return shipment. Only items in OEM factory new condition will be approved. Once returned items are received, credit will be issued to the original credit card/ payment method used for the purchase. Outbound shipping and return shipping cost will not be refunded. Please allow 4 to 6 weeks for your refund to be processed.

# **Warranty**

## **Over Armour Offroad**

**2515 Bypass Rd, Flemingsburg, KY 41041**  
**Phone: 606-845-7439**

To The Owner of this Product:

Thank you for purchasing one of Over Armour Offroad Cab Enclosures &/or Windshields! Below are the terms under which your product is covered under our manufacturer's warranty.

30 Day Warranty which includes and is not limited to replacing the enclosure and/or windshield due to defect of the product. Please refer to the return policy in this case for more information.

1 Year Warranty includes any defect in material or workmanship within this time frame we will gladly correct the problem or replace the enclosure &/or windshield. Upon submitting for the correction or replacement we will need to receive pictures of the defect in material or workmanship along with the receipt from the date of purchase.

Thank you,

Darren Royse  
Owner/Operator

[www.overarmouroffroad.com](http://www.overarmouroffroad.com)