

## 1. Product and Company Identification

<b>Product identifier</b>	<b>SONAX Plastic Restorer Gel Exterior Nano Pro</b>		
<b>Other means of identification</b>	210141-755		
<b>Recommended use</b>	Car Care		
<b>Recommended restrictions</b>	None known.		
<b>Manufacturer/Importer/Supplier/Distributor information</b>			
<b>Manufacturer</b>			
<b>Company name</b>	Sonax GmbH		
<b>Address</b>	Münchener Strasse 75 D-86633 Neuburg/Donau Germany		
<b>Telephone</b>	Phone:	0049 84 31 53-0	
<b>E-mail</b>	Not available.		
<b>Emergency phone number</b>	24-Hour-Number:		
		GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053	
<b>Supplier</b>	Vision Investments, LLC 4565 W. 16th Street Indianapolis, IN 46222 US Phone: 1-317-295-7056 Email: info@sonaxusa.com		

## 2. Hazards Identification

<b>Physical hazards</b>	Not classified.		
<b>Health hazards</b>	Not classified.		
<b>Environmental hazards</b>	Not classified.		
<b>OSHA defined hazards</b>	Not classified.		
<b>Label elements</b>			
<b>Hazard symbol</b>	None.		
<b>Signal word</b>	None.		
<b>Hazard statement</b>			
<b>Precautionary statement</b>			
<b>Prevention</b>	Observe good industrial hygiene practices.		
<b>Response</b>	Follow the directions for use. Wash hands after handling.		
<b>Storage</b>	Store according to package label instructions.		
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.		
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.		
<b>Supplemental information</b>	35.75% of the mixture consists of component(s) of unknown acute inhalation toxicity.		
	This product is not subject to 29 CFR HCS 1910.1200 regulations. The following HCS exemption for consumer products applies; 29 CFR 1910.1200(b)(6)(ix). This is a consumer product (CPSC). The product labeling is in compliance section 16 of the Code of Federal Regulations.		

## 3. Composition/Information on Ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
White mineral oil (petroleum)		8042-47-5	60 - 100
Petrolatum		8009-03-8	10 - 30

**Composition comments** Not applicable to consumer products.  
The exact % concentration of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA HCS 1910.1200.

---

#### 4. First Aid Measures

---

**Inhalation** If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

**Skin contact** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

**Eye contact** Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

**Ingestion** Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

**Most important symptoms/effects, acute and delayed** Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms may include stomach distress, nausea or vomiting. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

**Indication of immediate medical attention and special treatment needed** Treat symptomatically.  
Contains petroleum distillate - vomiting may cause aspiration pneumonia.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

---

#### 5. Fire Fighting Measures

---

**Suitable extinguishing media** Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>). Water spray. Water fog.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical** Firefighters should wear a self-contained breathing apparatus.

**Special protective equipment and precautions for firefighters** Firefighters should wear full protective clothing including self contained breathing apparatus.

**Fire-fighting equipment/instructions** Cool containers exposed to heat with water spray and remove container, if no risk is involved.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

---

#### 6. Accidental Release Measures

---

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Do not discharge into lakes, streams, ponds or public waters.

---

#### 7. Handling and Storage

---

**Precautions for safe handling** Use according to package label instructions.  
Follow good hygienic and housekeeping practices.

Avoid contact with eyes, skin and clothing.  
Avoid breathing vapor.  
Ensure adequate ventilation.  
Avoid prolonged exposure.

Wear appropriate personal protective equipment.  
When using, do not eat, drink or smoke.  
Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

Store in original tightly closed container.  
Store away from incompatible materials (see Section 10 of the SDS).

---

## 8. Exposure Controls/Personal Protection

---

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Petrolatum (CAS 8009-03-8)	PEL	5 mg/m <sup>3</sup>	Mist.
White mineral oil (petroleum) (CAS 8042-47-5)	PEL	5 mg/m <sup>3</sup>	Mist.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.
White mineral oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.
White mineral oil (petroleum) (CAS 8042-47-5)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

See above

### Appropriate engineering controls

Ensure adequate ventilation.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear gear as deemed necessary. Follow label directions.

#### Skin protection

##### Hand protection

Wear as deemed necessary, follow label directions.

##### Other

Follow label instructions. Wear appropriate chemical resistant clothing.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Thermal hazards

Not available.

### General hygiene considerations

Follow good hygienic and housekeeping practices. When using do not eat or drink. Wash hands thoroughly after handling.

---

## 9. Physical and Chemical Properties

---

Appearance	Viscous
Physical state	Liquid.
Form	Liquid
Color	White
Odor	Characteristic
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 572 °F (> 300 °C)
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	> 302.0 °F (> 150.0 °C)

<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	0.85 - 0.86 g/cm <sup>3</sup> @20°C
<b>Solubility(ies)</b>	Immiscible
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	20000 - 35000 mPa·s (dynamic, @20C) > 20.5 mm <sup>2</sup> /s @ 40C
<b>Other information</b>	
<b>Density</b>	0.85 - 0.86 g/cm <sup>3</sup> @20C

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	None known. The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Avoid temperatures exceeding the flash point. Do not mix with other chemicals. Contact with incompatible materials.
<b>Incompatible materials</b>	None known.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen.

---

## 11. Toxicological Information

---

### Information on likely routes of exposure

<b>Ingestion</b>	Health injuries are not known or expected under normal use. May cause stomach distress, nausea or vomiting.
<b>Inhalation</b>	Health injuries are not known or expected under normal use.
<b>Skin contact</b>	Health injuries are not known or expected under normal use.
<b>Eye contact</b>	Health injuries are not known or expected under normal use.

**Symptoms related to the physical, chemical and toxicological characteristics**      There are no hazards associated with this product in normal use.

Excessive exposures may affect human health, as follows:  
 Direct contact with eyes may cause temporary irritation.  
 Symptoms may include stinging, tearing, redness, swelling of the eyes, and blurred vision.  
 Symptoms may include redness, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include stomach distress, nausea or vomiting.

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
Petrolatum (CAS 8009-03-8)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	>= 2000 mg/kg
<i>Inhalation</i>		
LC50		
<i>Oral</i>		
LD50	Rat	>= 5000 mg/kg

Components	Species	Test Results
White mineral oil (petroleum) (CAS 8042-47-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	5000 mg/kg
<b>LC50</b>		
<i>Inhalation</i>		
LC50	Rat	> 2.2 mg/L, 4 Hours

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Exposure minutes** Not available.

**Erythema value** Not available.

**Oedema value** Not available.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Corneal opacity value** Not available.

**Iris lesion value** Not available.

**Conjunctival reddening value** Not available.

**Conjunctival oedema value** Not available.

**Recover days** Not available.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** Not classified.

**Carcinogenicity** Non-hazardous by OSHA criteria.  
Contains < 3% (w/w) DMSO-extract  
See below.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Ethene, homopolymer (CAS 9002-88-4) 3 Not classifiable as to carcinogenicity to humans.

White mineral oil (petroleum) (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Petrolatum (CAS 8009-03-8) Known To Be Human Carcinogen.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity** Not classified.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not classified.

**Chronic effects** Non-hazardous by OSHA criteria.

**Further information** This product has no known adverse effect on human health.

## 12. Ecological Information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Mobility in general** Not available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal Considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

---

## 14. Transport Information

---

### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

---

## 15. Regulatory Information

---

**US federal regulations** This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - No  
 Delayed Hazard - No  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
 Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**US state regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**US - California Hazardous Substances (Director's): Listed substance**

Petrolatum (CAS 8009-03-8)	Listed.
White mineral oil (petroleum) (CAS 8042-47-5)	Listed.

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance**

Not listed.

**US - Minnesota Haz Subs: Listed substance**

Petrolatum (CAS 8009-03-8)	Listed.
White mineral oil (petroleum) (CAS 8042-47-5)	Listed.

**US - Texas Effects Screening Levels: Listed substance**

Ethene, homopolymer (CAS 9002-88-4)	Listed.
Petrolatum (CAS 8009-03-8)	Listed.
White mineral oil (petroleum) (CAS 8042-47-5)	Listed.

**US. Massachusetts RTK - Substance List**

Petrolatum (CAS 8009-03-8)	Listed.
White mineral oil (petroleum) (CAS 8042-47-5)	Listed.

**US. Pennsylvania RTK - Hazardous Substances**

Petrolatum (CAS 8009-03-8)

Listed.

White mineral oil (petroleum) (CAS 8042-47-5)

Listed.

**US. Rhode Island RTK**

Not regulated.


Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	/ 1
<b>FLAMMABILITY</b>	0
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	X



**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

05-October-2015

**Further information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

**Other information**

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**Prepared by**

Dell Tech Laboratories Ltd. Phone: (519) 858-5021