

1. Product and Company Identification

Product identifier	SONAX Profiline Ultimate Cut
Other means of identification	02393000, 02395000
Synonyms	Not available.
Recommended use	Car care product
Recommended restrictions	None known.
Manufacturer information	Sonax GmbH Münchener Strasse 75 D-86633 Neuburg/Donau DE Phone: 0049 84 31 53-0 24-Hour-Number: GBK/Infotrac ID 91785: (USA domestic) 1 800 535 5053
Supplier	Vision Investments, LLC 4565 W. 16th Street Indianapolis, IN 46222 US Email: info@sonaxusa.com Phone: 1-317-295-7056

2. Hazards Identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
WHMIS 2015 defined hazards	Not classified
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
2-Propanol, 1-methoxy-		107-98-2	10 - 30 *
Distillates (petroleum), hydrotreated middle		64742-46-7	10 - 30 *

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat patient symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling	Use according to package label instructions. Wash thoroughly after handling. When using do not eat or drink.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	553 mg/m3	
		150 ppm	
	TWA	369 mg/m3	
		100 ppm	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	75 ppm	
	TWA	50 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	1 mg/m3	Mist.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	553 mg/m3	
	TWA	150 ppm	
		369 mg/m3 100 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	PEL	5 mg/m3	Mist.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm	
	TWA	50 ppm	
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	540 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)		150 ppm	
	TWA	360 mg/m3	
		100 ppm	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	This material does not have established exposure limits.		
Canada - Ontario OELs: Skin designation			
Ethanol, 2-phenoxy- (CAS 122-99-6)	Can be absorbed through the skin.		
Appropriate engineering controls	Ensure adequate ventilation.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Not normally required.		
Skin protection			
Hand protection	Rubber gloves. Confirm with a reputable supplier first.		
Other	As required by employer code.		
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.		
Thermal hazards	Not applicable.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.		

9. Physical and Chemical Properties

Appearance	Liquid
Physical state	Liquid.
Form	Liquid.
Color	White
Odor	Solvent
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 - 590 °F (100 - 310 °C)
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.

Viscosity	> 20.5 mm ² /s @ 40°C
Other information	
Density	1.05 - 1.15 g/cm ³ @ 20°C
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and Reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	None when used and stored according to label directions.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological Information

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of exposure	
Ingestion	May cause stomach distress, nausea or vomiting.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	There are no hazards associated with this product in normal use.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
2-Propanol, 1-methoxy- (CAS 107-98-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 15800 mg/kg, 24 Hours, ECHA > 13000 mg/kg, 24 Hours, ECHA 14.1 ml/kg, 24 Hours, ECHA 13 g/kg
	Rat	> 2000 mg/kg, Days, ECHA
<i>Inhalation</i>		
LC100	Rat	10400 ppm, 4 Hours
LC50	Guinea pig	15000 mg/L, 10 Hours
	Mouse	< 6000 ppm, 6 Hours, ECHA 6000 - 7000 ppm, 6 Hours, ECHA
	Rat	54.6 mg/L, 4 Hours
<i>Oral</i>		
LD50	Dog	9000 mg/kg, ECHA 4.6 g/kg
	Mouse	10.8 g/kg
	Rabbit	5.3 g/kg
	Rat	> 5000 mg/kg, ECHA > 2000 mg/kg, ECHA 6.1 - 6.9 ml/kg, ECHA 4940 - 6640 mg/kg, ECHA 4277 mg/kg, ECHA 4016 mg/kg, ECHA

Components	Species	Test Results
		3739 mg/kg 5.7 ml/kg, ECHA
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA 2000 mg/kg, Madison Chemical
<i>Inhalation</i>		
LC50	Rat	73680 mg/L, 4 Hours, HSDB 7640 mg/m ³ , 4 h, ECHA 7640 mg/m ³ , 4 Hours, ECHA 61 mg/L, 4 Hours, HSDB 4.6 mg/L, 4 Hours, ECHA 1.8 mg/L, 4 Hours, ECHA 1.8 mg/L, 4 Hours, ECHA 1.7 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, ECHA > 25 ml/kg, HSDB 7400 mg/kg, LOLI
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Canada - Alberta OELs: Irritant		
Glycerol (CAS 56-81-5)		Irritant
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Contains < 3% (w/w) DMSO-extract	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)		Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity to humans.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Teratogenicity	Not classified.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components		Species	Test Results
2-Propanol, 1-methoxy- (CAS 107-98-2)			
Crustacea	EC50	Daphnia	23300 mg/L, 48 Hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Aluminum oxide (CAS 1344-28-1) Listed.

Canada Priority Substances List (Second List): Listed substance

Aluminum oxide (CAS 1344-28-1) Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Controlled

US federal regulations This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.

Ethanol, 2-phenoxy- (CAS 122-99-6) Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	15

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethanol, 2-phenoxy- (CAS 122-99-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

See below

US - California Hazardous Substances (Director's): Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Aluminum oxide (CAS 1344-28-1) Listed.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.

US - Illinois Chemical Safety Act: Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2)
Ethanol, 2-phenoxy- (CAS 122-99-6)

US - Louisiana Spill Reporting: Listed substance

2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Ethanol, 2-phenoxy- (CAS 122-99-6) Listed.

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Aluminum oxide (CAS 1344-28-1) Listed.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.
Glycerol (CAS 56-81-5) Listed.

US - New Jersey RTK - Substances: Listed substance

1,2-Propanediol (CAS 57-55-6)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Aluminum oxide (CAS 1344-28-1)
Ethanol, 2-phenoxy- (CAS 122-99-6)
Glycerol (CAS 56-81-5)

US - Texas Effects Screening Levels: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Aluminum oxide (CAS 1344-28-1) Listed.
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7) Listed.
Ethanol, 2-phenoxy- (CAS 122-99-6) Listed.
Glycerol (CAS 56-81-5) Listed.

US. Massachusetts RTK - Substance List

2-Propanol, 1-methoxy- (CAS 107-98-2)
Aluminum oxide (CAS 1344-28-1)
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)
Glycerol (CAS 56-81-5)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)
Ethanol, 2-phenoxy- (CAS 122-99-6)

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Aluminum oxide (CAS 1344-28-1)
Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)
Ethanol, 2-phenoxy- (CAS 122-99-6)

Glycerol (CAS 56-81-5)

US. Rhode Island RTK

1,2-Propanediol (CAS 57-55-6)

2-Propanol, 1-methoxy- (CAS 107-98-2)

Aluminum oxide (CAS 1344-28-1)

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

Glycerol (CAS 56-81-5)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 0
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

13-September-2019

Version #

01

Effective date

13-September-2019

Prepared by

Dell Tech www.delltech.com Phone: 519-858-5021

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.