

1. Product and Company Identification

Product identifier	Sonax Profiline Actifoam Energy
Other means of identification	06183000-755
Synonyms	Not available.
Recommended use	Car Care
Recommended restrictions	None known.
Manufacturer information	Sonax GmbH Münchener Strasse 75 D-86633 Neuburg/Donau DE Phone: 0049 84 31 53-0 24-Hour-Number: GBK/Infotrac ID 91785: . (USA domestic) 1 800 535 5053
Supplier	Vision Investments, LLC 4565 W. 16th Street Indianapolis, IN 46222 US Email: info@sonaxusa.com Phone: 1-317-295-7056

2. Hazards Identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word	Danger	
Hazard statement	Causes skin irritation. Causes serious eye damage.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Wear protective gloves, eye protection, and face protection.	
Response	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known	
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
2-Propanol, 1-methoxy-		107-98-2	1 - 5 *

Chemical name	Common name and synonyms	CAS number	%
Amines, C10-16 alkyldimethyl, N-oxides		70592-80-2	0.1 - 1 *
C12-14 fatty alkyl ether sulphate, sodium salt		68891-38-3	10 - 30 *

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Specific treatment (see product label). Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Provide adequate ventilation. Wash thoroughly after handling. When using do not eat or drink.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	553 mg/m ³
		150 ppm
	TWA	369 mg/m ³
		100 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	75 ppm
	TWA	50 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm
	TWA	50 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm
	TWA	50 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	553 mg/m ³
		150 ppm
	TWA	369 mg/m ³
		100 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	100 ppm
	TWA	50 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-Propanol, 1-methoxy- (CAS 107-98-2)	STEL	540 mg/m ³
		150 ppm
	TWA	360 mg/m ³
		100 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - Alberta OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Appropriate engineering controls Ensure adequate ventilation.**Individual protection measures, such as personal protective equipment****Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.**Skin protection****Hand protection**

Nitrile gloves are recommended. Confirm with a reputable supplier first.

Other

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

Not applicable.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. Physical and Chemical Properties

Appearance	Liquid
Physical state	Liquid.
Form	Liquid.
Color	Brown
Odor	Characteristic
Odor threshold	Not available.
pH	6.5 - 7.5 @ 20°C
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	13 - 20 2s flow time @ 20°C
Other information	
Density	1.04 - 1.05 g/cm ³ @ 20°C
Explosive properties	Not explosive.

10. Stability and Reactivity

Reactivity	May react with incompatible materials.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of exposure	
Ingestion	May cause stomach distress, nausea or vomiting.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
2-Propanol, 1-methoxy- (CAS 107-98-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 15800 mg/kg, 24 Hours, ECHA > 13000 mg/kg, 24 Hours, ECHA 14.1 ml/kg, 24 Hours, ECHA 13 g/kg
	Rat	> 2000 mg/kg, Days, ECHA
<i>Inhalation</i>		
LC100	Rat	10400 ppm, 4 Hours
LC50	Guinea pig	15000 mg/L, 10 Hours
	Mouse	< 6000 ppm, 6 Hours, ECHA 6000 - 7000 ppm, 6 Hours, ECHA
	Rat	54.6 mg/L, 4 Hours
<i>Oral</i>		
LD50	Dog	9000 mg/kg, ECHA 4.6 g/kg
	Mouse	10.8 g/kg
	Rabbit	5.3 g/kg
	Rat	> 5000 mg/kg, ECHA > 2000 mg/kg, ECHA 6.1 - 6.9 ml/kg, ECHA 4940 - 6640 mg/kg, ECHA 4277 mg/kg, ECHA 4016 mg/kg, ECHA 3739 mg/kg 5.7 ml/kg, ECHA

Components	Species	Test Results
Amines, C10-16 alkyldimethyl, N-oxides (CAS 70592-80-2)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	1330 mg/kg, Charlotte Products
C12-14 fatty alkyl ether sulphate, sodium salt (CAS 68891-38-3)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	-	> 2000 mg/kg
	Rat	> 2500 mg/kg, ECHA
		> 2000 mg/kg, ECHA
		4100 mg/kg, ECHA
Skin corrosion/irritation	Causes skin irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Canada - Alberta OELs: Irritant		
Acetaldehyde (CAS 75-07-0)		Irritant
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	See below.	
ACGIH Carcinogens		
1,4-Dioxane (CAS 123-91-1)		A3 Confirmed animal carcinogen with unknown relevance to humans.
Acetaldehyde (CAS 75-07-0)		A2 Suspected human carcinogen.
Ethylene oxide (CAS 75-21-8)		A2 Suspected human carcinogen.
Canada - Alberta OELs: Carcinogen category		
Ethylene oxide (CAS 75-21-8)		Suspected human carcinogen.
Canada - Manitoba OELs: carcinogenicity		
1,4-DIOXANE (CAS 123-91-1)		Confirmed animal carcinogen with unknown relevance to humans.
ACETALDEHYDE (CAS 75-07-0)		Suspected human carcinogen.
ETHYLENE OXIDE (CAS 75-21-8)		Suspected human carcinogen.
Canada - Quebec OELs: Carcinogen category		
1,4-Dioxane (CAS 123-91-1)		Detected carcinogenic effect in animals.
Acetaldehyde (CAS 75-07-0)		Detected carcinogenic effect in animals.
Ethylene oxide (CAS 75-21-8)		Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,4-Dioxane (CAS 123-91-1)	Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
Acetaldehyde (CAS 75-07-0)	Volume 36, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
Ethylene oxide (CAS 75-21-8)	Volume 97, Volume 100F 1 Carcinogenic to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US NTP Report on Carcinogens: Anticipated carcinogen

1,4-Dioxane (CAS 123-91-1) Reasonably Anticipated to be a Human Carcinogen.
Acetaldehyde (CAS 75-07-0) Reasonably Anticipated to be a Human Carcinogen.

US NTP Report on Carcinogens: Known carcinogen

Ethylene oxide (CAS 75-21-8) Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Ethylene oxide (CAS 75-21-8) Cancer

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Teratogenicity	Not available.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components	Species	Test Results
2-Propanol, 1-methoxy- (CAS 107-98-2)		
Crustacea	EC50 Daphnia	23300 mg/L, 48 Hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Acetaldehyde (CAS 75-07-0) Listed.
Ethylene oxide (CAS 75-21-8) Listed.

Canada DSL Challenge Substances: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.

Canada Priority Substances List (Second List): Listed substance

Acetaldehyde (CAS 75-07-0) Listed.
Ethylene oxide (CAS 75-21-8) Listed.

Export Control List (CEPA 1999, Schedule 3)

Ethylene oxide (CAS 75-21-8) Substance subject to notification or consent.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Controlled

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4) 1.0 % One-Time Export Notification only.
Acetaldehyde (CAS 75-07-0) 0.1 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-Dioxane (CAS 123-91-1) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Acetaldehyde (CAS 75-07-0) Listed.
Ethylene oxide (CAS 75-21-8) Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Ethylene oxide (CAS 75-21-8) 10 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Ethylene oxide (CAS 75-21-8) Cancer
Reproductive toxicity
Mutagenicity
Central nervous system
Skin sensitization
Skin irritation
Eye irritation
respiratory tract irritation
Acute toxicity
Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-Dioxane (CAS 123-91-1)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Acetaldehyde (CAS 75-07-0) Listed.
Ethylene oxide (CAS 75-21-8) Listed.

US - Illinois Chemical Safety Act: Listed substance

1,4-Dioxane (CAS 123-91-1)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US - Louisiana Spill Reporting: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Acetaldehyde (CAS 75-07-0) Listed.
Ethylene oxide (CAS 75-21-8) Listed.

US - Minnesota Haz Subs: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Acetaldehyde (CAS 75-07-0) Listed.
Ethylene oxide (CAS 75-21-8) Listed.

US - New Jersey RTK - Substances: Listed substance

1,4-Dioxane (CAS 123-91-1)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US - North Carolina Toxic Air Pollutants: Listed substance

1,4-Dioxane (CAS 123-91-1)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

1,4-Dioxane (CAS 123-91-1)
Ethylene oxide (CAS 75-21-8)

US - Texas Effects Screening Levels: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4) Listed.
2-Propanol, 1-methoxy- (CAS 107-98-2) Listed.
Acetaldehyde (CAS 75-07-0) Listed.
Amines, C10-16 alkyl dimethyl, N-oxides (CAS 70592-80-2) Listed.
C12-14 fatty alkyl ether sulphate, sodium salt (CAS 68891-38-3) Listed.
Ethylene oxide (CAS 75-21-8) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

1,4-Dioxane (CAS 123-91-1)
Acetaldehyde (CAS 75-07-0)

US. Massachusetts RTK - Substance List

1,4-Dioxane (CAS 123-91-1)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US. New Jersey Worker and Community Right-to-Know Act

1,4-Dioxane (CAS 123-91-1)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US. Pennsylvania Worker and Community Right-to-Know Law

1,4-Dioxane (CAS 123-91-1)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US. Rhode Island RTK

1,4-Dioxane (CAS 123-91-1)
2-Propanol, 1-methoxy- (CAS 107-98-2)
Acetaldehyde (CAS 75-07-0)
Ethylene oxide (CAS 75-21-8)

US. California Proposition 65

WARNING: This product can expose you to chemicals including acetaldehyde, which is known to the State of California to cause cancer, and ethylene oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)	Listed: January 1, 1988
Acetaldehyde (CAS 75-07-0)	Listed: April 1, 1988
Ethylene oxide (CAS 75-21-8)	Listed: July 1, 1987

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene oxide (CAS 75-21-8)	Listed: August 7, 2009
------------------------------	------------------------

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene oxide (CAS 75-21-8)	Listed: February 27, 1987
------------------------------	---------------------------

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene oxide (CAS 75-21-8)	Listed: August 7, 2009
------------------------------	------------------------

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

14-February-2019

Version #

02

Effective date

14-February-2019

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.