



Uncommon Ground

Luxury Vinyl Plank




Style: Uncommon Ground | 0187V
Color: Zen | 02520

Durable Style. Luxury Vinyl Plank is conducive to a wide variety of commercial installations due to a durable and moisture tolerant surface. Uncommon Ground is the latest plank flooring from Shaw Commercial Hard Surface, and proof that high performance engineering can play harmoniously with visionary styling. The quest for durability will lead you to Uncommon Ground.

Uncommon Ground

Shaw Commercial Hard Surface is dedicated to creating collections of durable, style-forward products that add thoughtful design elements to commercial spaces around the globe. Our newest luxury vinyl plank rises to the occasion, finding inspiration in both nature and the abstract. Uncommon Ground features 24 colors, each offered in both 4" and 6" widths to accommodate innovative installation patterns. Further, traditional hardwood visuals and linear patterns are available to complement a diverse design palette.



Durable Style.

- ExoGuard™ Quartz Enhanced Urethane finish and 20 mil commercial wear layer for performance in heavy commercial traffic
- 3 mm thickness is more forgiving over uneven subfloors
- Polish is optional for hassle-free maintenance
- Newly designed wood patterns accentuated by wider 6" width option and updated colorways
- Lightly embossed for natural wood texture and easy to clean
- Advanced engineering uses innovative raw materials for a safer, stronger construction
- FloorScore® certified for low VOCs

Cover:
Style: Uncommon Ground | 0187V
0188V
Color: Olivewood | 02700

Inside:
Style: Uncommon Ground | 0188V
Color: Telluride | 02540

Style: Crete | 0203V
Color: Industrial | 03520



Style: Uncommon Ground | 0187V
Color: Zen | 02520

Collection




02200
Gallery Maple



02506
White Oak




02140
Provence



02544
Teak Green




02150
Driftwood




02701
Bamboo Natural




02160
Sand Dune



02530
Teak Light



02750
Colonial




02760
Ceylon




02710
Heritage



02720
Adirondack




02700
Olivewood




02702
Bamboo Coffee


Construction Uncommon Ground is a high performance luxury vinyl plank featuring our exclusive ExoGuard™ quartz-enhanced urethane finish, which protects against commercial traffic and requires no polish. Innovative digital imaging technology allows for precise reproduction of domestic and exotic woods for flooring that appears authentic, yet tolerates wet maintenance that is not suitable for natural materials.




1. ExoGuard™ Quartz Enhanced Urethane
2. Clear Wear Layer
3. High Resolution Image Layer
4. Commercial Flooring Base
5. Commercial Backing Base



02740
Gallery Walnut




02571
Cikel Cherry




02572
Asian Mahogany




02520
Zen




02534
Brazilian Cherry



02500
French Grey




02573
Chocolate Cherry



02540
Telluride



02560
Skyline



02580
Whiskey Barrel

Durable Style. Luxury Vinyl Plank is conducive to a wide variety of commercial installations due to a durable and moisture tolerant surface. Uncommon Ground is the latest plank flooring from Shaw Commercial Hard Surface, and proof that high performance engineering can play harmoniously with visionary styling. The quest for durability will lead you to Uncommon Ground.

Uncommon Ground

Shaw Commercial Hard Surface is dedicated to creating collections of durable, style-forward products that add thoughtful design elements to commercial spaces around the globe. Our newest luxury vinyl plank rises to the occasion, finding inspiration in both nature and the abstract. Uncommon Ground features 24 colors, each offered in both 4" and 6" widths to accommodate innovative installation patterns. Further, traditional hardwood visuals and linear patterns are available to complement a diverse design palette.

Product Specifications

| | |
|-------------------------------------|---|
| Style Name / Number | Uncommon Ground 4" / 0187V |
| | Uncommon Ground 6" / 0188V |
| Construction | High Performance Luxury Vinyl Plank |
| Class / ASTM F1700 | Class III Printed Film Vinyl Tile |
| | Type A (smooth), Type B (embossed) |
| Wear Layer Thickness | 20 mil or 0.020" (0.5 mm) |
| Overall Thickness | 3 mm or nominal 1/8" |
| Nominal Dimensions | 4" wide, 36" long (0187V) |
| | 6" wide, 36" long (0188V) |
| Actual Size | |
| Width: | 3.94" or 100 mm (0187V) |
| | 5.91" or 150 mm (0188V) |
| Length: | 36.22" or 920 mm |
| Backing Class | Commercial Grade |
| Finish | ExoGuard™ Quartz Enhanced Urethane |
| Installation Method | Glue Down |
| Recommended Adhesive | Shaw 4100 or S150 |
| Packaging | |
| Square Feet per Carton | 35.65 sf |
| Pieces per Carton | 36 pcs (0187V / 4") |
| | 24 pcs (0188V / 6") |
| Weight per Carton | 38.00 lbs |
| Cartons per Pallet | 52 cartons (0187V / 4") |
| | 48 cartons (0188V / 6") |
| Pallets per Truckload | 18 pallets or 936 cartons (0187V / 4") |
| | 18 pallets or 864 cartons (0188V / 6") |
| Testing | |
| Slip Resistance / ASTM D2047 | ADA compliant |
| Static Load Limit / ASTM F970 | 1500 psi |
| Flexibility / ASTM F137 | Passes |
| Resistance to Heat / ASTM F1514 | Passes |
| Resistance to Light / ASTM F1515 | Passes |
| Resistance to Chemicals / ASTM F925 | Passes |
| Radiant Flux / ASTM E648 | >0.45 watts/cm ² , NFPA Class I |
| Smoke Density / ASTM E662 | Passes, <450 |
| Warranty | 10 year limited commercial wear warranty |
| | 10 year under bed warranty when installed with Shaw 4100 or S150 adhesive |
| Environmental | |
| Indoor Air Quality | FloorScore® certified |
| LEED Scoreboard | EQ4.1, EQ4.3 |