



FEATURES


Easier to Install

The small size makes the Lyric Keypad ideal for mounting in tight, hard-to-fit spaces. Installation is simple with the wall mount or optional desk mount kit.

Easier to Sell

Your customers can quickly arm and disarm their systems from any location within the home—a great option that adds value to any sale.

Users can conveniently listen to system status and see updates at a glance.



Optimized for the Honeywell Lyric Controller, the Lyric Keypad enables easy, on-premises security system control for the ultimate convenience and flexibility. Sleek and stylish, it blends with any décor and can be mounted on the wall or placed on tabletops, nightstands or virtually anywhere in the home.

Lyric™ Keypad

FEATURES AND SPECIFICATIONS

SIZE AND WEIGHT

Height
4.65-inches (118-mm)

Width
3.70-inches (94-mm)

Depth
0.95-inches (25-mm)

Weight
0.55-pounds (0.26-kilograms)

DISPLAY

- Two-line Liquid Crystal Display
- Up to 16 characters on each line

EXTERNAL BUTTONS AND I/O CONNECTORS

- Buttons**
- Security
 - Emergency response

- Input and Output**
- Speaker

- Connectors and Modules**
- Backup battery module

WIRELESS AND CELLULAR

- Antennas**
- SiX™ Technology antenna to support Lyric wireless sensors

SOUNDS AND VOICE

Sounds
10 chimes alert users to sensor status (example: a door opens or closes)

Voice Announcement
Announces system state, sensor state and more in English (example: armed away or front door open)

EMERGENCY RESPONSE AND ALERTS

Emergency Response
Dedicated emergency response button for users to request assistance from authorities

- Emergency Response Types**
- Fire
 - Police
 - Medical

- Emergency Alerts***
A loud alarm or sound for:
- Break-ins, when system is armed
 - Potentially unsafe levels of smoke or carbon monoxide
 - Tornado warning

*Certain features are only available if purchased in addition to base models or packages.

Lyric™ Keypad

SETUP AND PROGRAMMING

Remote Programming

- Support for 100% programming and testing using AlarmNet 360™ from a smartphone, tablet, or web browser
- Support for scheduling and delivering software or firmware updates to Lyric keypads over-the-air
- Support for remote diagnostics and troubleshooting

Local Programming

- Support for enrolling keypads into the system at the site in the absence of connection to AlarmNet 360
- Support for testing installation at the site in the absence of connection to AlarmNet 360

POWER AND OPERATING CONDITIONS

Power

- Plug-in power supply
- 110VAC mains to 9VDC with 1.0A output

Backup Battery

- 4-hour (600 mAh)
- Rechargeable NiMH cells rated at 7.2VDC

Operating Conditions

32°F-122°F (0°C-50°C)

ORDERING

LKP500-EN	Lyric Keypad 500, English, White
LKP500-DK	Lyric Keypad Desk Stand
LKP500-4B	Backup Battery for Lyric Keypad (4-hour)

For more information: www.honeywell.com/security

Automation and Control Solutions

Honeywell Security and Fire
2 Corporate Center Dr. Suite 100
P.O. Box 9040
Melville, NY 11747
1.800.467.5875
www.honeywell.com

L/LRCSRTKD/D
January 2016
© 2016 Honeywell International Inc.

Honeywell