

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
5305000633503		Screw, FH 1000 cross recessed 10-32 x 1/2 Cad Steel		19,200	3C7
00-064-0207		Rivets	Aero Defense	100	4H4
00-242-4766		Lugs, terminal		13	6B4
01-00000142		Screw, 8-32 x 3/16 FH100PLPSS		16	3D2
016F9768		Lug		25	6B4
09H067WH32NB		Clamp Loop		4	
1-95JMMS-1322-21		Clamps		194	
10517465	5310-01-207-7564	Nut Special M10X1.5		1	6C7
10-107620-198	5935-00-590-2200	Connector Plug		29	B3
10268	5945-00-192-0245	Relay		1	F-11
10BK-1		Bulkhead Fitting, Brass, 10-32 Thread, 1/4" wrench, 24/32 Length		100	2F8
115500	5895-01-471-2802	Rubber Foot (Cage 1VN02)		110	
1170113-8		Screw		53	3C3
12375352	5315-00-741-2924	Pin and Chain Assembly		9	
124B20-B2M	5925-01-179-4772	Cage 5S670 Circuit Breaker		18	
124B20-B2M	5925-01-179-4772	Circuit Breaker		18	1F-3
12A15-00	5925-00-900-1903	Cage OYM16 Circuit Breaker		19	
12A15-00	5925-00-900-1903	Circuit Breaker		20	F5
130069 (BACN10FX16)	5310-00-862-8314	NUT CLIP, 10-32, SELF-LOCK 3/8" ED	Madanock	5,000	
13100000-5		Clip Nut 3/8" ED	Madendock	5,000	
13100000-5		Clip nut 3/8" self locking		12018	3A1
13C13WTHX96HB24		Clamps,Electrical		24	
1489-5-12		Bolt, 12 pt, 5/16-24 x 3/4	PBF	2	2B3
1489-6-12		Bolt, 12 Point 3/8-24 x 3/4 Grip	PBF	219	2B3
1489-7-14-14		Bolt, 12 pt 3/8-24 x 15/16	PBF	205	3B2
1489-7-16		Bolt, 7/16-20 x 1" 12 Point	PBF	70	2E3
1578-7		Bolt		10	3C5
1578A3-R17		Bolt, button 10/32 x 1 & 1/16, titanium		28	3C2
1578V-10		Screws		3	3D4
1578V3-10		Screw		3	3D2
1578v3-7		Screws,10-32, 7/16 grip		14	2D7
1578V3-20		Screw, offset cruciform SS 10/32 x 5/8		4	2D7
1579A3R-2		Screw		44	3C2
1580A3R-9		Screw, offset cruciform 10-32 x 1/4		132	2F8
1580V3-4		Screw, offset cruciform 3/16 x 1/4		43	2D7
1580-V3-6		Screw, offset cruciform 3/16 x 3/8		36	2F8
1580-V4-5		Screw, offset cruciform 1/4-28 x 5/16		60	2F8

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
1580-V4-6		Screw, offset cruciform 1/4 x 3/8		124	2F8
1580-V4-36		Screw, offset cruciform SS 1/4 x 9/4		4	2F8
1580-V4R-7		Screw, offset cruciform SS 1/4-28 x 7/16		10	2F8
1580-V5-7		Screw, offset cruciform 5/16 x 7/16		4	2F8
1581-K4-6		Screw, offset cruciform 1/4-28, 3/8 grip		26	5B6
1581-K4-6-9		Screw, offset cruciform, titanium 1/4-28 x 9/16		28	2D7
1581K3R-15		Screw, 10/32, 15/16 grip		3	3D2
1581-K4-8		Screw, offset cruciform 1/4-28 x 1/2		5	3D2
160-4602	5920-01-531-6130	No Description (Cage 11083)		4	
160-9602	5920-01-531-6130	Cage		4	F-8
164J4BX		Thomas Betts		2	
165LRR-FG-250		Elastimold		5	
16THG-GH-0270-4		Elastimold		4	
16THGS-FIG-10		Elastimold		2	
1701-13		Bolts		53	3D2
1701-3-13		Screw		50	3D2
1701-3-15-13		HI-LOK		273	3D2
1701-3-4		screw, flat head, 10/32 x 4/16 grip, offset cruciform		15	3D2
1701-3-5		screw, flat head 10/32 x 5/16 grip offset cruciform		28	3D2
1701-3-6		screw, flat head, 10/32 x 6/16 grip SS,offset cruciform		12	3D2
1701-3-8		screw, flat head,10-32, 8/16 grip, SS,offset cruciform		36	3D2
1701-51-13		Flat head huck bolt			3D2
1701-8		Huckbolt, flat head		250	3C5
170115-13		Huckbolts, flat head		400	3C5
1705-3-5		screw, flat head 3/8 x, SS,offset cruciform		7	3D1
19207 12296942	5365-01-102-3487	Cage Prime Bushing Machine Thread		6	
1920710876503	5310-50-049-56497	Pin Assembly		1	
195012-4-8-1		Fastener, Panel		16	6C4
195012-4-8-2		Fastener, Panel		45	6C4
19M8147	5305-61-423-9499	Screw		15	
1D21611-507		Valve		1	6A3
1K055-233W-001		RC-550-11 Dale		112	4D3
1K055-233W-001 MS1043-09		RCd-550-11 Dale		3,300	4C-1
1KG55-206W-001-3319		Dale nut		100	4D3
1N485W		Resistor		10	2D5
1PE0197-6-0		Tie Strap, Black, 27 1/2' x 3/8 x 1/16 (aprox), bag of 100 pcs	AV-TECH IND	50	R2B
2012V-6		Bolt, Huck		3	3D1

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
20221ST		Bolt, 12 pt		1	4A4
205-10-16		Bolt, 12 pt	PBF	2	7D
2053-6		12 pt 10/32, dia 6/16 grip		22	3D2
20T-4-9		Bolt, 1/4-28, 9/16 Grip, 12 Point, SS	PBF	249	3C5
20T-5-24		Bolt, 5/16-24, 1 1/2 GRIP, 12 POINT, SS	PBF	562	
20T-5-8		Bolt, 5/16-24 x 1/2 Grip, 12 Point, SS	PBF	17	2F1
20T-6-12		Bolt, 3/8-24 x 3/8 Grip 12 Point, SS	PBF	231	2C6
20T-6-13		Bolt, 3/8-24 x 13/16 Grip, 12 Point, SS	PBF	272	
20T-6-15		Bolt, 3/8-24 x 15/16 Grip 12 Point, SS	PBF	6	2C6
20T10-14		Bolt, 5/8-18 x 7/8 Grip, 12 Point, SS	PBF	17	3D3
20T10-16		Bolt, 12pt 5/8-18 x 1	PBF	2	7C2
20T4-10		Bolt, 1/4-28 x 5/8 Grip 12 Point, SS	PBF	247	3C2
20T4-4		Bolt, 1/4-28 x 1/4 Grip, 12 Point, SS	PBF	79	3C5
20T5-24		Bolt, 12 pt ss 5/16, 24 grip	PBF	2	3D2
20T6-15		Bolt, 3/8-24 x 15/16 Grip 12 Point, SS	PBF	28	2B4
20T6-16		Bolt, 3/8-24 x 16/16 Grip, 12 Point, SS	PBF	2	2C6
20TC-6-13		Bolt		272	3E5
22-18		Lug, terminal, wire, ss,		3,532	6C3
240-1953-01		Screws		48	6A1
240-3237-01		Screws		24	2F8
244-14		Camloc 4002 Series Floating Receptacle		33	
244-16		Camloc 4002 Series Floating Receptacle		33	6B2
249784		Screws, 10-32 x .75pph		4	2F8
249885		Nuts and screws		4	3C5
25S-GR-0RX2		Elastimold		2	
25SFB-102		Elastimold		2	
25SGR202		Elastimold		8	
25SH-FB210		Elastimold		6	
26-20		Terminal, wire #6 stud 26-20 AWG insulated		1,550	6C1
284298-B21		Nut		40	4D3
28647B (10228647)	6220-01-336-3533	Switch, Toggle (MS35059-21)		7	F-15
29SJ250		Resistor 1/4 Watt +5%		400	2F5
2MD-8-5		Pin, Hi-Lok 1/4 x 5/16		11	2F5
2MD-10-11		Hi-Lok button head pin		3	5E-5
2MD-10-11		Pin, Hi-Lok, button head 5/16 x 11/16 grip		6	5D5
2MD-10-14		Hi-Lok Pin, Titanium, Button Head, 5/16 x 7/8" Grip Intfc Fit		4	5E-5
2MD-10-16		Hi-LOC, Titanium, Button Head, No Hex		37	5D2
2MD-12-16		Hi-Lok Pin, Titanium, Button Head, 3/8 x 1" Grip Intfc Fit		31	5D-4

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
2MD-12-32		Hi-Lok button head bolt		21	5-C6
2MD-12-7		Hi-Lok button head		10	5E6
2MD-16-22		Hi-Lok, button head 1/2-20 x 11/8		1	5E6
2MD-6-2		Hi-Loc button head		8	5E6
2MD-6-3		Hi-LOC, Titanium, Button Head, No Hex 3/16 x3/16		38	5D5
2MD-6-4		Hi-LOC, Titanium, Button Head, No Hex		43	5D5
2MD-6-5		Hi-LOC, Titanium, Button Head, No Hex		21	5D5
2MD-6-6		Pin, Hi-Lok button head		57	5B6
2MD-6-8		Hi-LOC, Titanium, Button Head, No Hex		37	5C6
2MD-6-9		Bolt, Hi-lok, button head, titanium 10-32 x 9/16 grip		7	5E5
2MD-6X-5		Pin, Hi-Lok, button head 3/16 x 5/16		7	5E5
2MD-6Y-4		Hi-Lok, button head 3/16 x 1/4		4,441	5B-3
2MD-8-13		Hi-LOC, Titanium, Button Head, No Hex		24	5B-5
2MD-8-20		Hi-LOC, Titanium, Button Head, No Hex		350	5C1
2MD-8-5		Pin, hi-lok, titanium, button head, No Hex		5	5E5
2MD-8-6		Hi-LOC, Titanium, Button Head, No Hex		15	5D5
2MD-8-7		Hi-LOC, Titanium, Button Head, No Hex		49	5D4
2MD-8-8		Hi-LOC, Titanium, Button Head, No Hex		27	5E5
2MD-8-8		Hi-Lok button head		27	5E5
2MD10-12-11		Hi Loc Button Head 5/16 x 11/16 grip		34	5D2
2MD10-14		Hi-Lok button head pin 5.16 x 7/8 grip		4	5E5
2MD10-6		Hi-Lok button head pin, 5/16 x 3/8 grip		13	5D2
2MD12-19		Hi-Lok button head protruding, 3/8 x 19/16 grip		33	5D2
2MD12-24		Hi-lok button head protruding 3/8, x 1 1/2 grip		5	5D5
2MDL-05-03		Huckbolt,protruding head, titanium 5/32 x 3/16		6	5E6
2MDL-06-07		Huckbolt,protruding head, titanium 3/16 x 7/16		238	5-E6
2MDL-06-11		Huckbolt,protruding head, titanium, 3/16 x 11/16		5	5-C5
2MDL-06-12		Huckbolt,protruding head, titanium, 3/16 x 3/4 grip		10	5-C5
2MDL-06-13		Huckbolt, protruding head, titanium 3/16 x 13/16		17	5E6
2MDL-06-3		Huckbolt,protruding head, titanium, 3/16 x 3/16 grip		31	5C5
2MDL-06-4		Huckbolt,protruding head, titanium, 3/16 x 1/4 grip		365	5C5
2MDL-06-5		Huckbolt,protruding head, titanium, 3/16 x 5/16 grip		187	5A2
2MDL-06-7		Huckbolt,protruding head, titanium, 3/16 x 7/16		238	5E6
2MDL-06-8		Huckbolt,protruding head, titanium, 3/16 x 1/2 grip		17	5C5
2MDL-08-06		Huckbolt,protruding head, titanium 1/4 x 3/8		26	5E8
2MDL-08-04		Huckbolt,protruding head, titanium, 1/4 x 1/4 grip		27	5D2
2MDL-08-08		Huckbolt,protruding head, titanium, 1/4 x 1/2 grip		49	5C5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
2MDL-08-10		Huckbolt,protruding head, titanium, 1/4 x 5/8 grip		85	5E8
2MDL-08-12		Huckbolt,protruding head, titanium 1/4 x 3/4 grip		6	5C5
2MDL-08-12		Huckbolt,protruding head, titanium 1/4 x 3/4 grip		192	5C5
2MDL-08-14		Huckbolt,protruding head, titanium 1/4 x 7/8 grip		13	5C5
2MDL-08-16		Huckbolt,protruding head, titanium, 1/4 x 1 grip		60	5C5
2MDL-08-17		Huckbolt,protruding head, titanium 1/4 x 17/16 grip		16	5C5
2MDL-08-18		Huckbolt,protruding head, titanium 1/4 x 9/8		13	5C4
2MDL-08-19		Huckbolt,protruding head, titanium 1/4 x 19/16 grip		17	5C4
2MDL-08-20		Huckbolt,protruding head, titanium 1/4 x 5/8		5	5C5
2MDL-08-21		Huckbolt,protruding head, titanium 1/4 x 21/16		5	5C4
2MDL-08-4		Huckbolt,protruding head, titanium, 1/4 x 1/8		23	5C5
2MDL-08-5		Huckbolt, protruding head, titanium 1/4 x 5/16		3	5D5
2MDL-08-5		Huckbolt,protruding head, titanium, 1/4 x 5/16 grip		89	5E8
2MDL-08-6		Huckbolt,protruding head, titanium, 1/4 X 3/8 grip		32	5D2
2MDL-08-7		Huckbolt,protruding head, titanium 1/4 x 7/16		26	5C5
2MDL-08-8		Huckbolt,protruding head, titanium 1/4 x 1/2		86	5D2
2MDL-08-9		Huckbolt,protruding head, titanium 1/4 x 9/16		56	5C5
2MDL-08-9		Huckbolt,protruding head, titanium 1/4 9/16		69	5D2
2MDL-10-10		Huckbolt,protruding head, titanium 5/16 x 5/8		3	5C5
2MDL-10-6		Huckbolt,protruding head, titanium 5/16 x 3/16		2	5C5
2MDL-10-8		Huckbolt,protruding head, titanium 5/16 x 1/2		5	5C5
2MDL-12-12		Huckbolt,protruding head, titanium 3/8 x 3/4		3	5C5
2MDL-5-3		Huckbolt,protruding head, titanium, 5/32 x 3/16		6	5-E6
2MDL08-13		Huckbolt,protruding head, titanium 1/4 x 13/16		27	5C5
2MDL08-13		Huckbolt,protruding head, titanium 1/4 x 13/16		38	5C5
2MDL08-8		Huckbolt,protruding head, titanium		32	5D2
2MDL12-15		Huckbolt,protruding head, titanium		2	5C5
2MDL8-10		Huckbolt,protruding head, titanium		60	5C5
2W1C9-9-31		Washer	Anillo	3	2F6
304R-6		Bolts Hex Bolts		14	3D2
35-MTG-GH4D-4-3		Modular Terminator Grey		2	
35MTG-GH500-4-2-2		Elastimold		5	
370-6178-01		Screw kit for rack mounht		10	7D4
3C8N936304-2		Bolt, Hex		13	3D2
3D0006-6		Nut/Washer Assy 3/8-24 Hex, self Locking		2,300	4D1
3D0008-6-26		Hi-Lok		182	5C6
3d0009-5-9		Bolt, flat head 8/32 x 9/16		585	2D2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
3D0010-8-11		Bolt		25	3C2
3D0031-6-12		Bolt, 12 pt bolt, nickel 718 (1489-6-12)	PBF	50	2D5
3D0031-6-14		Bolt 12 pt 3/8 x 7/8		9	3C2
3D0039-14	13100000-4	Clip Nut 10-32, 0.281" Edge Distance, self-locking	Madendock	2282	3A1
3D0039-20	BACN10FX23	Clip nut 5/8" self locking ed		26389	3A2
3D0043-4		Nut, double hex, hi fatigue, high tensile 450 degree F		351	4C1
3D0043-6		Nut Double Hex, Hi Fatigue High Tensile 1/4 28		715	4C5
3D0043-6		Nut, Double Hex, Hi Fatigue High Tensile 450F 1/4X28		384	4C3
3D0043-6		Nut, double hex, hi fatigue, high tensile 450 degree F 1/4X28		424	4C1
3D0049-5		Nut, 5/16-24 12 pt		253	4C1
3D0059-3-1		Nut plate, Cad Steel, 10-32 Floating, Replacabbe Dry Lube Nut		688	
3D0066-1		Washer		100	6D3
3D0088-5		Collar		1,203	2F5
3D0099-8-13		Bolt, button head, 1/4-28 x 13/16 grip		2	2D2
3d0122-6-5		Rivets		100	6C7
3D0122-10-5		Rivets		400	4H3
3D0139-1G-17		Bolt Button Head		9	3D1
3D0175-10-16		HI-LOK		1,100	5A3
3D0237-10-11		HI-LOK		10	5D5
3D0237-12-11		HI-LOK		10	5D5
3D0237-12-11		Threaded pin rivet fasteners		7	5D4
3D0239C5-5		Huckbolts		500	5D5
3D0239C6-19		Hi-Lok Pin	Hi-Shear	10,000	
3D0272E4-22		Fasteners, Solid Rivet, Aluminum Alloy		600	2C1
3D9175-10-16/HST533DL-10-16		HI-LOK		200	5E3
3MD-10-37		Hi-loc, flat head		2	5C5
3MD-6-5		Pin, hi-lok		3	5E5
3MD-6-7		Pin, HI-Lok, flat head 10/32, x 7/16		20	5E5
3MD-8-11		Hi-Loc flat head		31	5E5
3MD-8-14		Hi-Loc, protrud. head 1/4 x 7/8		16	5E5
3MD-8-15		Screw, Hi-Lok, flat head 1/4 dia x 11/16		6	5B2
3MDS-100-37		HI-LOK		2	5C5
3TLV1-7		Bolt, flat head, 1/2-20, 7/16 grip		2	3D2
3TL21-5-13 (TL210-5-13)		Pin, Hi-Lok 5/16 x 13/16		7	3D2
4002-4W		CamLoc Fastener, Winged, Stud 0.141-0.120		50	6F1
4002-4W		Camlock Wing		50	6B2
4210-01-174-9020		Hose assembly, metallic		7	6A2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
43LC3LD5		Clamps		64	
43LCLD5		Clamps,Electrical		64	
44-7-2-8		Clamps,Electrical		385	
443-7-2-8		Clamps		284	
4604-8-8		Screws		21	2B7
48-0523-01		Screws		4	7D4
48-0856-01		Screws, self tapping		4	6A1
480441-01		Screws, new Cisco 10-32, full thread		6	2F8
4C50KFC		Cap, flat soc		72	6C7
4D0036-09-022		Bearings, sleeve		7	6B2
4MD-10		HI-LOC		23	5E4
4MD-12-12		Bolt, Hi-Lok titanium, 3/8-24 x 3/4 grip		3	5E4
4MD-6-12		100 degree cs crownhead		100	2F5
4MD-6-12		HI-LOK		48	5B5
4MD-6-3		Screws, Hi-lok flat head 3/16 x 3/16		25	5B5
4MD-6-4		Pin, Hi-Lok, flat head, 10/32 x 1/4		88	3D2
4MD-6-5		Hi-Loc flat head		11	5E5
4MD-6-6		Pin, Hi-lok, flat head 10/32, x 3/8		14	5E5
4MD-6-7		Pin, Hi-Lok flat head		2	5E5
4MD-6-8		Hi-Lok flat head		13	5E5
4MD-8-10		Bolt, flat head, hi-lok 1/4-28 x 11/16 grip		5	5E5
4MD-8-13		Bolt, Hi-Lok flat head 1/4 x 13/16		8	5E5
4MD-8-14		Pin, Hi-Lock flat head X 1/4 X 7/8		57	5B6
4MD-8-15		Hi-Lok flat head		32	5E5
4MD-8-18		Hi-Lok flat head		72	5D6
4MD-8-21		Pin, Hi-Lok flat head		16	5B6
4MD-8-22		Pin, Hi-Lok flat head, titanium 1/4 x 11/8		8	5B6
4MD-8-4		Pin,hi-lok flat head		5	5E5
4MD-8-5		Pin, Hi-lok		28	5C5
4MD4-8-4		Bolt, flat head 1/4-28 x 1/4		43	5E4
4MD8-10		Hi-Loc		23	5E4
4MD8-11		Hi-lok flat head pin		68	5D5
4MD-8-14		Pin-Hi-Lok, flat head 1/4-28 x 7/8		3	5E5
4MD8-17		Hi-Lock Pin		13	5D5
4MD8-19		HI-LOK		13	5D5
4MD8-21		Hi-lok flat head huckbolt		11	5D2
4MDL-06-03		Hi-lok flat head huckbolt		69	5-C5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
4MDL-08-09		Hi-Lok huckbolt		48	5E6
4MDL-08-10		Hi-Lok huckbolt		57	5E6
4MDL-08-12		Hi-lok flat head huckbolt		20	5C5
4MDL-08-16		Huckbolts		15	5C5
4MDL-08-4		HI-LOK		76	5C4
4MDL-08-4		Hi-Lok, flat head, huckbolt			5C5
4MDL-08-4		Huck Flt 1/4 X9/6		360	4G1
4mdl-08-7				16	5D2
4MDL08		Huckbolt		409	5A4
4MDL08-16		Huckbolt		14	5C5
4MDL08-4		Huckbolt		24	5C5
4MDL08-7		Hi-Lok		16	5D2
4MDL08-8				26	5D2
50-02778		Terminal, hook vinyl insulated 12-10 GA 10 stud		7	6B4
50020256/80221ST2412		Nut		36	4A6
5104081	5330-01-078-7186	Cover Gasket, Rocker Assy. TM 9-2815-202-24P		12	F-2
510H315		10-32 X 15/16		260	3F2
515975		Screw, 10-32 full thread, pan head/matching nuts		50	2F8
5188	5998-01-213-5568	Clip		7	F-14
5206-1646-40153		Centerline		136	6a3
52431221-5-9G		Washers		100	2F5
5293625F8-136		Centerline		136	2F5
5305-00-063					
5305-00-063-3503		Screw, FH 1000 cross recessed 1/2" 10-32		14,400	3B6
5305-00-063-3503		Screw, FH 1000 cross recessed 1/2" 10-32		28,000	3D6
5305-00-221-6116		Screw, machine, 6-40, full thread		51	2D2
5305-00-905-2712		Screw cap hexagon head/Stud Welding Steel		400	3D5
5305-01-479-0852		Screw, Flg, hex 5/8-18 x 7/8		1	2D5
5305-00-984-7351		Screw, machine DLA 500-83-P-8083 flat counersunk cadium		6,900	Floor
5305-010-156-841		Screw		28	2E1
53050/3462489		Screw Machine		100	3D3
5305000545648		Screws, machine, pan head		5,900	7A4
5305000T33503		Screw		100	3B7
5305006192025	5305-00-619-2025	Screw, machine steel, 1/4-28		100	3D6
5305007578122		Screw Tapp		43	3C5
5305008911784	MS27039-4-12	Screw, machine, 1/4-28 pan head cross recessed grip 1/4 cad ste		300	3D6
5305009901347		Screw, machine steel		100	3E6



Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
5305013462489		Screws		100	3D2
5306-00-050-9401		Bolt, hex, full thread, 10/32		104	2D2
5306-00-799-7722		Bolt, hex, brass 5/8-18 x 9/16		90	2D5
5306-01-194-2993	5306-01-194-2993	Bolt Fastener Parts		13	6A3
5307-00-531-1053		Stud, Welding		700	3D5
5310-00-159-6209		Washer, Lock		100	2F5
531500-823-8634/M2-18890-031		Bolt, drilled 1/4-28 x 13/16		8	2F5
5310-00-933-8118		Washer		5,800	2F5
5310-00-974-6623		Washer,lock		100	2F6
5315-00-741-2924		Pin and Chain Assembly		1	6A3
5315-01-013-9863		Pin Quick Release		1	6A3
5325-00-282-2045		Eyelet Turn Lock		100	2F5
5315-00-298-1481		Pin, Cotter		4,500	Floor
5336354-001	4720-01-205-0447	Hose assembly,		1	6A2
5340-01-047-4550	5340-01-047-4550	Screw insert		5	2B7
5342-01-165-0472		Loops		37	6G1
5365-00-684-2096	5365-00-684-2096	Spacer		94	6A1
537116289508	5330-01-258-1475	Gasket		6	
538670095		Screw, hex		100	2B7
54932868C06-08		Huckbolt, 10/32 x 1/2		100	2D2
560-4-5		Screw, flat head cruciform		6	2D9
560H3-7-8		Screw, flat head		99	3D2
5753327-303A-3		Bolt, hex 10/32 x 3/16, titanium		35	2D2
577-6-14		Bolt, 12 pt 3/8 x 24 x 7/8 SS		120	2F2
5810-4		Cap, Wire		100	6B3
58A-10-4		Wire caps		400	2D2
58A10-1		Cap, wire		345	2D2
58A10-2		Cap, Wire		300	6B3
58A17-3		Lug		39	6B4
58A17-8		Lug, terminal		25	6B4
58A8-29		Lug		609	6B3
58A8-4		Lug,terminal		560	6B4
59024-100	5930-01-328-1335	Switch Toggle		15	F-4
59024-100	5930-01-328-1335	Switch, Toggle (Cage 7A013)		12	
5940-00-113-9821		Lug, terminal		100	6B4
5940-001-434775 (MS25030)		Lug, Terminal		199	6B3
5940-013793482		Lug, terminal		99	6B4

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
5945-00-458-3351	5945-00-458-3351	Cage 36802 Relay Electromagnetic		11	
5B6HL132V6-10		HI-LOK		326	5B6
5B6HL3V6		HI-LOK		2,626	5B7
5D0084-7		Lug, Electrical, insulated 10-12 awg lug 3/8 stud		12	2F5
5D0086-10		Lug, Electrical		19	2F5
5D0086-3		Lug, Terminal, 26-20 ANG #10 stud insulated		12	6C4
5P8248	5310-01-102-2477	Washer, Flat		74	
6210-00-284-0389	6210-00-284-0389	Lens Light		1	7B1
6HST629-12		Hi-Lok flat head		21	5D6
72242		Screws, socket head cap 1/2-13 X 3	UNRC	25	6G3
724-746-5500		10/32 cuphead 5/8" Long Screws w/nylon washer		21	6B1
7355520	5940-00-735-5520	Lug, terminal		1	2D2
73612-4CC		Washer		25	2F5
7407957	6150-00-748-7957	Lead, Electrical, Flat Braid, 10',5/16 Stud, Heavy Duty		5	6A1
752S28-857		Clamps,Electrical		28	
752S28-8SF		Clamps,Electrical		28	
7604-6		Hi-Lok		11	5D4
770010L		Ring, terminal #12-#10 wire guage		14	6B4
772-8755-001		Ring, Retaining, CRES		13	2F5
77711-6-14		Bolt, 12 point 3/8-24-14 grip		106	2E5
780V5		Bolt, flat head 1/64 Oversize x 1/2		4	2D5
7997722	5306-00-799-7722	Bolt, Hex 5/8"-18 Steel, Cad plate 1/2"-13 3" Length 2 3/4"		90	3F4
7D0194-D1		Elbow, Special P83476	Gamah	32	7C3
80221ST-1612		Nut, 1-12 thread, double hex, self lock, nickel alloy 718 Sil Thread	SPS	84	4C6
80221ST-2412		Nut, 1 1/2-12, double hex, self lock, nickel alloy 718 silver threads	SPS	33	4A5
80221ST-624		Nut, 12 Point, Self Locking, 3/8-24 Nickel Alloy Silver Threads	SPS	172	2C1
847-459-6200		Nylon insert lock nutes 1/4-20 N15101		600	4C3
84971S7934111-8SA		Clamps,Electrical		490	
858897-1		Mating Connector Set		18	7B1
8820K16	5930-00-615-9376	Switch, Toggle (MS35059-21)		1	F13
8820K16 MS-35059-21	5930-00-615-9376	Switch Toggle		1	1F13
8SP-51-18		Shear Bolt Fasteners		5	5D2
8SP51-1V		Hi-Lok		500	5D2
8WCWC198-8		HI-LOC		9	5E5
8WCWC198-8-9		HI-LOC		9	5E5
90006-2-3-40-08		Bumpers		50	6B1
9111M35P06	5305-01-494-5825	Setscrew		5	2D2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
91732A216 MS122125)		Helicoil, 1/2-13 x 0.750		20	2F5
92196A791		Bolt Socket	McMaster-Carr	5	3E3
92196A796		Fasteners	McMaster-Carr	6	2B7
92240A714		Bolts, hex 1/2-13 x 1 1/4	McMaster-Carr	13	6G2
9490-12		bolts		30	3C3
9D0062-3F12-12		Bracket		25	6B1
AAP8600-1019		Cable Faring		1	2F5
AMDL-06-6		Hi-Lok flat head huckbolt		49	5C5
AMP4W		Terminal AWG 4 or 5, Uninsul, welded, 1/4" Stud, tin pltd copper		5,592	6B5
AMPH31-351		Pin		1	6B1
AN-3/0		Lug,		4	6B4
AN-8-YA		Lug, terminal, wire 8AWG 5/16 lug insulated		272	6C2
AN2YA		Lug, insulated 3/8 stud w/reinsul to .455 /contact thick. 0.10		200	6B6
AN3066-28		Nut, Aluminum		74	7A2
AN315-3R		Nut, Hex, 1/4-28, Cad Steel	Harco	43	4D3
AN315-4R		Nut, hex, cad steel nut plain hex airframe 1/4-28		6,000	4D3
AN315-6R		nut		11	4C2
AN315CUR		Nut		148	4D3
AN316-18R		Nut, 1"- 12 R/H Thread, cad Steel, 1/2" Height		20	3F7
AN320C-4 ?		Nut, Shear (Castle) 1/4-28		4,088	7A7
AN320ESHEAR		1/4-28 castellated hex cres		6,124	2B1
AN340B-8 ?		NUT, BRASS, 8-32		12,000	
AN3C7A-8		Fasteners		8	6A2
AN4CH3A		Bolt, hex head, drilled (A2-23) 1/4-28 full thread	MAC	3	2D2
AN515-4R8/3CS474161-90		Screws		160	3D3
AN924-4W		NUT, HEX, STEEL, 1/4"	SPS	1,000	
AN960-10L		Washers		53	2F6
AN960-416L		Washers		22	2F6
AN960-C41		Washers		500	2F5
AP1001-10		Clamps,Electrical		53	
AP1001-20		Clamps,Electrical		16	
AP1001-24		Clamps,Electrical		21	
AP1001-32		Clamps,Electrical		22	
ARM2035E4-8		Rivet, Aerospace		1,782	4H3
ARM3037AD3-8		Aerospace Rivet Hi-Kote		4,266	4H2
ARM9000E8-21		Rivet, Aerospace MIL-A-8625 type 1 CL1		155	4H3
B1821AH031C25ON	5306-LW-M03-8217	Bolt Machine		1,400	

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
B1821B4050C300NJ428	5305-00-071-2075	Bolt, Hexagon Head 1/2-20 x 3/2 grip cad steel		56	2A3
B1821BH050C300N	5305-00-071-2075-25	Bolt, Hex 5/8"-18 Steel, Cad plate 1/2"-13 3" Length 3"		56	2A3
B30MR5-20		Bolt, 12 pt 5/16-24 x 5/8		30	7C2
B30MR7-22		Bolt, 1/2-20 12 pt titanium x 1 & 3/4		1	3D2
B30MR7Y-V8-28		Bolt, 12 pt 1/2-20, x 7/8		7	7C5
B30NM4		Bolt, 1/4-28, titanium, drilled hex head, grip 7/16		1,300	7B2
B30NM5Y-10		Bolt, hex, titanium 3/8-24 x 5/8		80	7C5
B30NR5D-23		Bolt, hex, drilled, 5/16-24, x 23/16		60	7C5
B30US5		Bolts, 12 pt, titanium 5/16 x 1 & 3/8		10	2D2
B30US6-26-26		12 pt bolt	PBF	63	3E2
B4050C300NJ428 B1821		Screw, pan head cruciform 10/32 x 3/8"		200	3D1
BACB30057-40		Bolt 3/8-24 x 1 3/4 grip titanium	PBF	9	3D4
BACB30485-22		Bolt, 12 pt, 5/16-24x 11/8 grip		32	2D2
BACB30FM6A4U/ HL40-6-4		Hi-Loc Pin		100	3D3
BACB30FM6A4U/HL40-6-4		HI-LOK		100	5D5
BACB30MR-10-32		Bolt, 12 pt, Hi-Lok, titanium, 5/8-18 x 2 grip		5	5E5
BACB30MR-4-7		Bolt, hex head drilled 1/8 x 7/16		80	2F1
BACB30MR10-32		Bolt, 5/16-24 x 2" Grip, Hex HD, Titanium		4	3C6
BACB30MR10-44		Bolt, 5/16-24 x 2 3/4" Grip, Hex HD, Titanium		1	3C6
BACB30MR5-16		12 point 5/16x1.75		146	3E2
BACB30MR5-20		12 Point Bolt 5/16 1 1/4" Grip		623	3F4
BACB30MR5-28		Bolt 5/16 x 1.75 Grip Titanium		146	
BACB30MR6-6		Nut, 12 Point, 3/8-24 x 3/8 grip. titanium		19	3D3
BACB30MR7X-30		Bolt, 7/16-20 x 1 7/16 Grip, 12 Point, Titanium		200	
BACB30MR7Y-28		Bolt, 12 Point, 7/16-20 95kpsi, Shear, Grip 1 3/4", 6A-4V Titanium		38	7C2
BACB30MRS		12 pt bolts		146	3D1
BACB30MY8S10		HI-LOK		34	5E6
BACB30MY8S8		Hi-Lok		7	5E5
BACB30NM4-7		Bolt, 1/4-28, Titanium, Drilled Hex Head, Grip 7/16"		150	
BACB30NM5Y-10		Hex Bolt Titanium 5/16-24 x 5/8 Grip		9	3D3
BACB30NR4-11		Bolt, 1/4-28 x 11/16 Grip, Hex, Titanium		971	7B1
BACB30NR5D-23		Titanium Bolt, Hex head, drilled shank		904	4G1
BACB30NR6-6		Bolt, Hex, 3/8-24, 3/8" Grip, Titanium		193	2E1
BACB30US5-22		Bolt, 5/16-24 x 1 3/4 Grip, 12 Point, Titanium		12	3D2
BACB30US5-22		Bolt, 5/16-24 x 1 3/8 Grip, 12 pt Titanium	PBF	10	3D4
BACB30us5k22		Bolts, 12 pt, titanium 5/16 x 1 & 3/8		10	2D2
BACB30US6-28		Bolt, 3/8-24 x 1 3/4 Grip, 12 point, titanium	PBF	60	7C2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
BACB30XL14K-40		Bolt, 12 Point, Titanium, 7/8-14 x 2 1/2 Grip		2	5D6
BACB30XL14K-41		Bolt, 12 Point, Titanium, 7/8-14 x 2 9/16 Grip		5	5D6
BACC100DK20		Clamps,Electrical		46	
BACC10DK20		Clamps, nylon (RSADD56242006200)		47	
BACC10DK24		Clamps		15	
BACC10DK6		Clamps,Electrical		127	
BACC10EW24A		Clamps, nylon		35	
BACC10HB12-C		Clamps,tube		4	
BACC10HB16C		Clamps		4	
BACC10HB24-C		Clamps,Electrical		22	
BACC30AG6		Rivets, Pin Collar		25	2F6
BACC30BH5		Pin River Collar Fasteners		223	2F5
BACG20X36		Washers		16	4E1
BACG20X5C		Grommet		16	2F5
BACN10JC8CM		Nut Fasteners, Hexagon self locking		50	7B1
BACW10BX9X		Washers		20	2F5
BACW10CACVC		Washers		50	2F5
BACW10p205L		Washers, flat		250	2F5
BB341-14		Expander		2	2F5
BH00182A3		Nut with Washer	PrimeBristol	500	2D5
B1821AH031C250N		Bolt, machine		10	2C7
C-829-10		Lug, wire 10 AWG 10 stud (MS) 25036-112		74	7D6
CA2102-10-8-12		Screw, captive, 10-32 x 3/4 grip cad plate		51	2D2
CA21062-06-10-13		Screws, stainless 6-40 x 13/16	Fairchild/Southbay	8	2D2
CA21062-06R		Washers		10	2D3
CA21062-10-12		Screws, button head titanium, 1/4-20 x 3/4		17	2D2
CBXK-BF-5/16		Fasteners, Aerospace, Monogramed		99	2A1
CBXK-BF-5/16		Fasteners, Aerospace, Monogramed		100	2A2
CCR264CS-3-03		Rivet, nut plate .126-.187 grip, length .255, SS		50	4H3
CCR264CS3-4	5320-01-094-5130	Rivet, Cherrymax, Nut Plate Rivet 3/32 Dia x 1/4" Steel		1,000	2F8
CCR264CS3-6		Rivet, Cherry	ASC IND	20	4H3
CEU		Huck, Button Head 5/16 X 15/16 Grip		153	2D8
CEU-10		Huck Flt 1/4 X 15/16 Flt		377	4F4
CEU-4		CEU Button Head Huck 5/16 X 1 5/16		153	4G2
CR2563-8-05		Rivet Grip 251-312, hole 256-261		2,100	4H5
CR2563-8-5 (NAS1398MW-4-5)	5320-01-003-8312	Rivet, Blind .256-.261 Hole, Grip 1/4"-5/16".	Cherry textron	100	4H3
CR3213-6-7		Rivet, Cherry Max, Hole .192-.196, Grip .376-.437	Townsend Textron	100	4H3

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
CR3253F-04-02		Rivet, Cherry Grip .063 .125, hole .146	Textron	58	4H3
CR3553p-05-02		Fasteners, Aerospace, Cherry grip .063 .125 hole .176 .180	Textron	100	4H3
D10711NP		Lug, Terminal		45	2F5
D38999/20WC8BN	5935-01-267-6640	Connector Body		2	1F14
DJ782		Block, Back Up Toac		10	6E2
EWB0420-10-16		Bolt, 12 pt, stainless	SPS	1	3D2
EWB0420-10-38		Bolt, 5/8-18 x 2 3/8, 12 Point A286	SPS	47	2B3
EWB0420-4-12		Bolt, 1/4-28 x 3/4 Grip, 12 Point A286	SPS	200	7A1
EWB0420-5-12		Bolt, 5/16-24, 3/4" Grip, A286 SS, 12 Point,	SPS	2,323	2C2
EWB0420-5-7		Bolt, 12 pt, 5/16-24 x 7/16	SPS	8	7B1
EWB0420-5-9		Bolt, 5/16-24 x 9/16 Grip 286 SS 12 point	SPS	159	7C1
EWB0420-6-13		Bolt, 12 pt 3/16 x 13/16	SPS	6	3D2
EWB0420-6-16		Bolt, 3/16 x 8/32	SPS	5	2E6
EWB0420-6-19		Bolt, 3/8-24 x 1 3/16 Grip, 12 Point, A286 Tension	SPS	47	7B1
EWB0420-6-49		Bolt, 12 pt 3/8-24 X 3 1/16 Grip, 12 Point, A286, Tension	SPS	4	7B1
EWB0420-8SP51-18		Bolt, 12 pt 1/2-20, x 9/8 grip	SPS	5	7C5
EWB04306SPS8-6		Bolt, 12 pt 3/8-24 X 13/16, SS	SPS	5	3D2
EWSB1126-4-11		Bolt, 12 point 1/4-28 x 11/16		4	2D2
F593C		Screws, hex cap SS 1 1/8 to 1 1/4 dia tensile 100-140		13	2F5
FA0910085		Clamps,Electrical		100	
FBACN10JC3		NUTS	Republic	100	4B3
FHL1012-8-8		Hi-Lok button head pin		25	5D5
FLT01-0001-4307-7		Bolt,Rachet		15	3D2
FSA2-70-12		Socket Head Bolt		8	3D3
G08V-4		HI-LOK		18	5D5
GG88F		Nuts		11	4D3
GGB8F		Nuts		560	4B2
GLPT-12		HI-LOK		577	5B6
GP8V-4		Hi-Lok button head		22	5D5
GP9VBH		Huck		5	5C5
GPLTV-11		Huck, 1/4 x 11/16 Grip, Button Head, Titanium		482	5C5
GPLTV-12		Huck, 1/4 x 3/4 Grip, Button Head, Titanium		622	5E8
H0502795		Screws, Hex Cap 3/8-16 x 3/4, cad plated		35	2D2
H18-10-7		HI-LOK		250	5B-5
HK-0098-6-5		Pin, Hi-Lok, flat head		19	5E5
HK-0098-6-7		Hi-Lok Pin		12	5B5
HK0098-8-11		Pin, Hi-Lok, 1/4-28 x 11/16		3	5E5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HK0088-9-8		Hi-Lok Pin		19	5D2
HK0098-5-4		Pin, Hi-Lok, flat head		3	5E5
HK0098-6-5		Pin, Hi-Lok, flat head 10/32 x 5/16		27	5E5
HK0098-6-6		Hi-Lok Pin		2	5C5
HK0098-8-4		Pin, Hi-Lok 1/4-28 x 1/4 grip		9	5B2
HK0099-5-2		Hi-Lok pin		9	5C5
HK0099-6-2	3D0099-6-2	HI-LOK, Button Head, Titanium, 3/16 x 1/8		322	5D5
HK009919-24		Hi-Lok protruding head pins		2	5D6
HK0099-6-4		Pin, Hi-lok, button head 3/16 x 1/4		23	5B2
HL-1012-10-12		HI-LOK		43	5D6
HL1012-6-4		Pin, Hi-Lok 3/16 x 1/4		14	5D6
HL1012-6-14		Pin, Hi-Lok 3/16 x 7/8		15	5D6
hl1012-6-15		Pin, Hi-Lok 3/16 x 1 & 1/16		12	5D6
HL-1012-12-24		Hi-Lok pin		3	5D4
HL-1012-8-19		Hi-Lok button head pin		54	5D5
HL-40-10-11		Hi-Lok Pin		40	5D6
HL0098-7		HI-LOK		12	5B5
HL009914-24		HI-LOK		2	5D6
HL1-138-18		Hi-Lok flat head pin		4	5D5
HL10-10-15		Pin, Hi-Lok Protruding sheer		215	5C5
HL10-8-7		HI-LOK		44	5C5
HL10-V10-15		Hi-Loc Button head		10	5C5
HL10V-5-2		Pins, Hi-Lok 5/32 x 1/8		22	5C5
HL10-V6-3		Pin, Hi-Lok, Protruding Shear		7	5E5
HL10-V6-5		Pin, Hi-lok, button head		2	5E5
HL1010-12-20		Hi-Lok Pin		12	5D5
HL1012-8-17		Pin, Hi-Lok, protruding tension 1/4 x 1 & 1/16		20	5D4
HL1012-10-17		Pin, Hi-Lok, protruding tension 5/16 x 1 & 1/16		5	5D4
HL1012-10		Hi-Lok Protruding Tension		13	5D6
HL1012-10-10		Hi-Lok pin		53	5D5
HL1012-10-12		Hi-Lok button head pin		7	5D5
HL1012-10-12		Hi-Lok Pin		7	5D5
HL1012-10-12		Pin, Hi-Lok, protruding tension		8	5E5
HL1012-10-13		Pin, Hi-Lok, protruding tension		12	5E5
HL1012-10-14		Hi-Lok protruding tension 5/16 x 14/16		4	5B2
HL1012-10-14		Pin, Hi-Lok protruding tension 5/16-24 x 7/8 grip		3	5E5
HL1012-10-14		Pin, Hi-Lok, protruding sheer		87	5C6

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL1012-10-15		Hi-Lok button head pin		22	5D5
HL1012-10-16		Hi-lok, button head		5	5C5
HL1012-10-16		Pin, HI-Lok		2	5E5
HL1012-10-17		Hi-Lok, protruding tension 5/16 x 1 & 1/16		28	5D4
HL1012-10-17		Hi-Lok Protruding Tension		4	5D5
HL1012-10-22		Pin, Hi-Lok, protruding tension button head		3	5E5
HL1012-10-6		Hi-Lok Pin		9	5D5
HL1012-10-6		Pin, Hi-Lok, protruding tension		10	5D5
HL1012-10-6		Pin, Hi-Lok, protruding tension 5/16-24 x 3/8		9	5D6
HL1012-10-7		Hi-Lok Pin		25	5C5
HL1012-10-7		Hi-Lok protruding tension		1	5C5
HL1012-10-7		Pin, Hi-Lok, protruding tension		2	5E5
HL1012-12-11		Pin, Hi-lok, protruding tension		28	5D4
HL1012-12-12		Hi-Lok Pin		22	5D5
HL1012-12-15		Hi-Lok protruding head pins		37	5C5
HL1012-12-16		Hi-lok button head shear		4	5D4
HL1012-12-16		Hi-Lok Pin		4	5D4
HL1012-12-17		Hi-Lock Pin		3	5D4
HL1012-12-17		HI-LOK		3	5D5
HL1012-12-18		Hi-Lok protruding tension		3	5D5
HL1012-12-19		Hi-Lok pin		10	5D4
HL1012-12-20		HI-LOK		11	5D6
HL1012-12-20		Hi-Lok protruding tension		15	5D6
HL1012-12-21		Pin, Hi-Lok, protruding shear		12	5D5
HL1012-12-22		Hi-Lok protruding head pins		7	5D5
HL1012-12-23		Hi-Lok Pin		10	5D6
HL1012-12-23		Hi-Lok Pin		12	5D6
HL1012-12-23		Hi-Lok Protruding Tension		11	5D6
HL1012-12-24		Hi-Lok Protruding Tension		10	5D6
HL1012-12-24		Hi-Lok sheer button head pin		10	5D6
HL1012-12-25		Hi-Lok Pin		4	5D6
HL1012-12-25		Hi-Lok protruding head pins		4	5C6
HL1012-12-30		Hi-Lok Pin, 3/8 x 15/8, protruding tension		2	5D2
HL1012-12-5		Hi-Lok protruding tension, 3/8 x 5/16		2	5D5
HL1012-12-7		Hi-lok button head bolt		17	5D5
HL1012-12-8		HI-LOK		9	5D5
HL1012-17		Hi-Lok protruding tension		1	5C5



Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL1012-5-6		Hi-Lok button head pin		73	5D5
HL1012-6-10		Pin, hi-lok protruding tension 3/16 x 5/8		24	5B6
HL1012-6-11		Hi-Lok button head pin		61	5D4
HL1012-6-12		Hi-lok protruding tension 3/16 X 3/4		35	5E5
HL1012-6-14		Hi-Loc Shear pin button head		144	5D4
HL1012-6-14		Hi-Lok pin		143	5D4
HL1012-6-15		Hi-Lok pini		2	5C5
HL1012-6-16		Hi-Loc Protruding Tension		8	5E5
HL1012-6-18		Hi-Lok button head pin		2	5D5
HL1012-6-19		Hi-Lok Pin 3/16 X 1 & 3/16		16	5D4
HL1012-6-21		Hi Lok button head pin		4	5D5
HL1012-6-5		Pin, hi-lok protruding tension 3/16 x 5/16		6	5E5
HL1012-6-6		Pin, hi-lok protruding tension 3/16 X 1/4		52	5E5
HL1012-6-9		Hi-Lok Pin		3	5D4
HL1012-6-9		Pin, hi-lok protruding tension		11	5E5
HL1012-6-10		Pin, hi-lok protruding tension, 6/32 x 5/8		6	5E5
HL1012-8-6		Pin, Hi-Lok protruding tension 1/4 x 3/8		8	5E5
HL1012-8-013		HI-LOC		18	5E5
HL1012-8-10		Hi-Lok Pin		224	5E5
HL1012-8-11		Hi Lok button head pin		10	5D5
HL1012-8-12		HI-LOK		8	5D5
HL1012-8-12		HI-LOK		13	5D6
HL1012-8-13		Hi Lok flat head pin		26	5D5
HL1012-8-13		Hi-Lok protruding head pins		68	5E5
HL1012-8-13		Hi-Lok protruding tension		1	5C5
HL1012-8-14		Hi-Lok button head pins		570	5C6
HL1012-8-14		Hi-Lok protruding tension		2	5C5
HL1012-8-14		Pin, Hi-Lok Protruding Tension		12	5B6
HL1012-8-15		HI-LOK		16	5C4
HL1012-8-15		HI-LOK		13	5C6
HL1012-8-15		HI-LOK		39	5D5
HL1012-8-15		Pin, Hi-Lok, protruding tension		2	5E5
HL1012-8-16		Hi-Lok protruding head pins		6	5E5
HL1012-8-17		Pin, Hi-Lok protruding tension		20	5D4
HL1012-8-18		Hi-Lok Pin		17	5D4
HL1012-8-19		Hi-Lok Button head		1	5E5
HL1012-8-19		Hi-Lok button head pin		13	5D5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL1012-8-20		Hi-Lok pin		14	5C5
HL1012-8-20		Pin, Hi-Lok, Protruding Tension		2	5E5
HL1012-8-3		Hi-Lok, titanium, protruding tension 1/4 x 3/16		46	5C5
HL1012-8-4		Pin, Hi-Lok 1/4 x 1/4		53	5D2
HL1012-8-4		Pin, Hi-Lok, protruding shear		179	5E5
HL1012-8-5		Hi-Lok bolt		65	5C5
HL1012-8-5		Hi-Lok button head		54	5C6
HL1012-8-5		Hi-Lok, protruding tension		77	5D5
HL1012-8-5		Pin, Hi-Lok, button head		2	5E5
HL1012-8-6		Hi Lok button head pin		476	5C6
HL1012-8-6		Hi-Lok Protruding Tension		448	5E5
HL1012-8-6		Pin, Hi-Lok protruding tension		4	5E5
HL1012-8-7		Hi-Lok Pin		2	5D5
HL1012-8-8		Hi-Lok protruding tension		190	5D4
HL1012-8-9		Hi-Lok Pin		54	5B5
HL1012-9-11		HI-LOK		139	5D5
HL10128-7		HI-LOK		2	5D5
HL1012SP-8-9		HI-LOC		17	5E5
HL1013-10-15		Hi-Lok Pin		6	5D4
HL1013-12-11		100° Flush MS24694 Tension		3	5E5
HL1013-5-19		HI-lok 100° Flush MS24694 Tension		6	5D6
HL1013-6-8		Pin, Hi-Lok 100 deg Flush MS24694 Tension 10/32 x 1/2		53	5E5
HL1013-6-13		HI-LOC		84	5E4
HL1013-6-13		Pin, HI-lok 100° Flush MS24694 Tension 10/32 x 13/16		540	5C5
HL1013-6-14		HI-lok 100° Flush MS24694 Tension		12	5E4
HL1013-6-15		Pin, Hi-Lok 100 deg Flush MS24694 Tension 10/32 x 15/16		6	5E5
HL1013-6-16		Pin, Hi-Lok 10-32 x 1 grip		4	5E5
HL1013-6-3		Pin, Hi-Lok 3/16 x 3/16		74	5D4
HL1013-6-4		HI-lok 100 degree flush MS24694 Tension 10/32 x 1/4		124	5E5
HL1013-6-5		HI-lok 100° Flush MS24694 Tension 3/16 x 5/16		66	5C5
HL1013-6-6		HI-lok100 degree Flush MS24694 Tension 10/32 x 3/8		61	5E5
HL1013-6-8		Pin, Hi-Lok 3/16 x 1/2		6	5E5
HL1013-6-9		HI-Lok, flat head 100 degree flush 3/16 X 9/16		88	5E5
HL1013-6-11		Hi-Lok, 100° Flush MS24694 Tension		7	5E5
HL1013-8-10		Hi-Lok, 100 Deg Flush MS24694 Tension 1/4-28		4	5E5
HL1013-8-11		HI-lok100° Flush MS24694 Tension 1/8 x 11/16		9	5C5
HL1013-8-16		100° Flush MS24694 Tension HI-lok		8	5D6

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL1013-8-20		Hi-Lock Pin		3	5D5
HL1013-8-23		Hi-Lok 100 deg flush 1/4 x 1 & 7/16		4	5D5
HL1013-8-24		Hi-Lok flat head pin		11	5D5
HL1013-8-7		Pin, Hi-Lok 100 deg Flush MS24694 Tension 1/4-29 x 11/16 grip		12	5B2
HL1013-8-8		Hi-lok 100° Flush MS24694 Tension		11	5E5
HL10138-18-18		Hi-Lok Pin		4	5D5
HL1013F-12-11		HI-LOC		2	5E5
HL1022-8-14		HI-LOK		137	5D5
HL10V-5-15		Rivet, pin threaded, 8/36 x 1 grip		10	5E5
HL10V-5-6		HI-LOC		13	5E5
HL10V-6-3		Rivet, pin threaded 10/32 x 3/16		17	5B2
HL10V-6-7		Hi-Lok, button head		225	5E5
HL10V-6-8		Hi-lok		80	5D6
HL10V6-17		Hi-Lok button head 3/16 x 1 1/16		4	5E5
HL10V6-18		Pin, Hi-Lok 3/16 x 9/8		5	5C6
HL10V-8-10		HI-LOK		4	5E5
HL10V-8-11		HI-LOK		50	5D6
HL10V-8-11		Hi-Lok Pin		36	5D6
HL10V-8-11		Hi-Lok Pin		36	5D6
HL10V-8-12		Pin, Hi-Lok, protruding shear		1	5B6
HL10V-8-8		Hi-lock		35	5C5
HL10V-8-9		Screws, Hi-Lok, button head 1/4 x 9/16		1,286	4H3
HL10V10-15		Pin, Hi-Lok 5/16-24 x 15/16 grip		1,521	5B2
HL10V6-11		Hi-Lok		2	5E5
HL10V8-6		Fasteners, pin rivet		12	5D5
HL10V8-8		HI-lok BACB30MY8S8 HI-Lock Button Head Titanium		35	5E5
HL10V8-11		Bolt, Hi-Lok 1/4 x 11/16		40	5E5
HL11-V6-4		Pin, Hi-Lok 100 degree reduced flush sheer flat head 10/32 x 1/4		67	5E5
HL110-V8-24		Pin, Hi-Lok, protruding shear		2	5E5
HL11SPSV-8-7		Pin, Hi-Lok 100 degree reduced flush sheer		12	5E5
HL11V8-12		Pin, Hi-Lok, flat head 1/4 x 3/4		8	5E5
HL11V8-14		Hi-Loc Pin, 100 CS Shear Head, Titanium		13	5E4
HL11V8-16		Pin, Hi-Lok 100 degree reduced flush sheer		36	5B6
HL11V8-17		Pin, Hi-Lok, 100 degree reduced flush shear		16	5B6
HL11V8-18		HI-lok 100 degree reduced flush sheer 1/4 x 9/8		52	5D6
HL11V8-20		HI-lok 100 degree reduced flush sheer 1/4 X 5/8		31	5D4
HL11V8-7		HI-lok100 degree reduced flush sheer 1/4 x 7/16		27	5D6

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL11V8VS-7		Hi-lok 100 degree reduced flush sheer		14	5D6
HL12-9-11		Hi-Lok Pin, Prot Tension Head, Titanium		3	5C5
HL12FV-8-10		Hi-Lok Pin, Prot Tension Head, Titanium		10	5D6
HL12V-12-18		Hi-Lok Pin, Prot Tension Head, Titanium		564	4H1
HL12V-12-18		Hi-Lok Pin, Prot Tension Head, Titanium		1,300	5A1
HL12V-12-4		Hi-Lok Pin, Prot Tension Head, Titanium		645	5C7
HL12V-12-9		Hi-Lok Pin, Prot Tension Head, Titanium		3	5D6
HL12V-5-3		Hi-Lok Pin, Prot Tension Head, Titanium 5/32 x 3/16		53	5E5
HL12V-5-4		Hi-Lok Pin, Prot Tension Head, Titanium 10/32 x 1/4 grip		147	5D5
HL12V-6-3		Pin, Hi-Lok, Prot Tension Head, Titanium, 10-32 x 3/8 grip		211	5E5
HL12V-6-6		Pin, Hi-Lok, titanium 10/32, x 3/8 grip		172	5B2
HL12V-6-8		B2		2	5E5
HL12V-6-9		Hi-Lok Pin, Prot Tension Head, Titanium		2	5E5
HL12V-8-7		Pin, Hi-Lok, Prot Tension, 1/4 x 7/16		15	5B2
HL12V-9-3		Pin, Hi-Lok, Prot Tension 10-32 x 3/16 grip, titanium		124	5B2
HL12V12-11		Hi-Lok Pin, Prot Tension Head, Titanium		2,000	5D1
HL12V12-18		Hi-Lok Pin, Prot Tension Head, Titanium 3/8 X 9/8		18	5D6
HL12V12-6		Hi-Lok Pin, Prot Tension Head, Titanium		5	5D4
HL12V12-9		Hi-Lok Pin, Prot Tension Head, Titanium		3	5D4
HL12V5-3		Hi-Lok Pin, Prot Tension Head, Titanium		70	5D4
HL12V5-5		Pin, Hi-Lok button head		9	5E5
HL12V6-3		Pin, Hi-Lok button head 10-32 x 3/16 grip titanium		48	5B2
HL12V6-6		Pin, Hi-Lok Prot Tension Head, Titanium, 10/32 x 3/8		148	5B2
HL12V8-10		Hi-Lok Pin, Prot Tension Head, Titanium		31	5D2
HL12V8-10		Hi-Lok Pin, Prot Tension Head, Titanium		2	5E6
HL12V8-14		Hi-Lok Pin, Prot Tension Head, Titanium		28	5D4
HL12V8-7		Hi-Lok Pin, Prot Tension Head, Titanium		44	5C5
HL12V8-7		Pin, Hi-Lok Prot Tension 1/4-28 x 7/16 grip		6	5B2
HL12V8-8		Hi-Lok Pin, Prot Tension Head, Titanium		10	5D2
HL13-V6-10		Hi-Lok Pin, 100° Flush, Tension, MS24694 Titanium		20	5D6
HL13V6-20		Pin, Hi-Lok, 100 degree Flush 3/16 x 5/4		4	5E5
HL13SP8-22		Hi-Lok Pin, 100° Flush, Tension, MS24694 Titanium		3	5E5
HL13V-5		Hi-Lok Pin, 100° Flush, Tension, MS24694 Titanium		87	5D6
HL13V-6-7		Hi-Lok Pin, 100° Flush, Tension, MS24694 Titanium		867	5B1
HL13V-6-8		Hi-Lok Pin, 100° Flush, Tension, MS24694 Titanium, 10/32 x 1/2		297	5D5
HL13V-6-9		Hi-Lok Pin, 100° Flush, Tension, 10/32 x 9/16 grip		166	5D6
HL13V-8-22		Hi-Lok Pin, 100° Flush, Tension, MS24694 1/4 x 1 & 6/16		6	5D6

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL13V6-10-10		Hi-Lok Pin, 100° Flush, Tension, MS24694 Titanium		555	5B6
HL14-12-21		Hi-Lok button head		4	5D5
HL18-10-14		Hi-Lok Pin, Prot Head, Alloy Steel		5	5D5
HL18-10-7		Hi-Lok Pin, Prot Head, Alloy Steel		715	5B4
HL248-6-8		Hi-Loc Pin		10	5C5
HL312-12-11		Hi-Lok Pin, Prot Head, 3/8 x 11/16		4	5D6
HL32-6-7		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		100	5A4
HL326-10-8		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		463	5C4
HL32-5-6		Pin, Hi-Lok 5/32 X 3/8		16	5C4
HL326-5-9-9		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		5	5C5
HL326-6-4		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		102	5C5
HL326-6-5		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		21	5E6
HL326-6-6		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		102	5D2
HL326-6-8		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		2,826	5B7
HL326-6-9		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		102	5C5
HL326-7		Hi-Lok Pin, Prot Head, Alloy Steel, Interference Application		21	5E6
HL329-6-6		Hi-Lok Pin, 100 CS Shear, Alloy Steel		307	5C5
HL40-6-2		Pin, Hi-Lok Prot Shear Head, A286 High Temp 3/16 x 1/8		2,000	5A6
HL40-08-15		Pin, Hi-Lok, A286, High Temp 1/4-28 x 15/16 grip		249	5E5
HL40-10-10		Hi-Lok Prot Shear Head, A286, High Temp		149	5D5
HL40-10-11		HI-LOK		100	5D5
HL40-10-11		Hi-Lok Prot Shear Head, A286, High Temp		40	5D6
HL40-10-13		Hi Lock		71	5D6
HL40-10-15		Hi-Lok Prot Shear Head, A286, High Temp		71	5D6
HL40-10-20		Hi-Lok Prot Shear Head, A286, High Temp		239	5C6
HL40-10-30		Hi-Lok Prot Shear Head, A286, High Temp		240	5C6
HL40-12-10		Hi-Lok Prot Shear Head, A286, High Temp		92	5C5
HL40-12-12		Hi-Lok Pin		332	5E5
HL40-12-12		Hi-Lok Prot Shear Head, A286, High Temp		325	5D3
HL40-12-14		Hi-Lok Prot Shear Head, A286, High Temp		100	5E1
HL40-12-16		Hi-Lok Prot Shear Head, A286, High Temp		42	5D6
HL40-12-16		Hi-Lok Prot Shear Head, A286, High Temp 3/8 X 1		396	5B4
HL40-12-21		Hi-Lok Prot Shear Head, A286, High Temp		5	5B2
HL40-12-21		Hi-Lok, Protruding Shear		7	5B6
HL40-12-7		Hi-Lok pin		33	5D5
HL40-12-7		Hi-Lok Prot Shear Head, A286, High Temp		73	5D5
HL40-16-16		Bolt, Hi-Lok Prot Shear A286 High Temp 1/2-20 x1	SPS	153	5A5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL40-6-11		Hi-Lok Prot Shear Head, A286, High Temp		60	5D2
HL40-6-12		Hi-Lok Prot Shear Head, A286, High Temp		687	5B5
HL40-6-13		Hi-Lok Prot Shear Head, A286, High Temp 3/16 x 13/16		2,188	5E2
HL40-6-13VS		Hi-Lok Prot Shear Head, A286, High Temp		101	5E6
HL40-6-14		Hi-Lok Prot Shear Head, 3/16 x 7/8 High Temp		33	5B2
HL40-6-14		Pin, Hi-Lok, titanium, 10/32 x 15/16 grip		9	5B2
HL40-6-15		Hi-Lok Prot Shear Head, A286, High Temp		497	5D2
HL40-6-2		Hi-Lok, Protruding Shear		80	5B6
HL40-6-4		Hi-Lok Prot Shear Head, A286, High Temp		700	5D2
HL40-6-7		Hi-Lok Prot Shear Head, A286, High Temp		88	5B5
HL40-6-13		Hi-Lok Prot Shear 3/16 x 13/16		97	5B5
HL40-6-14		Pin, Hi-Lok Prot Shear 3/16 x 7/8		5	5B6
HL40-6WC-2		Hi-Lok Prot Shear Head, A286, High Temp		80	5D2
HL40-8-15		Hi-Lok Prot Shear Head, A286, High Temp		253	5E5
HL40-8-8		Hi-Lok Prot Shear Head, A286, High Temp		43	5D6
HL40-8-9		Hi-Lok Prot Shear Head, A286, High Temp		100	5C6
HL4010-10		Hi-lok 100° Flush MS24694 Tension		27	5D5
HL41-12-12		Hi-Lok Pin, 100 CS Shear, A285, High Temp		174	5E4
HL41-6-13		Hi-Lok Pin, 100 CS Shear, A285, High Temp		202	5C5
HL41-8-18		Hi-Lok pin		95	5D4
HL41-8-18		Hi-Lok 100 CS Shear, A285, High Temp		2	5E5
HL41-8-8		Hi-Lok Pin, 100 CS Shear, A285, High Temp		270	5E4
HL410V10-19		Hi-Lok, Pin, protrud. hd titanium 1/32 oversize		385	5D2
HL43DY-5		Collar, Hi-Lok		140	5B2
HL48-12-10		Hi-Lok, protruding tension 3/8-24 x 5/8		1,198	5E4
HL48-12-12		Hi-lok		15	3C2
HL48-12-12		HI-LOK		350	5C4
HL48-12-12		HI-Lok Pin, Shear, Prot Head, A-286, HI-TEMP		15	5D5
HL48-12-17		Pin, Hi-Lok, protruding tension		2	5E5
HL48-12-18		HI-Lok PIN, SHEAR, PROT HEAD, A-286, HI-TEMP	SA	39	5D5
HL48-12-18		HiLok		10	5D5
HL48-14-18		Hi Lock Bolt		3,300	4G1
HL48-16-17		Hi-Lok, protruding tension 1/2 x 17/16		2	5D5
HL48-5-12		Pin, Hi-Lok protruding tension 5/32 x 3/4		90	5C5
HL48-5-13		Hi-Lok protruding tension		12	5C5
HL48-5-4		Hi-Lok Pin, protruding tension, 5/32 X 1/4		810	5C5
HL48-5-4		Hi-Lok, Pin, protruding tension 5/16 x 1/4		38	5B2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HL48-5-8		Pin, Hi-Lok, protruding tension 5/32 x 1/2		38	5B2
HL48-6-10		Pin, Hi-Lok protruding tension, 1/4-28 x 5/8 grip		11	5B2
HL48-6-11		Hi-Lok Pin, protruding tension, 3/16 x 11/16		695	5E6
HL48-6-14		Hi-Lok Pin, protruding tension, 3/16 x 7/8		82	5E6
HL48-6-15		Pin, Hi-Lok protruding tension 3/16 x 15/16		40	5E6
HL48-8-10		Hi-Lok, protruding tension, 1/4 x 5/8		925	5B5
HL48-8-14		Hi-Lok, protruding tension, 1/4 x 7/8		2,019	5C4
HL4812-10		Bolt, Hi-Lok protruding tension 3/8 x 5/8		100	5C4
HL48-14-18		Bolt, Hi-Lok protruding tension 7/8 x 9/8		1	5E5
HL49-12-18		Hi-Lok, 100 deg. flush MS24694 tension 3/8 x 9/8		242	5E5
HL49-6VS-17		HI-lok 100° Flush MS24694 Tension 3/16 x 17/16		502	5D6
HL49-8-15		HI-lok 100° Flush MS24694 Tension 1/4 x 15/16		50	5D6
HL49-8-16		Hi-Lok, 100 deg Flush MS24694 Tension 1/4 x 1		14	5D5
HL49-8-6		HI-lok 100° Flush MS24694 Tension, 1/4 x 3/8		100	5C5
HL49-8-7		HI-lok 100° Flush MS24694 Tension 1/4 x 7/6		25	5d6
HL49-9		HI-lok 100° Flush MS24694 Tension 9/32 x		100	5c5
HL4910-10		HI-lok 100° Flush MS24694 Tension		3	5D5
HL526-6-7		HI-LOK		304	5C1
HL526-6-7		Hi-Lok		304	5C1
HL537-12-16		HI-lok Tension100° 20426 flush head (1/64" Oversize)		2	5D5
HL58-14-19		Hi Lock Bolt		1,900	4D5
HL644LL-5-3		Pin, Hi-Lok 8/36 x 1/4 grip		94	5B2
HL646-5-5		Pin, Hi-Lok, protruding tension 5/32 x 5/16		10	5B2
HL646-9		Hi -Lock Button Head Bolt		48	5E5
HL646-9-9		Hi-Lok Protruding Tension		48	5E5
HL646LL-5-5		Screw		10	5D5
HL647-6-11		HI-lok		94	5D4
HL647-6-15		Hi-Lok, 100 deg. Flush MS24694 Tension		6	5E5
HL70-6		Hi-Lok collar		30	2F5
HL70-8		Hi-Lok Sheer 1/16 grip aluminum alloy		90	5C5
HL73DY		Collars		140	5B2
HL75DU-5ADW		HI-lok		10	5C5
HL810-7		HI-LOK		14	5D5
HL82-6A		Hi-Lok collar		25	2F5
HL89DU-6ADW		Hi-Lok Collar		250	2F7
HL946-1		Hi-Lok collar		5	6A4
HL94G-16		HI-LOK		38	5D5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HLGP9VBH-21		HI-LOK		5	5C5
HLT-41-60-26		HI-Lok PINS		1,928	5C2
HLT-59-8-10		Hi-Lok Pin, FH 100 deg, A286, Shear, 5/8 grip		29	5C2
HLT-59-8-18		Hi-Lok Hi-Teague 100 CS, A286 MS20426 1/4 x 9/8		15	5E5
HLT151-8-7		HI-LOK		96	5E4
HLT248-6-8		HI-LOCK		10	5C5
HLT312-10-4		Hi-Lok Pin Titanium Flat Head Grip 1/4"		12	5c5
HLT312-6-4		Hi-Lok Pin Titanium Flat Head Grip 1/4"	Hi-Shear	367	5C3
HLT312-6-5		Hi-Lok Pin Titanium Flat Head Grip 5/16"	Hi-Shear	814	5C3
HLT312-6-6		Hi-Lok Pin Titanium Flat Head Grip 3/8"		75	5D6
HLT312-8-10		Hi-Lok Pin Titanium Flat Head Grip 5/8"		15	5C5
HLT312-8-5		Pin, Hi-Lok, Titanium button head, 1/4-28 x 5/16 grip		7	5E5
HLT312-8-6		Pin, Hi-Lok button head titanium 1/4-28 x 3/8 grip		15	5B2
HLT312-8-7		Pin, Hi-Lok 1/4-28 x 7/16 grip		10	5B2
HLT313-10-14		Pin, Hi-Lok flat head rivet fastener 5/16 x 7/8		2	5B2
HLT313-6-5		Pin, Hi-Lok flat head 3/16 x 5/16		29	5D6
HLT313-6-7		Hi-lok, flat head		3	5D6
HLT313-6-17		Pin, Hi-Lok, flat head 3/16 x 1 & 1/16		5	5D6
HLT313-8-14		Hi-Lok, flat head 1/4 x 1/2		4	5E5
HLT313-8-11		Hi-lok rivet fastener, flat head		3	5E5
HLT313-8-14		Hi-lok rivet fastener, protrud 1/4 x 7/8		4	5E5
HLT313-8-8		Hi-lok rivet fastener, flat head		2	5E5
HLT313-8-8		Hi-lok, flat head		2	5D5
HLT41-5-7		Hi-Lok flat head pin		155	5C5
HLT41-5-9		Hi-Lok Hi-Teague 105 CS Flat Head ,A286		500	5D5
HLT41-6-26		Hi-Lok Hi-Teague 105 CS Flat Head ,A286		1,928	5C2
HLT41-C-27		Pins, Hi-Lok, titanium, 10-32 x 1 & 11/16		19	5B2
HLT42-5-11		Hi-Lok		485	5B5
HLT42-5-6		Hi-Lok		8	5B5
HLT42-5-6		Hi-Lok		11	5D5
HLT42-6-6		Hi-Lok		88	5B5
HLT427-6-12		Hi-Lok Pin, flat head		12	5B6
HLT436-6-5		HI-Lok 1/64 Oversize, Button Head, Titanium		24	5E4
HLT436-8-4		HI-Lok 1/64 Oversize, Button Head, Titanium		388	5B5
HLT436-8-4		HI-Lok 1/64 Oversize, Button Head, Titanium		13	5E6
HLT505-10-6		Hi-lok rivet fastener, flat head		3	5E5
HLT5058-7		Hi-lok flat head		2	5D5



Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HLT57-8-18		Pin, Hi-Lok flat head SS 1/4-28 1 & 1/8 grip		160	5D4
HLT59-8-10		Hi-Lok Hi-Teague 100 CS, A286 MS20426		1,739	5D1
HLT59-8-14		Hi-Lok Hi-Teague 100 CS, A286 MS20426		162	5B5
HLT59-8-9		Hi-Lok Hi-Teague 100CS,A286 MS20426 1/4 X 9/16		36	5E5
HLT59-9		Hi-Lok Hi-Teague 100CS,A286 MS20426 1/4 X 9/16		8	5D4
HLT625-8-12		Hi-Lok Hi-Teague 100 CS, Alloy Steel 1/32 Oversize		40	5B5
HLT626-6-5		Hi-Lok, Hi-Teague, Tension, Prot Head, Alloy Steel	WC	1,095	5B3
HLT626-6-3		Hi-Lok, Hi-Teague, Tension, Prot Head, 3/16 x 3/16		18	5B3
HLT635-6-4		Hi-Lok Hi-Teague Prot Head, Titanium, 1/32 Oversize		29	5E6
HLT635-6-8		Hi-Lok Hi-Teague Prot Head, Titanium, 1/32 Oversize		38	5D5
HLT822-12-19		Hi-Lok Hi-Teague Prot Head, Inconel 718, 1/32 Oversize		6	5D4
HLT822DL-10-17		Hi-Lok Hi-Teague Prot Head, Inconel 718, 1/32 Oversize		9	5C6
HLT94MA-8		Pin, Rivet Collar		100	3F6
HLV111V-8-5		Hi-Lok flat head		4	5E5
HLV111V8-21		Hi-Loc		25	5D4
HLV111V8-8-21		Hi-Lok Pin		25	5D4
HLV12V-8-9		Hi-Lok button head pin		20	5D2
HS-4T529DL6		HI-lok hi-sheer		100	5C5
HSL1012-10-6		Hi-Lok Pin		4	5B5
HSL28-8-6		Hi-Lok		2,961	4G2
HSL48-14-18		HI-LOK		500	4F1
HSL528-10-14		Hi-Lok		74	5E3
HSL528-10-18		HI-LOK		98	5C6
HSL528-10-18		Hi-lok button head pin		90	5C6
HSL528-10-19		Button head huckbolt pin		3	5C5
HSL528-12-13		Hi Lok button head huckbolt		10	5D5
HSL528-16-32		Huckbolt, 1/2 x 2		3	5D5
HSL528-19		HI-LOK		3	5C5
HSL528-5-4		Hi-Lok huckbolt round head		3,445	5A4
HSL528-5-5		Huckbolt Hi-Sheer		6,436	4G3,4,5
HSL528-6-3		HI-LOK		12	5C4
HSL528-6-7		Hi-Lok huckboldt		91	5E6
HSL528-6-8		HI-LOK		30	5E6
HSL528-8-11		HI-LOK		3	5E6
HSL528-8-14		HI-LOK		530	5B5
HSL528-8-16		Huckbolt 1/4 x 1, titanium		4	5C4
HSL528-8-17		Hi-Lok		10	5C5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HSL528-8-22		Pin, Hi-Lok		1	5E5
HSL528-8-6		HI-lok		1,554	5A6
HSL528-8-7		H-Lock		10	5C5
HSL528-8-8		HI-lok		3	5C5
HSL528-14-22		Huckboltd, button head 7/16 x 1 1/2		3	5E5
HSL528AP6-19	3D0239C-19	Hi-Lok Pin (see 3D0239C6-19)	Hi-Shear	10,000	
HSL528AP6-19		Huckbolts, 10-32 x 19/16		500	4B2
HSL529-12-22		Hi-Lok FH, 100 degree CS, 3/8-24 x 1 3/8 Grip Titanium		2	5C5
HSL529-12-6		Hi-Lok FH, 100 degree CS, 3/8-24 x 3/8 Grip Titanium		6	5E6
HSL529-14-22		Hi-lok FH, 100 degree CS, 7/16-20 x 1 3/8 Grip Titanium		2	5C5
HSL529-14-24		Hi-lok FH, 100 degree CS,			
HSL529-14-27		Hi-lok FH, 100 degree CS, 7/16-20 x 1 11/16 Grip Titanium		2	5C5
HSL582F-14-32		Hi-Lok		66	0.0000005
HSL652-8-6		Hi-Lok		1,549	4H1
HST-625-6-12		Pin, Hi-Lok 100 reduced flush shear crown 1/16 grip		228	5D6
HST527-10-10		Pin, Hi-Lok 100 Flush Crown Sheer Head 5/16 x 5/8		178	5E5
HST527-10-23		Hi Lok Pin, Flat head		8	5C5
HST527-5-4		Pin, Hi-Lok flat head		8	5E5
HST527-5-5		HI-LOC		207	5E4
HST527-6-3		HI-lok Sheer crown head, 100 deg reduced flush 3/16 x 3/16		113	5E5
HST527-6-6		Pin, Hi-Lok flat head 10/32 x 3/8 diam		42	5E5
HST527-7		Titanium Special Thread 1/16" grip variation		8	5E6
HST527-10-10		100 e3			
HST52710-19		Hi-Lok High Shear pin		5	5D5
HST528-10-12		Hi-Loc protruding tension		1	5C5
HST528-12-17		Pin, Hi-lok, protruding tension,		2	5D5
HST528-12-21`		Hi-Lok protruding button head pin		4	5C5
HST528-16-30		HI-LOK		17	5D6
HST528-16-30		Pin, Hi-Lok, protruding tension		1	5E5
HST528-16-32		Hi-Lok Protruding Tension		168	5C7
HST528-5-2		Pin, Hi-Lok, protruding tension		21	5C5
HST528-5-3		Pin, Hi-lok, protruding tension		69	5D5
HST528-5-4		Pin, Hi-lok, protruding tension		13	5E5
HST528-5-5		Pin, hi-lok, protruding tension,		7	5E5
HST528-5-7		Pin, hi-lok, protruding tension,		5	5E5
HST528-6-5		Pin, Hi-Lok, protruding tension 3/16 x 5/16		7	5B1
HST5286-6-30		Bolt, Hi-Lok protruding tension 3/16 x 15/8		44	5B1

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
HST528-6-3		Pin,Hi-lok, protruding tension, 3/16 x 3/16 grip		25	5C1
HST528-6-4		Pin, Hi-lok, protruding tension,		103	5B5
HST528-6-6		Pin, Hi-lok, protruding tension, 3/16 X 1/4		5	5E5
HST528-8-12		Pin, Hi-lok, protruding tension,		10	5C5
HST528-8-13		Pin, Hi-lok, protruding tension,		40	5D4
HST528-8-16		Pin, Hi-lok, protruding tension,		94	5E5
HST528-8-24		Pin, Hi-lok, protruding tension,		2	5D5
HST528-8-3		Pin, Hi-lok, protruding tension,		6	5E5
HST528-8-6		Pin, Hi-lok, protruding tension,		263	5C5
HST528-8-8		Pin, Hi-lok, protruding tension,		10	5C5
HST5285-3-3		Pin, Hi-lok, protruding tension,		9	5C6
HST529-10-27		Pin, Hi-Lok Flush Shear Crown 1/16 grip		4	5B5
HST529-9-9		Pin, Hi-Lok Flush Shear Crown 1/16 grip		25	5D5
HST529-10-11		Pin, Hi-Lok, Flush Shear Crown 5/8 x 11/16		5	5E5
HST529SPSO-14-34		Pin, Hi-Lok Flush Shear Crown 1/16 grip		93	5C6
HST531-6-5		Pin, Hi-Lok 3/16 x 7/16		13	5D5
HST531-6-6		Pin, Hi-Lok 130 Flush Shear Crown 1/16 grip		27	5D5
HST531-8-10		Pin, Hi-Lok 130 Flush Shear Crown 1/16 grip		32	5C5
HST531-8-8		Pin, Hi-Lok 130 Flush Shear Crown 1/16 grip		2	5E5
HST533-10-15		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/16 grip		101	5E3
HST533-10-17		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/16 grip		343	5A3
HST533-10-20		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/16 grip		23	5B5
HST533-6-16		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/16 grip		947	5A1
HST533-8-16		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/16 grip		4	5D6
HST533DL-10-16		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/16 grip		1,000	5D1
HST626-6-4		Pin, Hi-Lok, Titanium			
HST626-6-8		Pin, Hi-Lok, protruding tension 1/16 grip		199	5C6
HST627-6-6		Pin, Hi-Lok 100 reduced flush shear crown 1/16 grip		18	5E5
HST627-6-7		Pin, Hi-Lok protruding tension 3/16 x 7/16		48	5E5
HST628-6-3		Pin, Hi-lok, protruding tension 1/16 grip		24	5E5
HST628-6-4		Pin, Hi-lok, protruding tension 1/64 shank 1/16 grip		30	5E5
HST628-6-5		Pin, Hi-lok, protruding tension 1/16 grip		8	5C5
HST628-6-6		Pin, Hi-lok, protruding tension 1/16 grip		17	5E5
HST628-6-7		Pin, Hi-lok, protruding tension 1/16 grip		819	5D5
HST628-6-8		Pin, Hi-lok, protruding tension 1/16 grip		59	5E5
HST628-6-9		Pin, Hi-lok, protruding tension 1/16 grip		6	5E5
HST628-8-29		Pin, Hi-lok, protruding tension 1/16 grip		1	5D5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
Part Number	NSN	Description	Mfgr	Qty	Location
HST628-8-6		Pin, Hi-lok, protruding tension 1/16 grip		17	5C5
HST628-9-12		Pin, Hi-lok, protruding tension 1/16 grip		191	5E5
HST628-9-13		Pin, Hi-lok, protruding tension 1/16 grip		791	5E5
HST6286-5-4		Pin, Hi-lok, protruding tension 1/16 grip		660	5D3
HST6286-7-7		Pin, Hi-lok, protruding tension 1/16 grip		78	5D5
HST629-6-12		Pin, Hi-lok 100MS24694 Flush Tension 1/64 oversize x 3/4 grip		42	5B2
HST629-6-13		Pin, Hi-Lok, 100MS24694 Flush Shear 1/64 shank 1/16 grip		331	5C5
HST629-6-3		Pin, Hi-Lok, 100MS24694 Flush Shear 1/64 shank 1/16 grip		350	5C5
HST629-6-3		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/16 grip		19	5E5
HST629-6-6		Pin, Hi-Lok 100 MS20426 Flush Sheer 1/64 oversize		22	5E5
HST629-6-12		Pin, Hi-Lok 100 MS20426 Flush Sheer 1/64 oversize 3/16 x 3/4		109	5E5
HST629-8-10		Pin, Hi-Lok 100 MS20426 Flush Sheer 1/64 oversize x 5/8		6	5E5
HST629-8-13		Pin, Hi-Lok, Titanium 100 degree Flush Tension 1/4 next oversize		8	5E5
HST629-9-12		Pin, Hi-Lok 100 MS20426 Flush Sheer 1/64 oversize x 3/4		52	5E5
HST727-6-5		Pin, Hi-Lok, 100 reduced flush shear crown 1/32 shank 1/16 grip		3	5E5
HST727-6-6		Pin, Hi-Lok, 100 reduced flush shear crown 1/32 shank 1/16 grip		176	5E5
HST727-6-8		Pin, Hi-Lok, 100 reduced flush shear crown 1/32 shank 1/16 grip		2	5E5
HST727-8-10		Pin, Hi-Lok, 100 reduced flush shear crown 1/32 shank 1/16 grip		28	5E4
HST727-8-18		Pin, Hi-Lok, 100 reduced flush shear crown x 1/2 x 9/8		5	5E4
HST728-6-4		Pin, Hi-Lok, 1/32 shank, 1/16 grip		4	5B2
HST728-6-5		Pin, Hi-Lok, protruding tension 1/32 shank 1/16 grip		48	5C5
HST728-8-18		Pin, Hi-Lok, 100 reduced flush shear crown 1/32 shank 1/16 grip		3	5D5
HST728-9-5		Pin, Hi=Lok protruding tension, 9/32 x 5/16 grip titanium		18	5B2
IGTHGS-Gr-10		Elastimold		2	
JAN1N4960-00		Resistor	CPI	22	2D5
jantxvin4148-1		Resistor		148	2D4
J925Y		Tips for Hexacon Therm O Trac		9	6B1
JM-S7934111-10SA		Clamps,Electrical		77	
JM-S7934111-12SA		Clamps,Electrical		40	
JM-S7934111-1SA		Clamps,Electrical		92	
JM-S7934111-2SA		Clamps, wire		1,262	
JM27934111-6SA		Clamps,Electrical		375	
JM440SP4H301RGB		Clamps,Electrical		94	
JM445P4H313DSB		Clamps,Electrical		29	
JM44LC22WD4R		Clamps		22	
JM44LC22WD4R		Clamps,Electrical		22	
JM44LC88WH12PW		Clamps,Electrical		187	

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
JM44LC8BWH12PW		Clamps,Electrical		102	
JM44RC8		Clamps, Electrical		997	
JM44RC8H402RGB		Clamps,Electrical		16	
JM44RC8H410DSB		Clamps,Electrical		1,000	
JM44SP4		Clamps, wire		35	
JM44SP4H30		Clamps,Electrical		1,082	
JM44SP4H301RG		Clamps		1,074	
JM44SP4H301RGB		Clamps		94	
JM44SP4H307DSB		Clamps, wire		7	
JM44SP4H307DSB		Clamps,Electrical		7	
JM44SP4M313DSB		Clamps,Electrical		35	
JM44SP7H402RGB		Clamps,Electrical		24	
JM44SP7H405RG		Clamps,Electrical		50	
JM664G0		Clamps,Electrical		55	
JMS-79-34111-20SA		Clamps,Electrical		10	
JMS-7934111-2SA		Clamps,Electrical		8,682	
JMS7934111-10SA		Clamps, Electrical			
JMS7934111-125A		Clamps,Electrical		40	
JMS7934111-205A		Clamps, Electrical		10	
JV-4148-1		Resistor		200	2D4
K5104081	5330-01-078-7186	Gasget, Valve Cover, 4 cyl, 8 cyl Detroit Diesel	Cage 7U177	12	
K5104081	5330-01-078-7186	Gasket (Cage 7U177)		11	
KC106K8-4	4730-00-502-8963	Reducer, Adaptor, Conical End & Flared 1/2-1/4 flare 316SS,		167	7B5
KC107K6		Tee, flare tube female swivel on run for seal ring AS4302K06		10	7C3
KC109K6	4730-00-541-3607	Brancg tee 3/8 seal ring 3/8 flar female on branch		8	7C3
KC142K12		Nut, coupling 3/4 tube AS2436K12		40	7B5
L760V6-8		Pin, flat head, 3/8-24 x 1/2 grip		3	2D5
L803-5		Screw, 1/4-28, 5/16 grip		6	2F5
Lanyard Tab		Lanyard Tab, Oval, Stainless, w/ NAS1003-6 Bolt.		93	6A
LCP18V-9		huckbolt		47	5C5
LCP2V-4		Hi-Lok button head huckbolt		52	5C5
LCP9VBN-14		HI-LOK		60	5E6
LD114-0006-1001	LD114-0006-1001	Rev E washer		79	4D3
LD114-0006-1003	LD114-0006-1003	Nut	34742 Tyee	4	4D3
LD153-0002-1403		Washer (A2-21)		107	2D3
LD153-0002-1404		Washer		4	2D3
LD153-0002-2100		wASHER	Moeller	100	2D3

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
LD153-0002-2402		Washers		106	2F6
LD153-0002-2403		Washers		5	2D3
LD153-0005-3002		Washers		50	2F6
LD153-0010-0013		Washers		167	2F6
LD153-0011-0017		Washers		8	2D3
LD153-0027-005		Washers		69	2F5
LD153-0027-1010		Washers		255	2F6
LD153-0027-2005	LD153-0027-2005	washer		200	4C5
LD153-0027-2006		Washers		230	2F6
LD153-0031-0018		Fasteners, bolt		3	3F5
LD153-0031-0053		Washers		100	2D3
LD411-0015-0008	6150-01-255-4709	Lead,electrical, Flat Braid, 6", 1/4 Studs		4	6A1
LE111-0067-3516	LE111-0067-3522	Bolt, 12 pt 5/16-24 x 1		100	2C8
LE113-0002-2306	LE113-0002-2306	Stud, Adhesive Bonded		136	7D2
LE114-0128-0005		Nut 5/16-24 12 point self lock		340	2C8
LE114-0128-0006		Hi temp nut		21	2C8
LE416-0009-0008		Lug, terminal		8	2F5
LE416-0009-0009		Lug, terminal		18	2F5
LE416-0015-0002/AN-8		Lug, 8AWG Navy 142 Uninsulated 3/16 lug	Thomas & Betts	198	2D2
LFC1003-4		Screw		99	3D2
LFC10C3-4		Screw		99	3B2
LFC10C3-4		Screw		99	3B7
LFC9		Screw, pan head cruciform		229	2B7
LG818V-6		HI-LOK		49	5C5
LGB18V-9		Huckbolt, flat head 9/16 x 9/16		21	5E6
LGP18V-6		Hi-lok flat head huckbolt		49	5C5
LGP18V-8		Hi-Lok huckbolt		15	5E6
LGP2V-3		HI-LOK		5	5C4
LGP9VBH-14		Hi-Lok huckbolt		60	5E6
LGP9VBH-15		HI-LOK		8	5C5
M19622/1-001	5975-00-296-409Z	Cage/Prime 99820 Stuffing Tube		17	F1
M19622/1-001	5975-00-296-4092	Stuffing Tube		17	1F6
M19622/1-003	5975-00-877-6957	Stuffing Tube (Cage 99820)		19	F1
M535338-140	5310-00-974-6623	Washer, Lock DLA500-89-M-E293		650	4A2
M7885-3-5-03	M7885-3-5-03	Rivet, Blind		98	2F5
M83413/8C26CC		Jump Assy		12	6A1
MD0112-3001-0407		Screws	Rockwell	6	2B7

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
MD0112-6000-30		Screws, tap		4	2B7
MD111-4027-03-14		Bolt		11	3C6
MD112-1002-03-28		Button Bolt		43	3D3
MD112-1002-03-28		Screw/Bolt		153	3C6
MDL-06-07		hi-lok flat head huckbolt		54	5C5
MDL-06-9		Hi-Lok huckbolt		23	5E6
MDL-08-12		HI-LOK		11	5E6
ME112-0014-0604		Hi-Lock Flat Head		325	5E4
ME128-0037-0004		Ring, Retaining	SPS	70	2F5
ME12800280804		Panel Mount Dome Screw		2	4C4
MIL-B-121F		Packaging materials, military spec Grade A Type 11 Class 1			
MIL-P-25732		O Ring, Military 70 Duro Nitrile		12	2D3
MS-21914-10				5	F14
MS122125 P1185-8CN750		Insert, Screw Thread, 1/2 - 13 x 0.750	Helicoil	10	
MS14101-9		bearing, plain, self-aligning, steel...	NHBB		
MS15001-3	4730-00-050-4205	Fitting, Grease		177	7D6
MS15795-813		Washer		98	2E6
MS15795-818		Washer		200	2E6
MS20073-06-12		Bolt, hex head, brass drilled head 3/8-24 x 11/16		105	2E6
MS20392-3R17		Pin, headed, straight 1/4-28 x ? drilled hole at bottom		40	2D9
MS20392-3R17		Pin, Straight Headed Drilled Shank .250 dia, 0.50 eff len			
MS20392-3R17		Chro/Cres		20	2E6
MS20392-3R21		Rivet, Drilled		30	4H3
MS20426E6-10S		Rivet		470	3F6
MS20536-113		Lug, terminal		25	6B4
MS21042102		Nut		500	4B3
MS21042102		Nut		500	4B3
MS21042L-202		Nut, 2-56 thread, reduced hex, self locking, steel		500	7A5
MS21042L02				1,500	3F6
MS21042L3		Nut, Hex 10-32 Self Locking, Reduced Height, Cad Steel w/ Dry L		7,300	4B5
MS21043-08		Nut, reduced hex, 800 deg, cres, silver plated, self locking		3,000	4C1
MS21043-3		Nut Monadnock 91748	Monadnock	37,000	4B1
MS21059L3		Nut plate		40	2F8
MS21060-6		Nut Plate 3/8-24 Floating, Self Locking, CRES 1" rivet spacing		11	6B1
MS21062-L08		NUT PLATE, SELF LOCK, 8-32, CRES NUT, SILVER PLATED		200	2F8
MS21071-L08		Nut Plate, 10-32 Dry Lub, Self Locking		24	2E6
MS21071L3		Nut plate, self locking			
MS21072-3		NUT, SELF-LOCKING, 10-32	Republic	79	2E6

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
MS21073L3		Nut plate 10-32 self locking, corner reduced rivet low height steel		125	3F6
MS21075-3		Nut Plate, 10-32 Self-Locking, 1/2" Rivet Spacing, Steel, 1/4" High		300	
MS21076-3		Nut Plate 10-32 Self Locking Floating, CRES Reduced Size		100	
MS21134-4		12 pts bolt		84	3D3
MS21134-4-53		Bolt, 1/4-24 x 3 5/16 Grip, 12 Point		84	3D3
MS21141-0502P		Huck Bolt Blind	Huck Mfg	10	4H3
MS21250-16		Bolt, 12 pt, 1/4-28		2	3D3
MS21250-6-8		Bolt, 3/8-24 Grip 1/2", 12 Point , Tension, 180 Kpsi, 400 degrees		50	2E6
MS21260S2LH		Terminal, wire rope, swaging stud, 6-40 LH thread		323	7A3
MS21322-21		Clamps,Electrical		32	
MS21322-45		Clamp, Wire		15	
MS2133-96		Clamp, Wire		170	
MS21333-126		Clamp, Electrical		16	
MS21333-126		Clamps, wire		16	
MS21333-77		Clamp, wire		144	
MS21334-31		Clamp, Wire		97	
MS21919-WDF6		Clamps, wire		26	
MS21919-WDG-9		Clamps, wire		31	
MS21919DG-44		Clamp, Electrical		44	
MS21919WDF-6		Clamps,Electrical		26	
MS21919WDG-11		Clamps, Wire		512	
MS21919WDG-12		Clamp, Electrical		38	
MS21919WDG-13		Clamp, Electrical		52	
MS21919WDG-14		Clamp, Electrical		1,782	
MS21919WDG-16		Clamp, Electrical		103	
MS21919WDG-20		Clamp, Electrical		153	
MS21919WDG-22		Clamp, Electrical		131	
MS21919WDG-26		Clamp, Electrical			
MS21919WDG-4		Clamp, wire		179	
MS21919WDG-6		Clamp, wire		723	
MS21919WDG-64		Clamp,Wire		27	
MS21919WDG-8		Clamp, wire		23	
MS21919WDG-9		Clamp, Electrical		31	
MS231901-4		Clamps, nylon		164	
MS231901-5		Clamps, nyylon		99	
MS24399J12		AN Reducer, 5/16-1/2			5
MS24542-2	6685-00-936-2158	Cage 09527 Temperature Indicator		2	



Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
MS24659-220	5930-00-878-6734	Switch Toggle		2	F12
MS24665-300		Pin, Cotter		1,484	6A3
MS24665-357	5315-00-298-1481	Pin, Cotter (split) cad steel		200	6A2
MS24665-82		Pin	Wester Wire	18	2F5
MS24665-86		Pin, Cotter, Split 1/2" X 3/64 Stainless	Alatec	500	2F5
MS24693-C2748AS		Screws, 10-32, full thread		68	3D3
MS24693-C50		HI-LOK		8	5E6
MS24693-C95		Screw 1/4-28 full thread		10	2E6
MS24693-C95		Screw 1/4-28 full thread	Pilgrim	1	2E6
MS24693-S50	5305-00-063-3503	Screw, 10-32 x 1/2 FH 100 deg CS Head, Cros Rec, CAD Steel		10,000	3D2
MS24693532		Screws, flat head		100	3D3
MS24693550		Screw Machine DLA500-84-P-3799	FSCM	11,200	3B5
MS24693C273		Screw, 10-32 full thread		121	2E6
MS24694-C52-4		Screw	LFC	100	3C6
MS24893-550		Screw machine steel cadium Phillips 100 flat head 8-32unc-2aX1/		100	3E3
MS25036-108		Lug, terminal		77	6B4
MS25083-2CC10		Jumper Assy, Electrical Bonding, 10", 1/4 Studs, AWG 10		10	6A1
MS25281-7-12		Clamps,Electrical		187	
MS25281-7116		Clamps,Electrical		249	
MS25281-F12		Clamps, nylon		210	
MS25281-F16		Clamps, nylon		249	
MS25281-F18		Clamps,nylon		295	
MS25281F112		Clamps,Electrical		23	
MS2536-145	5940-00-577-3087	Lug, terminal		100	6B4
MS27039-08-07		Screws, pan head, brass		100	2E7
MS27039-1-26		Screw, brass, button head, 10/32 x 1 5/8	Wesco	10	2D2
MS27039-1-33		Screws, pan head structural		4	3D3
MS27039-1-35		Screws, machine		50	2E6
MS27039-133		Screws, 10/32 x 1 & 5/8 grip		4	3D3
MS27039-25-18		Screws		24	3F6
MS27039-26		Screw, button head, brass, 10-32 x 1 3/16	LFC Industries	3	2D2
MS27039-4-19c		Screws,mach, pan hd, struct, cross pressed 1/4-28 x 1 3/16 cres		237	2D5
MS27039-8-18		Screws		9	3F6
MS2703PC4-19		Fasteners,	HPG	240	3C5
MS27641-4		Bearing		245	Boxed
MS27975-1		Clevis Fork, Threaded Rod End 1/4-28 Rod Thread, 1/4" Holes		24	6
MS35191-275		Screw DLA500-83-P-8082		6,000	3B3

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
MS35191-275		Screw Machine DLA500-83-P-8083		8,700	3B4
MS35206-327		Screw MS35206, Phillips Pan Head Cad yellow, 6/40 full thread		1,255	3B4
MS35206-330		Screw, 6-32X2-1/4*STEEL*PHIL/PAN M/S*CAD/YELLOW		5	2E6
MS353-38-43		Washers		248	4C4
MS35338-140	4310-00-974-6623	Washer,Lock		100	4A2
MS35338-39		Washer		50	6D3
MS35338-39		Washers		50	2F6
MS35338-43		Washer		50	6D3
MS35338-46		Washers		11	2F6
MS35338-46		Washers		100	6D3
MS35338-L13		Washer		50	2F6
MS35489-135		Grommet, 3/4"ID, 1-5/8-OD, Fits 1 1/4"Hole x 3/16"max, 1/4" Thick		150	1
MS35649-284		Nut	Aerospace supply	32	4C2
MS4308/25-9F		Lock		4	2F8
MS51844-62		Swage Sleeves		147	2F8
MS51957-17	5305-00-054-5651	Screw, Machine Pan Head Cross Recess, 4-40 x 1/2" Stainless		1,600	2E6
MS51957-18		Screw, machine, cres, psvt (DLA500-84-V-B402		14,800	3F4
MS5206-203		Screw, cad plate, 5/44 full thread		147	2D5
MS703PC4-19		Screw HPG Alliance Main		140	3C2
MS7913536-16		Clamp, Electrical tube clamp 1"		99	
MS7913536-5		Clamp, tube		24	
MS7913536-6		Clamp, tube		14	
MS7913536-7		Clamp, Electrical		162	
MS7913536-8		Clamp, tube		9	
MS9490-12-12		Bolts, hex		53	3C6
MST9M588WDG-11		Clamps,Wire		26	
NAS603-22P		Screw, machine, full thread, cad, pan head		100	2D7
NAS1003-10		Fasterner, machine bolt, 10-32 x 5/8		1,500	7A5
NAS1003-14		Bolt, Hex 10/32 x 7/8 grip, titanium		164	3C2
NAS1003-19A		Bolt, hex 10-24 x 1 and 3/16, titanium		300	2D7
NAS1003-20		Bolt, hex 5/16-18, 1 and 7/16, titanium		100	3C2
NAS1003-21		Bolt, hex 10/32 x 1 & 5/16		403	3C2
NAS1003-22		Bolt, Hex		2	3D1
NAS1003-24		Bolt, hex 10/32 x 3/2 grip, titanium		25	3C2
NAS1003-3A		Bolts,hex 10-32 x 3/16		500	2F4
NAS1003-4A		Bolt, hex head, 10-32, x 1/4		200	2E7
NAS1003-7-6		Bolt, Hex, 10-32 x 3/8 grip, titanium		6	3C2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NAS1003-8		Bolt, HEX HEAD, 10-32, DRILLED HEAD AND SHANK		499	3C2
NAS1003-9		Hex Bolt		100	3D1
NAS1003-21		Bolt, hex, stainless steel, 10/32 x 1 & 5/16		10	2D7
NAS1004-14		Bolts, hex 1/4-28 x 7/8 stainless		16	2D7
NAS1004-14H		Bolt, hex 1/4-28 x 7/8		2	2D7
NAS1004-15		Fasteners		8	3F5
NAS1004-17		Fasteners		6	3F5
NAS1004-5		Hex Bolts 1/4 X 24 X 1/4		49	3F5
NAS1004-8		Bolts, hex,1/4-28, 8/16 grip		2	3D2
NAS1004-9		Bolt, Hex		23	3C2
NAS1004-9-8		Bolt, Hex, 1/4-20 x 1/8 grip titanium		23	3C3
NAS100420A		Bolt, Hex 0.25 grip		16	3D1
NAS1005-15		Bolt, hex, 5/16, 15 grip		12	2D7
NAS1006-10		Bolt, 3/8-24 x 5/8, Hex Head		41	2E10
NAS1006-11		Bolt, hex 3/8-24 x 11/16		146	2D1
NAS1006-20		Bolt, hex 3/8-24 1 1/4 GRIP, SS		43	2E10
NAS1006-7		Bolt, hex 3/16 x 7/16		2	2E4
NAS1006-8		Bolt, hex 7/16-24 x 1/8 grip, SS		2	2E4
NAS1006A-11		Bolt, 3/8-24 x 11/16 Grip, Hex head, Stainless (Undrilled)		469	3F1
NAS101-08-11		Screw, button head, 8/32 full thread brass		198	2D2
NAS1010-14A		Bolt		80	3E4
NAS1010C10-16		Bolt		173	3C2
NAS1096-3-10		Screws, hex head brass, 10-32 full thread		49	3F2
NAS1103-15D		Bolt, Hex, drilled head, titanium, 1/4-20 x 15/16		15	3C2
NAS1103-8		Bolt,hex sheer		49	3D1
NAS112-7-18	5305-01-482-1620	Screw, offset cruciform, 7/16-14 x 9/8	SPS	45	2F4
NAS11305-6-35		Bolt, Hex Fastener 0.34 diam		35	3D1
NAS1139V3		Screws		56	3D1
NAS1149C0563R		Washers		469	3C2
NAS1149D0563J		Washer		45	2F4
nas1149E0316R		washers		30	3F5
NAS1149E0332R		Washer		200	3F5
NAS1149E0363R		Washer		274	2D1
NAS1189-V3		Screw, flathead ss, offset cruciform self locking 10/32, 3/16 grip	JB	343	2E4
NAS1190-3-9		Screw, 10-32, 9/16, Self-Locking, Pan Head Phillips CD,Full Thre		1,500	2C7
NAS1190E5T7AL		Screw, Full thread, self locking pan head. Offset cruciform 5/16-24		47	3F2
NAS1191-04P-8		Screw, flt fillister HD 4-40x1/2 self locking		100	2D7

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NAS1193K16C		LOCKING DEVICE, POSITIVE INDEX, PAIR		62	4D5
NAS1193K9C		Locking Device		20	2F5
NAS1203-11		Screws, 10-32x 11/16 grip		13	2D7
NAS1203-3		Screws, flat head 10/32 x 3/16		10	2D7
NAS1203-4		Screws, flat head 10/32, x 1/4		11	2D7
NAS1204-26		Screws, Phillips, pan head 1/4-28, 26 grip		9	3D1
NAS1219-91-9		Hi-Torc Bolt 100 countersunk 1 inch full thread 3.75 3/8 X 24		15	3F3
NAS1219F119-9-3		Fasteners, machine screw		15	3F2
NAS1303-6		Bolt, 10-32 x 3/8		300	3F5
NAS1303-7		Bolt, hex 10/32, 7/16 grip, cad steel		23	2E4
NAS1304-37		Bolt, hex		3	3D1
NAS1304-4		Bolt, hex		3	3D1
NAS1304-7		Bolt, 1/4-28 x 7/16 grip		2,614	2B5
NAS1305-18		Bolt, hex		2	3D1
NAS1305-58		Bolt, hex 5/16-24 x 3 5/8 cad steel		25	2D7
NAS1306-16-16		Bolts, hex cad plated 3/8-24 x 1, cad steel		658	2A4
NAS1306-6-6		Bolt, Hex, 3/8-24 x 3/8" Grip CD Steel		78	2E7
NAS1338C2C42D	5315-01-465-3841	Pin, quick release, 2.26" Handle, Shank Dia. 0.4996, Grip 4.2"	Avibank	28	6A1
NAS1341A2C17F		Pin, quick release		3	2F4
NAS1351C3-8		Screw, socket head, cap 10/32 full thread		4	2D1
NAS1398MW8-5		Rivet, Blind Cherry		2,000	3H4
NAS1402-7		Screw, 8-32 x 7/16 grip, cad steel, pan head, recessed phillips		500	2C5
NAS1403-6		Screw, Pan head Phillips, 10-32, x 3/8 recessed cad steel		500	3F5
NAS1403-9		Screws, button head, 10/32 x 9/16, cad plated brass		2	2D7
NAS1423-C16LH		Nut, Jam, Thin, 1"-12, drilled, stainless, Left Hand Thread)		33	4D4
NAS1474A4	MS1474A4	Nut, Dome O'ring Seal 10-32		14	6F1
NAS1578A3R10		Screw		229	4D5
NAS1578A3R12		Screw Close Tolerance, offset cruciform cad plate 10/32 x 3/4		30	3F2
NAS1578A3T36		Screw, close tolerance, 10-32 x 9/8		2	2E7
NAS1578A3T38		Bolt, offset cruciform head		2	5C5
NAS1578A4R8		Bolt, offset cruciform cad head 1/4-28 x 1/2		7	2D7
NAS1578C4R		Bolts, button head, 1/4-28, 9/16 grip		4	2D7
NAS1578C5R62		Bolt		3	3F5
NAS1578CR9		Fasteners, close tolerance		5	2D7
NAS1578V3-10		Screw, offset cruciform stainless 10/32 x 5/8		9	2D1
NAS1578V3-2		Screw, button head, 10/32 x 1/8 grip, stainless		27	2D7
NAS1578V3-3		Screw, offset cruciform 10-32, 3/16 grip		4	3D1

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NAS1578V3-5		Screws, button head 10-32, 5/16 grip		12	3D1
NAS1578V3-7		Screw, button head 10/32, 7/16 grip		39	2D7
NAS1578-7-7		Screw, offset cruciform ss 7/16 x 7/16		7	2D7
NAS1580-14		Bolt, 3/8-24 13/14 grip FH offset cruciform, SS		25	3F5
NAS1580-6-13		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		3	3C2
NAS1580-V3-3		Screw, 10/32 x 3/16 grip, offset cruciform SS		16	3D1
NAS1580-V3-6		Screw, offset cruciform 10-32, x 3/8		22	2E4
NAS1580-V3-8		Screw, offset cruciform 10/32 x 1/2		12	2D1
NAS1580-V3-9		Screw, 3/8-24 9/16 grip FH offset cruciform, SS		5	2D1
NAS1580-V3-R3		Screw, 10/32 x 3/16 grip, offset cruciform SS		5	2D1
NAS1580-V3-R5		Screw, offset cruciform, titanium 10-32 x 5/16		8	2E4
NAS1580-V4-10		Screws, flat head offset cruciform 1/4-28 x 5/8		5	2D1
NAS1580-V4-11		Bolt, flat head offset cruciform 5/16-18, titanium		6	2E4
NAS1580-V4-11		Screw, 1/4-28, 11/16 grip offset cruciform SS		6	2E4
NAS1580-V4-5		Screw, 1/4-28, 5/16 grip offset cruciform titanium		8	2E4
NAS1580-V4-6		Screw, 1/4-28, 6/16 grip offset cruciform		900	2E9
NAS1580-V4-8		Screw, 1/4-28, 8/16 FH grip offset cruciform SS		3	2E4
NAS1580-V4-8		Screw, offset cruciform 1/4-29, 9/16 grip		10	3D1
NAS1580-V4-9		Screw, offset cruciform, titanium 1/4-28 x 9/16 grip		15	2D1
NAS1580-V4-9		Screws, flat head		10	3D2
NAS1580V5-10-16		Bolts, flat head, offset cruciform, 5/8 x 1		54	2D7
NAS1580-V5-7		Screw, flat head, offset cruciform 5/16-24 x 7/16 grip		3	2D1
NAS1580-V5-8		Bolt, 3/8-24 8/16 grip FH offset cruciform, SS		231	2D7
NAS1580C3T4p		Screw, flat head, brass, offset cruciform, 10/32 x 1/4 grip		60	2D1
NAS1580C4-12-12		Bolt, 3/8-24 12/16 grip FH offset cruciform, SS		3	3D2
NAS1580C4-12-3		Bolt, 3/8-24 3/16 grip FH offset cruciform, SS		18	3F2
NAS1580V3-4		Screw, 10/32 x 1/4 grip offset cruciform SS		10	2D1
NAS1580V3-4		Screw, 10/32 x 1/4 grip, offset cruciform SS		10	2D1
NAS1580V3-6		Screw, offset cruciform stainless 10/32 x 1/4 grip		4	2D1
NAS1580V3-R5		Screw, offset cruciform, 10/32 x 5/16 grip		5	2D1
NAS1580V4-10		Screw, offset cruciform, titanium 1/4-28 x 5/8		5	2D1
NAS1580V4-6-6		Bolt, 3/8-24 6/16 grip FH offset cruciform, SS		19	2D7
NAS1580V4-6-9		Bolt, 3/8-24 9/16 grip FH offset cruciform, SS		451	3C5
NAS1580V4-8		Bolt 1/4-28, x 1/2 grip, FH offset cruciform SS		3	2E4
NAS1580V4-9-9		Bolt, 1/4-28 x 9/16 grip offset cruciform, SS		227	3C5
NAS1580V4-R15		Bolt, 1/4-28 15/16 grip FH offset cruciform, SS		70	3D2
NAS1580V4R-2-3		Bolt, 1/4-28 x 3/16 grip FH offset cruciform, SS		57	3D2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
Part Number	NSN	Description	Mfgr	Qty	Location
NAS1580V4R-7		Bolt, 1/4-28 x 7/16 grip offset cruciform SS		30	2E4
NAS1580V4R15		Screw, close tolerance 1/4-28 x 15/16 grip		25	2E4
NAS1580V4R15-15		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		25	3D1
NAS1580V5-13		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		284	3D1
NAS1580V5-14		Bolt, 5/16-24 x 7/16 grip offset cruciform 100 CS FH		2	2D7
NAS1580V5-14-14		Bolts Flathead		891	3C3
NAS1580V5-15		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		4	2D7
NAS1580v5-6		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		333	3C5
NAS1580V5-9		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		5	2B7
NAS1580V5-9		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		418	
NAS1580V5-9		Screw, offset cruciform 5/16-24 x 9/16			2F4
NAS1580V6-13		Bolt, 3/8-24 13/16 grip FH offset cruciform, SS		7	2D7
NAS1581-9		Screw, flat head		93	3C2
NAS1581-K4-8		Screw, offset cruciform, 1/4-28 x 1/8		11	2D1
NAS1581C4T13		Screw, close tolerance, offset cruciform 1/4-28, 13 grip		46	2E7
NAS1581F6T14		Flat Head Bolt		534	3E1
NAS1581K3R-15		Screw, flat head 10-32 x 15/16		8	2D1
NAS1581K4-9		Screw, 1/4-28 x 9/16 Grip, FH, 100 Deg CS, Torq-Set Titanium		126	3C2
NAS1584K4-6-10		Screw, flat head, titanium,		2,009	3D4
NAS1669-3L-6		Jo Bolt (needs measurements)		17	3C2
NAS1669-4L-8		Blind Fastener (equiv PL210-4-8) Jo Bolt	Monogram	3,667	3B1
nas1669-4L8		Blind Locking Fastners Monogram Aerospace Fastners		2,320	3B2
NAS1669-4LB		Jo Bolt		1,206	3B1
NAS1701-3-3		Screws, flat head, 10-32, 3/16 grip		66	2E4
NAS1701-3-4		Screws, flat head 10-32 x 1/4 grip		12	2D1
NAS1701-3-5		Screw, offset cruciform, SS, 10-32, 5/16 grip		66	2E4
NAS1701-3-6		Screw, flat head, titanium, 10/32 x 3/8 grip		76	2E4
NAS1701-3-7		Screw, flat head, offset cruciform titanium, 10/32 x 7/16 grip		10	2D1
NAS1701-3-8		Screw, flat head ss offset cruciform, 3/16 x 1/2		10	2E4
NAS1715C12KW		Clamps		3,769	
NAS1787a32		Rivet, cherry		97	3H3
NAS1791C3-2		Nut Plate 10-32 Self Locking, Removable Nut		200	
NAS1802-3-16		Bolt, Hex 10-24 x 1"		64	3C2
NAS1803-3		Nut, self locking		100	2F4
NAS1805-3		Nut, self locking		200	2E7
NAS1976C-15		Bolt, 3/8-14 x 15/16 grip, FH, 100 degree, Torq Set	CbS	425	3C2
NAS20128-6		Bolt, protruding head huckbolt		5	3C2

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NAS2012VH05		Huckbolt, tension, pan head titanium 3/8 x 5/16 grip		5	3C2
NAS303-17		Bolts, hex 10/32 x 17/16 grip stainless		2	2D7
NAS333C-4		Screws, flat head, brass, 10/32 x 1/8		16	2D7
NAS333C-6		Screws, flat head, brass 10/32 x 3/8 grip		60	2D7
NAS333C-8		Screws, flathead, 10/32 x 1/2		2	2D7
NAS333C-9		Screws, flathead, brass 10/32 x 1/8		3	2D7
NAS333CPA5-5		Screw Close Tolerance		66	3F2
NAS334-12		Bolt, 1/4-28 x 3/4 flathead screw offset cruciform, titanium		7	2D7
NAS334-12		Screws, Close Tolerance		7	2D7
NAS42DD6-44	5365-00-684-2096	Spacer		94	7D4
NAS43DD3-56		Spacer		21	7D4
NAS4604-16		Bolt, 1/4-28, 16/16 grip, recessed cruciform		2	2D7
NAS4906-12		3/8-24 x 13/16 100 deg. recessed cruciform		40	3C5
NAS4906-12		Bolt, 3/8-24 X 3/4 Grip 100deg CS Tri-Wing SS		40	3C5
NAS5053-13		screw, flat head offset recessed cruciform, cad, 10-32 x 13/16		10	2D7
NAS5053-5		Screw, offset cruciform 10/32 x 5/16		20	2D7
NAS5053-5		Screws, flat head 10-32 x 5/16 FH100 cs Stainless		373	2E4
NAS509-7C		Nut		50	4D3
NAS51441032-16		Screws		50	3D1
NAS517-6		Screws, flat head, titanium 1/4-20 x 3/8 grip		15	2E4
NAS52030-14		Bolts		34	3D1
NAS523-406-6		High torque recess flat heat 100cs 160k psi cad steel 3/8 grip		1,000	2D6
NAS560-HK4-8		Screw, Phillips Recessed		4	3D1
NAS560H3-7		Screw, flat head, titanium, 1/4-20 x 7/16		103	3C3
NAS56804-15-15		Bolt, hex titanium 1/4-28 x 15/16 grip		63	2D1
NAS583-6-6		Screw		1,904	2D6
NAS6003-2		screw, hex		6	3F5
NAS601-7P		Screws		100	3D3
NAS603-6		Screw, Phillips pan head full thread 10/32		1,538	2D1
NAS603-6-6		Screws, pan head, 10/24 x 3/8 grip, brass		50	2D7
NAS603-6K		Screw, 10/32, full thread		760	2D1
NAS603-7		Screws		600	3D1
NAS603-8-8		Screws, Phillips pan head, 10/32 x 1/2		100	2D7
NAS6083-4		Screws, hex head, 10/32 x 1/8 grip		3	2D7
NAS620-2		Washers		50	2F6
NAS620-2		Washers		50	6D3
NAS620-2		Washers		50	6D3

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NAS6203-6		Bolt, 10-32 x 3/8 Grip, Hex Head	LFC	165	2D7
NAS6203-8		Bolts, hex drilled head, titanium 10-24 x 1/2		169	3F5
NAS6204-13		Bolts, hex drilled head, titanium 1/4-28 x 13/16		73	2D1
NAS6204-64D		Bolts, hex, cad, 1/4-28 x 1 & 3/16		2	2D7
NAS6205-36		Bolt, hex, cad plated, 5/16-24 x 9/8		1	2D7
NAS623-3-11		Screw, Pan Head, brass Phillips 3/16, 11/16 grip		2	2D7
NAS623-3-16		Screw, Pan Head, Phillips 3/16, 16/16 grip		3	3D1
NAS623-3-2		Screw, 10-32 X 1/8 grip		450	2E10
NAS623-3-3		Screw, Pan Head, Phillips,10-32, 3/16 Grip 7/16 Long CD Steel		3,000	2E8
NAS630-6-16		Bolt, hex, drilled 7/16-24X1 stainless		23	3C2
NAS6303-3		Bolt, hex, titanium 10/32 x 3/16 grip		88	2D1
NAS6303U11		Bolt fasteners, sheer		4	3F5
NAS6304U25		Bolt, hex 1/4-28 x 1 & 9/16		3	2D7
NAS6304-11		Bolt, 1/4-28 11/16 Grip SS		9	2D7
NAS6304-13		Bolt, 1/4-24 x 13/16 Grip Hex Head, SS		202	3D1
NAS6304-18		Bolt, hex, stainless steel, 1/4-28 x 9/8		3	2D7
NAS6304-19		Bolt, hex		6	3D1
NAS6304-9		Bolt, Hex, 1/4-28, 5/8 Grip, 386 SS Close Tol. 7/16 Head		482	3C2
NAS6305-17		Bolt, Hex, drilled head 5/16-24 x 17/16		90	2E7
NAS6305-28		Bolt, 5/16-24 x 1 3/4 grip, SS, Hex Head		150	2F3
NAS6305U15D		Bolt, hex, stainless, 5/16-24 x 15/16		4	2D1
NAS6306-16		Bolt, hex, 7/16-24 x 1		23	3C2
NAS6306-8		Bolt, Hex, SS, 3/8-24 x 1/2 Grip		167	
NAS6307-21		Bolt, 7/16-20, 21 grip		1	3D1
NAS6308-25		Hex Bolt		34	3E2
NAS64-05-17		Bolt, Hex Fastener 0.32 inch diam.		13	3D1
NAS6403-1		Screws, hex 10/32, 1/16		3	2E4
NAS6403-10-10		Bolts, hex 10/32 x 5/8 grip cad plate		20	2D7
NAS6403-12		Bolts, Hex		2	3D2
NAS6403-13		Hex Bolt		3	3D3
NAS6403-14		Bolt, hex, fastener		4	3D1
NAS6403-3		Bolts, hex		4	3D1
NAS6403-37		Bolts, hex 1/4-28 x 2 5/16		3	2D7
NAS6403-40		Bolt, fastener		1	3D1
NAS6403-4-4		Bolt, hex head 1/4 x 1/4		5	5E5
NAS6403-6-6		Hex Screws		50	3D1
NAS6403-9		Hex bolt fasteners		3	4C5



Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NAS6403U11		Bolts,hex head		100	3F5
NAS6403U27D		Bolts, hex 10/32 x 27/16, grip		8	2D7
NAS6404-10-10		Bolts, hex 1/4-28 x 5/8 grip		4	2D1
NAS6404-13X		Bolt, hex, 5/16-18 x 13/16 grip		32	3C2
NAS6404-18		Bolt, Hex, Titanium, 1/4-28, 1 1/8 Grip (1 1/2" Length)		362	2E7
NAS6404-21		Bolt, Hex 1.25 diameter		8	3D1
NAS6404-24		Bolt, hex 1/4-28 x 1 1/2		29	2D1
NAS6404-25		Bolt, hex 1/4-28, 1 & 9/16 grip		13	2D1
NAS6404-28		Bolt, Hex		4	3C5
NAS6404-4		Screws, offset cruciform 1/4-28 x 1/4		10	2D1
NAS6404-7		Bolt, hex 1/4-28, 7/16 grip		4	3D1
NAS6403-6-6		Bolt, hex 3/8 x 3/8		33	2D7
NAS6405-14		Bolt, 5/16-24 X 7/8 Grip, Hex Head, Titanium		138	2E7
NAS6405-14		Bolt, hex 1/4-28 x 7/8		4	2D7
NAS6405-21		Bolt, hex 1/4-28 x 5/16 grip		25	2D1
NAS6405-26		Bolt, sheer, hex, titanium, 5/16 24 thread grip 26		6	2D7
NAS6405-36		Bolt, hex 5/16-24 x 2 1/4 grip, drilled		2	2D1
NAS6406-48		Bolt, hex 3/8-24 x 3 grip, stainless		3	2D1
NAS6408-11		Hex, bolt fastener		32	
NAS6503-6		Bolt, Hex		60	3D3
NAS6505-6		Bolt, Hex		46	3D1
NAS8703U3		Screw, flat head 10/32 x 3/16		100	2E4
NAS6603-20		Bolt, Hex 10-32 X 5/8		62	2E4
NAS6603H1		Screw, Hex		125	4D5
NAS6604-6		Bolts, hex 1/4-28 x 3/8 grip cad plated brass		130	2D7
NAS6604-8-8		Bolts, hex 1/4-28 x 1/2		16	2D7
NAS6606-12		Bolts, Sheer, 3/8-24 x 3/4		704	2B6
NAS6606-16		Bolt, 3/8-24 x 1" Grip, Cad Steel, Hex	CS	500	
NAS6606-4		Bolts, hex cad plated 3/8-24 x 1, cad steel		1,000	2A6
NAS6606-4		Bolts, hex, cad plated 3/8-24 x 1/8 grip cad steel		1,000	2A5
NAS670-03-60		Bolt		8	3D1
NAS6703H27		Bolt, hex 10-32, x 1 & 11/16 grip		60	2E4
NAS6703H5		Bolt, Shear, 10-32 x 1/2 Grip, Hex Drilled HD, Brt Cad Steel		45	5D2
NAS671-2		Nuts		50	6D4
NAS671-2		Washers		50	2F6
NAS6710DH-46		Bolt, 5/8-18, 2 7/8 Grip Drilled Head Stainless		104	3C4
NAS6710-16		Bolt, hex 5/8-11 x 1		2	3D1

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NAS680-4-19		Bolt, hex fastener		27	3D1
NAS68003-4		Bolt, hex, fastener		5	3D1
NAS6803-6-6		Bolt, hex 3/8 x 3/8		11	2D7
NAS6803-26		Bolt, hex fastener		3	3D1
NAS6803-3		Bolt, hex 10/32 x 3/16 grip		6	2D1
NAS6803-3		Bolt, hex, 10-32 x 3/16		37	2D7
NAS6803-4		Bolt, hex, 10/32 x 1/4 grip		4	2D1
NAS6803-6-4		Bolt, hex, 3/16 x 1/4		7	2D1
NAS6803-6-6		Bolt, hex, 10-32 x 3/8 grip		79	3F5
NAS6803-8		Bolt,hex, 10-32 x 1/2 grip, titanium		4	2E7
NAS6803-8-11		Bolt, hex, 10/32 x 11/16 grip stainless		5	2D7
NAS6804-11		Bolt, hex 1/4-28 x 11/16 grip		32	2D1
NAS6804-6		Bolt, hex, 1/4-28 x 3/8		10	2E7
NAS6804-9-9		Bolt, hex 1/4-28 x 9/16 grip, titanium		142	3C2
NAS6804U6		Bolt, hex, titanium 5/16-18 x 3/8 grip	Welco Electric	56	3C2
NAS6807-10		Bolt 3/8-24 x 5/8 Grip, Hex Head, Titanium		667	4C3
NAS6808-8		Bolt Hex Titanium		32	3D1
NAS760304		Screw, hex		4,300	3C1
NAS7603U4	5306-01-451-1550	Bolt, Shear, Titanium, 10-32 FH, 100 Deg Countersink .240 Grip		3,500	
NAS7604-6		Screws, offset cruciform 1/4-28 x 3/8 grip		13	2D1
NAS7605-12		Bolt,100 Degree Head,Cruciform Recess		27	3E6
NAS7605-14		Bolt, 100 degree head, cruciform recess 5/16-24 x 7/8		4	2E4
NAS7701-3		Screws 6/40 x 3/16	Pentagon Aerospace	100	3F5
NAS801-7P		Screws		100	3D1
NAS870303		Screws 10/32 x 3/16	M&M Aerospace	1,100	3F3
NAS9305E4-02		Rivets, cherry		24	4H3
NAVY14-23		Lug, AWG Navy 1423 uninsulated tinned copper		198	6B3
NK11301		Diode	VS	1	
NMC650-8-5		Clamp, stand off		334	Floor
NMC-670-10-32		Clamp, Stand off		99	Floor
NMC-1001-5		Clamps, Electrical, Nylon, Natural, 5/16" (M23190/1-)		1,700	
NMC1001-3		Clamps, Electrical, Nylon, Natural, 5/8"" (M23190/1-)		254	
NMC1001-4		Clamps, Electrical, Nylon, Natural, 13/16" (M23190/1-)		371	
NMS1096-3-12		Hex Head Screws		14	3F2
NS103603021TB		Nut plate 10-32 Floating, Covered 1/2"w 1/2" hole spacing		100	2F5
NS103608-02-01TB		NUT PLATE, DOME, 2 LUG, FLOATING, 10-32	SPS	2,300	6
NS103608021YB		Nut Plate, Self Locking, Cap, 10-32 Titanium?		2,300	6

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
NS103625-02-2TB		Plate, self locking nut fasteners		23	2F8
NSN5310010022477		Washers		74	2D3
PIC239-3		Screws, cad 3/16 x 3/8		39	2D5
P/N 5104081	5330-01-078-7186	Parking Gasket		13	P
PBF20T5-24		Bolt, 5/16-24 x 7/8 12 point stainless steel	PBF	576	3B5
R-10-00215	5342-01-165-0472	Loop	Cage 1KNH1	36	
R-10-00215	5342-01-165-0472	Loop		36	
RME9868-4		Nut		12	2F5
RLR7C2202FR		Resistor		1	2F5
RSK101	5940-01-009-2653	Conductor, spliced (DLA400-81-P-0069)		100	6B4
S-426-14		Clamps		175	
S-7934111-85A		Clamps, electrical		325	
S4832389-3		nut	Honeywell	5,900	4B6
S4931919C06-08		S-PIN	Huck	300	4H3
S4932868C06-08		Lockbolt	Huck	100	4H3
S7913536-36		Clamps,Electrical		67	
S7913536-48		Clamps,Electrical		3	
S7913536-5		Clamps, tube 5/16 cushioned	Adel		
S7934111-14SA		Clamps, electrical		30	
S7934111-15A		Clamps, electrical		92	
S7934111-3SA		Clamps,Electrical		176	
S7934111-4SA		Clamps,Electrical		74	
SAHL40-10-10				50	
SB-200-26		Clamps		20	
SB-2129-12TG		12" Rnwy Drp-OUT KIT		2	6A1
SB200-26		Clamps,Electrical		20	
SC-C-14204	5975-00-563-0229	Clamp, Electrical		7	
SCAT-034-001-51		Reducer		13	
SF21-6-15		Bolt, 3/8-24 x 15/16 Grip, 12 point, SS		11	3D2
SFN6010L-10-D	5301-01-180-8704	Nut, dome, press fit 10-32		225	6B2
SJ1241812		DIODE		2	
SL4001-8		Nut, Barrel 1/2-20 Silver Plate		20	6A4
SLP6010L-10-A		Nut, Self-Locking, Clinch	Huck Intl	3,097	6A5
SM10570002-41		Washer, Conical		110	2F5
ST2231-20		Clamps,Electrical		2	
ST270-8-25		Screws, 10-32 full thread, button head		16	2D5
ST284-3-2		Screws		85	2B7

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
ST477-6-15		Bolt, 12 Point, 5/8-24 x 15/16 Grip 286 SS		425	2B2
ST479-6		Washers		2,743	4D4
STANF594G		Washer		75	4C2
TA0910085		Clamps,Electrical		100	
TA09113H1R28TF		Clamps,Electrical		350	
TA09114H1R48TF		Clamps,Electrical		135	
TA12C06D08		Clamps,Electrical		20	
TA13C13WTHX06HB2H		Clamps, Electrical		31	
TA20008-16		Clamps,Electrical		24	
TA4076		Clip, TA (9006-2-3-40-08)	Texsteam Pump	45	6B1
TA520-D08-16		Clamps, wire		24	6
TA520008-14		Clamps,Wire		24	6
TC150-222-4ANSL	5930-01-009-0953			1	F10
TL210-5-13		Bolt			
TLN1020L3N		Nut		370	4B3
TLN1035L6W		Washer		11	2F5
TP704		Transistors		16	2D5
VL11-6-11		Screw, flat head		3	3D2
VS3422-5-3		Pin, hi-lok, button head 5/32 X 3/16		116	5E5
VS3422-6X -4		Pin, Hi-lok 3/16 x 1/4		6	5B2
VS3422-6X8-8		HI-LOK		75	5C6
VS3449-6-4				4	5C5
VS3491-6		Pin, flat head, 10/32 x 7/16 grip		26	2D5
VS3491-6-7		Pin, flat head 10/32 x 7/16		70	2D5
VS3449-6Y		Pin, Hi-Lok 1/64 oversize x 3/8		5	2D5
W23X1A1G7-5	5925-00-089-3031			7	F7
WC197-8-10		Hi-Lok, oversize 1/64 x 5/8		20	5E5
WC197-8-13		Hi-Lok, oversize 1/64 x 13/16		4	5E5
WC198-6Y-4		Pin, Hi-Lok flat head 3/16 x 1/4		26	5E5
WC198-8-7		Hi-Lok, 1/4 x 7/16		6	5E5
WC198-8X-14		Pin, Hi-Lok 1/64 overize x 7/8		13	5E5
WC198-10X		Pin, Hi-Lok flat head		15	5B6
WC198-6Y-4		Pin, hi-lok		18	5E5
WC199-6X-9		Pin, hi-lok, button head		11	5E5
WC199-6X4	3D0099-8Y9	Hi-Lok, Button Head, Titanium, First Oversize D=.2021-.2028		61	5E6
WC199-6Y		Pin, Hi-Lok button head 1/64 oversize x 5/16		20	5B2
WC199-6Y-5	3D0099-6-5	Hi-Lok Button Head, Titanium		8	5D5

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
WC199-6Y-9		Pin, hi-lok, button head		19	5E5
WC199-6Y4	3D0099-8Y9	Hi-Lok, Button Head, Titanium, Second Oversize D=.2802-.2807		124	5D5
WC199-6Y5	3D0099-6Y5	Hi-Lok, Button Head, Titanium, Second Oversize D=.2202-.2207		3,270	5C3
WC199-6Y5	3D0099-8Y9	Hi-Lok, Button Head, Titanium, Second Oversize D=.2802-.2807		2,770	5C3
WC199-6Y8	3D0099-6Y8	Hi-Lok, Button Head, Titanium, Second Oversize D=.2202-.2207		4	5D2
WC199-8-13	3D0099-8-13	Hi-Lok Button Head, Titanium		7	5D5
WC199-8Y-13		Pin, hi-lok, button head		3	5E5
WC199-8Y9	3D0099-8Y9	Hi-Lok, Button Head, Titanium, Second Oversize D=.2802-.2807		25	5C5
WC199CT-2		Hi-Lok button head pin		269	5D5
WC799-6Y-5		Hi-Lok pin		500	5D4
WCI-98-6Y-5		Hi-Lok flat head pin		15	5E5
WCI198-8Y-6		Pin, Hi-Lok flat head		11	5E5
WSI4A3		Nut Plate		650	
XR26338	5940-00-577-3807	Lug, terminal		104	6B4
YA2C-2TC38		Die, Brown	Burndy	11	2D2
YAEV8C-L1		Lug, terminal		1	2F5
YN836B86		Washer		13	2F8
		1-12 cad plated steel nut		196	4A1
		12 pt locking nut		29	4A6
		3/8-24 12 pt self locking silver plated		533	4A3
	20T10-14	Bolt 5/8-18 12 point 15/16 grip, stainless		17	2A3
		Bolt Hex Steel Cad Plate Bolt 5/8"-18x X 9/16 grip Hex. Overall 2		6	2A3
		Bolt Hex Steel, Cad plate 1/2"-20X 1 7/16 grip overall 2 1/4		34	2A3
		Bolt, 3/8-24 4/16 grip FH offset cruciform, SS		46	3C5
		Bolt, 5/8"-18x 9/16 grip overall 2 1/2" cad plated steel		6	2A3
		Bolt, Hexagon Head 1/2-20X 1 7/18 grip overall 2 1/4"		34	2A3
		Clamp, Electrical		23	
		Clamps,Electrical, Cres, PTFE, 3/4", w/Wedge	Umpco	3,769	
		Clip nut 1/2" self locking ed		2844	3A1
		Clip nut, 3" 10-32		721	3A1
		Clip nut, 5/16 self locking ed		6265	3A1
	5325-290-4494	Insert screw thread		100	3D5
		Nut 3/8-24 self aligning spline drive		1,267	4A4/4A5
		Nut clips 3/8" ea 10/32		3,000	3A5
		Nut, castelated, brass, 10-32		5000	7B4
		Pen Pressure Gage		1	2D5
	5305-633-503	Screw Steel		1,500	3E3

Hardware Inventory	Jim Gibson Co	email: jim@crrpro.com			
	P.O. Box 3848	www.jim-gibson-co.com			
	Seal beach, CA.	or... sales@jim-gibson-co.com			
	90740	866 491-9789			
<b>Part Number</b>	<b>NSN</b>	<b>Description</b>	<b>Mfgr</b>	<b>Qty</b>	<b>Location</b>
	5325-00-290-1495	Screw Thread		300	4D2
	5325-280-4494	Screw Thread		300	4D2
	5340-01-047-4550	Screw, insert thread		5	2B7
		Self locking nuts		540	4B2
	5307-531-1053	Stud, Welding, Steel		700	3D5
	5310-00-974-6623	Washer lock		600	4A2
		Washers		180	2F6