

Array 3X - Wheat/Gluten Proteome Reactivity & Autoimmunity

Wheat/Gluten Proteome Reactivity & Autoimmunity

Wheat IgG	Omega-Gliadin-17-mer IgG
Wheat IgA	Omega-Gliadin-17-mer IgA
Wheat Germ Agglutinin IgG	Glutenin21-mer IgG
Wheat Germ Agglutinin IgA	Glutenin21-mer IgA
Non-Gluten Proteins-A IgG	Gluteomorphin + Prodynorphin IgG
Non-Gluten Proteins-A IgA	Gluteomorphin + Prodynorphin IgA
Non-Gluten Proteins-B IgG	Gliadin-Transglutaminase Complex IgG
Non-Gluten Proteins-B IgA	Gliadin-Transglutaminase Complex IgA
Gliadin Toxic Peptides IgA	Microbial Transglutaminase IgG
Gliadin Toxic Peptides IgB	Microbial Transglutaminase IgA
Native + Deamidated Alpha-Gliadin-33-mer IgG	Transglutaminase-2 IgG
Native + Deamidated Alpha-Gliadin-33-mer IgA	Transglutaminase-2 IgA
Alpha Gliadin17-mer IgG	Transglutaminase-3 IgG
Alpha Gliadin17-mer IgA	Transglutaminase-3 IgA
Gamma-Gliadin-15-mer IgG	Transglutaminase-6 IgG
Gamma-Gliadin-15-mer IgA	Transglutaminase-6 IgA

Specimen Requirement:

Collect: 5 mL red top or tiger top

Transport: 2 mL serum