



A Division of Star Headlight & Lantern Co., Inc.

LIST

2010 NEW PRODUCT SUPPLEMENTAL PRICE LIST

VERSION NPPL09-01-10
EFFECTIVE September 01, 2010

LCS790 Full Feature 200 Watt Siren with Lighting and Traffic Director Controls

Model Number	Description	LIST
LCS790	Full Feature 200 Watt Siren with Lighting and Traffic Director Controls	\$739.38

LCS850MG Full Feature Remote Mount Stereo 200 Watt Siren with Lighting and Traffic Director Controls

LCS850MG	Full Feature Remote Mount Stereo 200 Watt Siren with Lighting and Traffic Director Controls	1,320.31
----------	---	----------

D-44 Series 100 Watt Cyclone Speaker

D-44	100 Watt Cyclone Speaker Only	221.81
D-44-16	100 Watt Cyclone Speaker AND Universal "L" Bracket	240.83
D-44-17	100 Watt Cyclone Speaker AND Center Mount Bracket for '98-'09 Ford Crown Victoria	240.83
D-44-18	100 Watt Cyclone Speaker AND Bracket for '07-'11 Chevrolet Suburban and Tahoe	240.83
D-44-19	100 Watt Cyclone Speaker AND Bracket for '06-'10 Chevrolet Impala	240.83
D-44-20	100 Watt Cyclone Speaker AND Bracket for '06-'10 Dodge Charger	240.83
D-44-21	100 Watt Cyclone Speaker AND Universal Two Piece Adjustable Bracket	240.83
D-44-22L	100 Watt Cyclone Speaker AND Bracket for '08-'09 Ford F-Series Super Duty, Driver Side	240.83
D-44-22R	100 Watt Cyclone Speaker AND Bracket for '08-'09 Ford F-Series Super Duty, Pass. Side	240.83
D-44-23	100 Watt Cyclone Speaker AND Bracket for '08-'09 Ford E-350/450	240.83

63 Series Round Grommet Mount Back-up Alarms

63-087	87 db, Round Grommet Mount Alarm (24V-36V DC)	35.39
63-097	97 db, Round Grommet Mount Alarm (24V-36V DC)	35.39
63-097-12	97 db, Round Grommet Mount Alarm (12V DC only)	35.39
63-102	102 db, Round Grommet Mount Alarm (24V-36V DC)	35.39
63-107-12	107 db, Round Grommet Mount Alarm (12V DC only)	35.39
63-107-24	107 db, Round Grommet Mount Alarm Alarm (24V-36V DC)	35.39

Dual-Tone

63-097DT	97 db, Round Grommet Mount Alarm (24V-36V DC)	37.92
63-102DT	102 db, Round Grommet Mount Alarm (12V DC only)	37.92

66 Series Back-up Alarms

66 Series with attached wire leads

Single-Tone

66-087	87 db, Compact, Heavy Duty Plastic Housing Alarm	42.15
66-097	97 db, Compact, Heavy Duty Plastic Housing Alarm	42.15
66-097-12	97 db, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	42.15
66-102	102 db, Compact, Heavy Duty Plastic Housing Alarm	42.15
66-107	107 db, Compact, Heavy Duty Plastic Housing Alarm	42.15

Starmatic Auto-Adjust

66-707A	77db-97db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	45.98
66-802A	82db-102db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	45.98
66-807A	87db-107db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	45.98

66L Series with wire lugs

Single-Tone

66L-087	87 db, Compact, Heavy Duty Plastic Housing Alarm	42.15
66L-097	97 db, Compact, Heavy Duty Plastic Housing Alarm	42.15
66L-097-12	97 db, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	42.15
66L-102	102 db, Compact, Heavy Duty Plastic Housing Alarm	42.15
66L-107	107 db, Compact, Heavy Duty Plastic Housing Alarm	42.15

Starmatic Auto-Adjust

66L-707A	77db-97db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	45.98
66L-802A	82db-102db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	45.98
66L-807A	87db-107db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	45.98

64 Series Back-up Alarms

Model Number	Description	LIST
<i>64 Series with attached wire leads</i>		
<i>Single-Tone</i>		
64-087	87 db, Compact, Heavy Duty Plastic Housing Alarm	\$28.10
64-097	97 db, Compact, Heavy Duty Plastic Housing Alarm	30.64
64-097-12	97 db, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	30.64
64-102	102 db, Compact, Heavy Duty Plastic Housing Alarm	30.64
64-107-12	107 db, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	30.64
64-107-24	107 db, Compact, Heavy Duty Plastic Housing Alarm (24V-36V DC)	30.64
<i>Dual-Tone</i>		
64-097DT	97 db, Compact, Heavy Duty Plastic Housing Alarm	40.54
64-102DT	102 db, Compact, Heavy Duty Plastic Housing Alarm	42.67
<i>Starmatic Auto-Adjust</i>		
64-707A	77db-97db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	52.95
64-802A	82db-102db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	57.51
64-807A	87db-107db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	57.51
<i>DK64 Series Display Kits</i>		
<i>Slot board or Peg board mounting</i>		
DK64-087	87 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	161.61
DK64-097	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
DK64-097-12	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
DK64-102	102 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
DK64-107-12	107 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
<i>Free standing counter display unit</i>		
DKC64-087	87 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	161.61
DKC64-097	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
DKC64-097-12	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
DKC64-102	102 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
DKC64-107-12	107 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	174.29
<i>64L Series with wire lugs only</i>		
<i>Single-Tone</i>		
64L-097-12	97 db, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	29.96
<i>64G Series with wire lugs and self-grounding strap</i>		
<i>Single-Tone</i>		
64G-087	87 db, Compact, Heavy Duty Plastic Housing Alarm	28.21
64G-097	97 db, Compact, Heavy Duty Plastic Housing Alarm	31.48
64G-097-12	97 db, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	31.48
64G-102	102 db, Compact, Heavy Duty Plastic Housing Alarm	31.48
64G-107-12	107 db, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	31.48
64G-107-24	107 db, Compact, Heavy Duty Plastic Housing Alarm (24V-36V DC)	31.48
<i>Dual-Tone</i>		
64G-097DT	97 db, Compact, Heavy Duty Plastic Housing Alarm	41.39
64G-102DT	102 db, Compact, Heavy Duty Plastic Housing Alarm	43.52
<i>Starmatic Auto-Adjust</i>		
64G-707A	77db-97db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	53.79
64G-802A	82db-102db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm	58.36
64G-807A	87db-107db Auto-Adjust, Compact, Heavy Duty Plastic Housing Alarm (12V DC only)	58.36
<i>DK64G Series Display Kits</i>		
<i>Slot board or Peg board mounting</i>		
DK64G-087	87 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	162.14
DK64G-097	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51
DK64G-097-12	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51
DK64G-102	102 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51
DK64G-107-12	107 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51
<i>Free standing counter display unit</i>		
DKC64G-087	87 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	162.14
DKC64G-097	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51
DKC64G-097-12	97 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51
DKC64G-102	102 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51
DKC64G-107-12	107 db Star Alarm Display Kit: Includes FIVE Star Alarms and Display Sleeve	178.51

Aerostar M-Tech Plus LED Lightbar

Model Number	Description	LIST
6032LED	20" Aerostar M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	\$507.00
	Green/Blue/White LED Heads	580.94
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	543.98
6032LEDM	20" Aerostar M-Tech Plus LED Lightbar, Magnetic Mount	
	Amber or Red LED Heads	545.43
	Green/Blue/White LED Heads	619.37
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	582.41
6464LED	48" Aerostar M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,056.25
	Green/Blue/White LED Heads	1,161.88
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,109.06
6564LED	56" Aerostar M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,161.88
	Green/Blue/White LED Heads	1,267.50
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,214.69

Star Razor M-Tech Plus LED Lightbar

2364LED	36" Star Razor M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,214.69
	Green/Blue/White LED Heads	1,320.31
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,267.50
2464LED	46" Star Razor M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,320.31
	Green/Blue/White LED Heads	1,425.94
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,373.13
2564LED	56" Star Razor M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,425.94
	Green/Blue/White LED Heads	1,531.56
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,478.75

Star Sabre M-Tech Plus LED Lightbar

5364LED	36" Star Razor M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,045.69
	Green/Blue/White LED Heads	1,151.31
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,098.50
5464LED	46" Star Razor M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,151.31
	Green/Blue/White LED Heads	1,256.94
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,204.13
5462LED	46" Star Razor M-Tech Plus LED Police Package Lightbar	
	Amber or Red LED Heads	1,630.85
	Green/Blue/White LED Heads	1,736.48
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,683.66
5564LED	56" Star Razor M-Tech Plus LED Lightbar	
	Amber or Red LED Heads	1,256.94
	Green/Blue/White LED Heads	1,362.56
	Combination of (Amber/Red) or (Green/Blue/White) LED Heads	1,309.75

TD93DLXT Series High Intensity LED Traffic Director

Model Number	Description	LIST
<i>TD93DLXT Series LED Traffic Directors, no arrows</i>		
TD93DLXT-47-15	LED Traffic Director with 15' Cable, 12V DC	\$792.19
TD93DLXT24-47-15	LED Traffic Director with 15' Cable, 24V DC	845.00
TD93DLXT-47-30	LED Traffic Director with 30' Cable, 12V DC	839.19
TD93DLXT24-47-30	LED Traffic Director with 30' Cable, 24V DC	892.00
TD93DLXT-47-45	LED Traffic Director with 45' Cable, 12V DC	886.20
TD93DLXT24-47-45	LED Traffic Director with 45' Cable, 24V DC	939.01
TD93DLXT-47-60	LED Traffic Director with 60' Cable, 12V DC	933.20
TD93DLXT24-47-60	LED Traffic Director with 60' Cable, 24V DC	986.01

TD93DLXTARO Series High Intensity LED Traffic Director

TD93DLXTARO Series Traffic Directors do not include Control Cable between Control Unit and Director, Please choose desired length below (15', 30', 45', 60')

*TD93DLXTARO Series LED Traffic Directors, arrows with **FOUR** LED heads*

TD93DLXTARO-48	LED Traffic Director, 48" Length	1,109.06
TD93DLXTARO-60	LED Traffic Director, 60" Length	1,235.81
TD93DLXTARO-72	LED Traffic Director, 72" Length	1,362.56
TD93DLXTARO-84	LED Traffic Director, 84" Length	1,489.31
TD93DLXTARO-96	LED Traffic Director, 96" Length	1,616.06

*TD93DLXTARO2 Series LED Traffic Directors, arrows with **EIGHT** LED heads*

TD93DLXTARO2-48	LED Traffic Director, 48" Length	1,373.13
TD93DLXTARO2-60	LED Traffic Director, 60" Length	1,499.88
TD93DLXTARO2-72	LED Traffic Director, 72" Length	1,626.63
TD93DLXTARO2-84	LED Traffic Director, 84" Length	1,753.38
TD93DLXTARO2-96	LED Traffic Director, 96" Length	1,880.13

TD93DLXTARO-S Series High Intensity LED Split Traffic Director

Control Cables are not included between Control Unit and Director, Please choose desired length below (15', 30', 45', 60')

Extension Cable is included between Arrow Sections, 10' Standard length

Optional Extension Cables are available in 5' Increments

*TD93DLXTARO-S LED Split Traffic Director, arrows with **FOUR** LED heads*

TD93DLXTARO-S	LED Split Traffic Director	1,267.50
---------------	----------------------------	----------

*TD93DLXTARO2-S LED Split Traffic Director, arrows with **EIGHT** LED heads*

TD93DLXTARO2-S	LED Split Traffic Director	1,637.19
----------------	----------------------------	----------

Control Cables

SWH-271-ARO-15	15' Cable	63.38
SWH-271-ARO-30	30' Cable	110.37
SWH-271-ARO-45	45' Cable	157.39
SWH-271-ARO-60	60' Cable	204.91

LDK302 & LDK304 Hide-A-Star Undercover Remote Flashing LED Kits

Lens Colors: Amber, Blue, Red, Clear

LDK302	Two Head LED Kit	295.75
LDK304	Four Head LED Kit	580.94

LDK312 & LDK314 Hide-A-Star Undercover Remote Flashing Spherical LED Kits

Lens Colors: Amber, Blue, Red, Clear

LDK312	Two Head Spherical LED Kit	295.75
LDK314	Four Head Spherical LED Kit	580.94

LDHF301 & LDHF311 Hide-A-Star In-Line Undercover Flashing LED Kits

***Lens Colors: Amber, Blue, Red, Clear**

LDHF301-*-10	Hide-A-Star In-Line Undercover Flashing LED Kit with 10' Cable	147.88
LDHF301-*-30	Hide-A-Star In-Line Undercover Flashing LED Kit with 30' Cable	158.44
LDHF311-*-10	Spherical Hide-A-Star In-Line Undercover Flashing LED Kit with 10' Cable	147.88
LDHF311-*-30	Spherical Hide-A-Star In-Line Undercover Flashing LED Kit with 30' Cable	158.44

DL16 Series Expandable LED Light Systems

Standard Color Combinations Available: AA, AB, AR, BB, RB, RR

Model Number	Description	LIST
DL16	4-Head Starburst LED Light System	\$443.63
DL16-CV	4-Head Starburst LED Light System Ford Crown Vic	443.63
DL16-6	6-Head Starburst LED Light System	697.13
DL16-6CV	6-Head Starburst LED Light System Ford Crown Vic	697.13
DL16V	4-Head Value LED Light System	359.13
DL16V-CV	4-Head Value LED Light System Ford Crown Vic	359.13
DL16V-6	6-Head Value LED Light System	570.38
DL16V-6CV	6-Head Value LED Light System Ford Crown Vic	570.38

TCS Series STOP/SLOW LED Traffic Safety Signs with M.U.T.C.D. Reflective Surface

TCS-1REF	STOP/SLOW LED Traffic Safety Sign with M.U.T.C.D. Reflective Surface	211.25
TCS-2REF	STOP/STOP LED Traffic Safety Sign with M.U.T.C.D. Reflective Surface	211.25

9200H8L & 9200HL Series STAR Halo LED Star Mini-Bars

Colors: Amber, Blue, Clear, Green, Red, Magenta

9200H8L	SAE Class I, California Title 13, Dual Ultra High Intensity LEDs, Permanent Mount	464.75
9200H8LM	SAE Class I, California Title 13, Dual Ultra High Intensity LEDs, Magnetic Mount	487.73
9200H8LV	SAE Class I, California Title 13, Dual Ultra High Intensity LEDs, Vacuum Magnetic Mount	528.11
9200HL	SAE Class I, Dual High Intensity LEDs, Permanent Mount	392.93
9200HLM	SAE Class I, Dual High Intensity LEDs, Magnetic Mount	415.91
9200HLV	SAE Class I, Dual High Intensity LEDs, Vacuum Magnetic Mount	456.28

StarBeam™ M-Tech® LED Mini-Bar

Standard Color Combinations Available:

Amber, Amber/White, Red, Red/Blue, Blue, White
(Blue or White LEDs available only with Clear Dome)

9016LED	StarBeam™ M-Tech® LED Mini-Bar, Permanent Mount	485.88
	Amber or Red LED Heads	559.81
	Green/Blue/White LED Heads	522.85
9016LEDM	StarBeam™ M-Tech® LED Mini-Bar, Magnetic Mount	517.56
	Amber or Red LED Heads	591.50
	Green/Blue/White LED Heads	554.54
9016LEDV	StarBeam™ M-tech® LED Mini-Bar, Vacuum Magnetic Mount	538.69
	Amber or Red LED Heads	612.63
	Green/Blue/White LED Heads	575.66

200AH8 & 200AH Series STAR Halo LED Beacons

200A1H8L	SAE Class I, California Title 13, Ultra High Intensity LEDs, 1" pipe mount	264.06
200AH8L	SAE Class I, California Title 13, Ultra High Intensity LEDs, permanent mount	264.06
200A1HL	SAE Class I, High Intensity LEDs, 1" pipe mount	242.94
200AHL	SAE Class I, High Intensity LEDs, permanent mount	242.94

200BH8 & 200BH Series STAR Halo LED Beacons

200BH8L	SAE Class I, California Title 13, Ultra High Intensity LEDs, perm. mount or 3/4" pipe mount	264.06
200B1H8L	SAE Class I, California Title 13, Ultra High Intensity LEDs, perm. mount or 1" pipe mount	264.06
200BHL	SAE Class I, High Intensity LEDs, perm. mount or 3/4" pipe mount	242.94
200B1HL	SAE Class I, High Intensity LEDs, perm. mount or 1" pipe mount	242.94

200CH8 & 200CH Series STAR Halo LED Beacons

200CH8L	SAE Class I, Ultra High Intensity LEDs, permanent mount	228.15
200CHL	SAE Class I, High Intensity LEDs, permanent mount	207.03

200CFH8 & 200CFH Series STAR Halo LED Beacons

200CFH8L	SAE Class I, Ultra High Intensity LEDs, flange mount	228.15
200CFHL	SAE Class I, High Intensity LEDs, flange mount	207.03

200SH8 & 200SH Series STAR Halo LED Beacons

200SH8L	SAE Class I, Ultra High Intensity LEDs, 1/2" pipe/perm. mount	207.03
200SH8LM	SAE Class I, Ultra High Intensity LEDs, magnetic mount	221.81
200SHL	SAE Class I, High Intensity LEDs, 1/2" pipe/perm. mount	196.46
200SHLM	SAE Class I, High Intensity LEDs, magnetic mount	211.25

240H8 & 240H Series STAR Halo LED Beacons*240H8A Tall Lens w/Dust Cover Series:*

Model Number	Description	LIST
240H8AFL	SAE Class I, California Title 13, Ultra High Intensity LEDs, 1/2" pipe/flange mount	\$207.03
240H8AFL1	SAE Class I, California Title 13, Ultra High Intensity LEDs, 1" pipe/flange mount	207.03
240H8AL	SAE Class I, California Title 13, Ultra High Intensity LEDs, 1/2" pipe mount	198.58
240H8AL1	SAE Class I, California Title 13, Ultra High Intensity LEDs, 1" pipe mount	198.58
240H8ALM	SAE Class I, California Title 13, Ultra High Intensity LEDs, Magnetic mount	213.36

240H8C and 240HC Tall Lens Series

240H8CFL	SAE Class I, Ultra High Intensity LEDs, 1/2" pipe/flange mount	198.58
240H8CFL1	SAE Class I, Ultra High Intensity LEDs, 1" pipe/flange mount	198.58
240H8CL	SAE Class I, Ultra High Intensity LEDs, 1/2" pipe mount	190.13
240H8CL1	SAE Class I, Ultra High Intensity LEDs, 1" pipe mount	190.13
240H8CLM	SAE Class I, Ultra High Intensity LEDs, magnetic mount	204.91
240HCFL	SAE Class I, High Intensity LEDs, 1/2" pipe/flange mount	183.79
240HCFL1	SAE Class I, High Intensity LEDs, 1" pipe/flange mount	183.79
240HCL	SAE Class I, High Intensity LEDs, 1/2" pipe mount	175.34
240HCL1	SAE Class I, High Intensity LEDs, 1" pipe mount	175.34
240HCLM	SAE Class I, High Intensity LEDs, magnetic mount	183.79

240H8S and 240HS Short Lens Series

240H8SFL	SAE Class I, Ultra High Intensity LEDs, 1/2" pipe/flange mount	190.13
240H8SFL1	SAE Class I, Ultra High Intensity LEDs, 1" pipe/flange mount	190.13
240H8SL	SAE Class I, Ultra High Intensity LEDs, 1/2" pipe mount	181.68
240H8SL1	SAE Class I, Ultra High Intensity LEDs, 1" pipe mount	181.68
240H8SLM	SAE Class I, Ultra High Intensity LEDs, magnetic mount	196.46
240HSFL	SAE Class II, High Intensity LEDs, 1/2" pipe/flange mount	175.34
240HSFL1	SAE Class II, High Intensity LEDs, 1" pipe/flange mount	175.34
240HSL	SAE Class II, High Intensity LEDs, 1/2" pipe mount	166.89
240HSL1	SAE Class II, High Intensity LEDs, 1" pipe mount	166.89
240HSLM	SAE Class II, High Intensity LEDs, magnetic mount	175.34

255H8T & 255HT Series STAR Halo LED Beacons, Plastic Base*255H8TA Tall Lens w/Dust Cover Series:*

255H8TALV	SAE Class I, California Title 13, Ultra High Intensity LEDs, vacuum magnetic mount, tall lens w/Dust Cover	219.70
255H8TAL	SAE Class I, California Title 13, Ultra High Intensity LEDs, flange mount, tall lens w/Dust Cover	188.01

255H8TC and 255HTC Tall Lens Series

255H8TCLV	SAE Class I, Ultra High Intensity LEDs, vacuum magnetic mount, tall lens	211.25
255H8TCL	SAE Class I, Ultra High Intensity LEDs, flange mount, tall lens	179.56
255HTCLV	SAE Class I, High Intensity LEDs, vacuum magnetic mount, tall lens	196.46
255HTCL	SAE Class I, High Intensity LEDs, flange mount, tall lens	164.78

255H8TS and 255HTS Short Lens Series

255H8TSLV	SAE Class I, Ultra High Intensity LEDs, vacuum magnetic mount, short lens	211.25
255H8TSL	SAE Class I, Ultra High Intensity LEDs, flange mount, short lens	179.56
255HTSLV	SAE Class II, High Intensity LEDs, vacuum magnetic mount, short lens	196.46
255HTSL	SAE Class II, High Intensity LEDs, flange mount, short lens	164.78

257H8T & 257HT Series STAR Halo LED Beacons, Metal Base*257H8TA Tall Lens w/Dust Cover Series:*

257H8TALV	SAE Class I, California Title 13, Ultra High Intensity LEDs, vacuum magnetic mount, tall lens w/Dust Cover	226.04
257H8TAL	SAE Class I, California Title 13, Ultra High Intensity LEDs, flange mount, tall lens w/Dust Cover	194.35

257H8TC and 257HTC Tall Lens Series

257H8TCLV	SAE Class I, Ultra High Intensity LEDs, vacuum magnetic mount, tall lens	217.59
257H8TCL	SAE Class I, Ultra High Intensity LEDs, flange mount, tall lens	185.90
257HTCLV	SAE Class I, High Intensity LEDs, vacuum magnetic mount, tall lens	202.80
257HTCL	SAE Class I, High Intensity LEDs, flange mount, tall lens	171.11

255H8TS and 255HTS Short Lens Series

257H8TSLV	SAE Class I, Ultra High Intensity LEDs, vacuum magnetic mount, short lens	217.59
257H8TSL	SAE Class I, Ultra High Intensity LEDs, flange mount, short lens	185.90
257HTSLV	SAE Class II, High Intensity LEDs, vacuum magnetic mount, short lens	202.80
257HTSL	SAE Class II, High Intensity LEDs, flange mount, short lens	171.11

Branch Guards

274-40C	Branch Guard for STAR 240, 242, and 250 Series Lights (Tall Lens)	29.41
274-40S	Branch Guard for STAR 240, 242, and 250 Series Lights (Short Lens)	29.41
274-55TC	Branch Guard for STAR 255 and 257 Series Lights (Tall Lens)	35.49
274-55TS	Branch Guard for STAR 255 and 257 Series Lights (Short Lens)	35.49

DLXT Series Thinline Perimeter LED Standard Warning Lights

Standard Color Combinations Available Per Head: AA, BB, GG, RR, WW, AB, AR, AW

Model Number	Description	LIST
DLXT SINGLE Head with BLACK Rectangular Bezel		
DLXT-121-**	12V DC, Thinline Perimeter LED Standard Warning Light	\$73.94
DLXT-241-**	24V DC, Thinline Perimeter LED Standard Warning Light	84.50
DLXT SINGLE Head with CHROME Rectangular Bezel		
DLXT-121C**	12V DC, Thinline Perimeter LED Standard Warning Light	78.16
DLXT-241C**	24V DC, Thinline Perimeter LED Standard Warning Light	88.73
DLXT SINGLE Head with BLACK Oval Bezel		
DLXT-124-**	12V DC, Thinline Perimeter LED Standard Warning Light	73.94
DLXT-244-**	24V DC, Thinline Perimeter LED Standard Warning Light	84.50
DLXT SINGLE Head with CHROME Oval Bezel		
DLXT-124C**	12V DC, Thinline Perimeter LED Standard Warning Light	78.16
DLXT-244C**	24V DC, Thinline Perimeter LED Standard Warning Light	88.73
DLXT DOUBLE Head with BLACK Rectangular Bezel		
DLXT-2CUST	12V DC, Thinline Perimeter LED Warning Light	145.76
DLXT-2CUST	24V DC, Thinline Perimeter LED Warning Light	166.89
DLXT DOUBLE Head with CHROME Rectangular Bezel		
DLXT-2CUST	12V DC, Thinline Perimeter LED Warning Light	149.99
DLXT-2CUST	24V DC, Thinline Perimeter LED Warning Light	171.11
DLXT TRIPLE Head with BLACK Rectangular Bezel		
DLXT-3CUST	12V DC, Thinline Perimeter LED Warning Light	217.59
DLXT-3CUST	24V DC, Thinline Perimeter LED Warning Light	249.28
DLXT TRIPLE Head with CHROME Rectangular Bezel		
DLXT-3CUST	12V DC, Thinline Perimeter LED Warning Light	221.81
DLXT-3CUST	24V DC, Thinline Perimeter LED Warning Light	253.50

DLHT Series Hazard/Turn LED Light

Standard Color: Amber/Amber

DLHT SINGLE Head with BLACK Rectangular Bezel		
DLHT-121-AA	12V DC, Hazard/Turn LED Light	73.94
DLHT-241-AA	24V DC, Hazard/Turn LED Light	84.50
DLHT SINGLE Head with CHROME Rectangular Bezel		
DLHT-121CAA	12V DC, Hazard/Turn LED Light	78.16
DLHT-241CAA	24V DC, Hazard/Turn LED Light	88.73
DLHT SINGLE Head with BLACK Oval Bezel		
DLHT-124-AA	12V DC, Hazard/Turn LED Light	73.94
DLHT-244-AA	24V DC, Hazard/Turn LED Light	84.50
DLHT SINGLE Head with CHROME Oval Bezel		
DLHT-124CAA	12V DC, Hazard/Turn LED Light	78.16
DLHT-244CAA	24V DC, Hazard/Turn LED Light	88.73

DLTT Series Auxiliary Stop/Tail/Turn LED Light

Standard Color Combinations Available Per Head: AA, BB, GG, RR, WW

DLTT SINGLE Head with BLACK Rectangular Bezel		
DLTT-121-**	12V DC, Auxiliary Stop/Tail/Turn LED Light	73.94
DLTT-241-**	24V DC, Auxiliary Stop/Tail/Turn LED Light	84.50
DLTT SINGLE Head with CHROME Rectangular Bezel		
DLTT-121C**	12V DC, Auxiliary Stop/Tail/Turn LED Light	78.16
DLTT-241C**	24V DC, Auxiliary Stop/Tail/Turn LED Light	88.73
DLTT SINGLE Head with BLACK Oval Bezel		
DLTT-124-**	12V DC, Auxiliary Stop/Tail/Turn LED Light	73.94
DLTT-244-**	24V DC, Auxiliary Stop/Tail/Turn LED Light	84.50
DLTT SINGLE Head with CHROME Oval Bezel		
DLTT-124C**	12V DC, Auxiliary Stop/Tail/Turn LED Light	78.16
DLTT-244C**	24V DC, Auxiliary Stop/Tail/Turn LED Light	88.73

DLNT Series 16 LED Steady Burn Value Head

Standard Color Combinations Available Per Head: AA, BB, GG, RR, WW

Model Number	Description	LIST
DLNT SINGLE Head with BLACK Rectangular Bezel		
DLNT-121-**	12V DC, 16 LED Steady Burn Value Head	\$63.38
DLNT SINGLE Head with CHROME Rectangular Bezel		
DLNT-121C**	12V DC, 16 LED Steady Burn Value Head	67.60
DLNT SINGLE Head with BLACK Oval Bezel		
DLNT-124-**	12V DC, 16 LED Steady Burn Value Head	63.38
DLNT SINGLE Head with CHROME Oval Bezel		
DLNT-124C**	12V DC, 16 LED Steady Burn Value Head	67.60

Single Bezel Series Optional Mounting Brackets

274-DLXT-1X2	DLXT Bracket for ONE Row of TWO LED Lights	9.43
274-DLXT-2X1	DLXT Bracket for TWO Rows of ONE LED Light	9.43
274-DLXT-45	DLXT Bracket for 45 Degree Angle Mounting	9.43
274-DLXT-RL	DLXT Bracket for License Plate Mounting	18.86
274-DLXT-T	DLXT Bracket for Trunk Mounting	9.43
274-DLXT-U	DLXT Bracket for Universal Mounting	9.43
274-DLXT-W	DLXT Bracket for Window Mounting	9.43

DLX4 & DLX6 Series Versa Star LED Warning Lights

*Standard Color Combinations Available Per Head: AA, BB, BW, GG, RR, RB, RW, WW, AB, AR, AW

DLX4 Series

DLX4-**	4 LED Array Warning Light w/Black Bezel	135.20
DLX4-HK**	4 LED Array Warning Light w/Flashback Hood and Cig Plug Adapter	156.33
DLX4-HK-1**	4 LED Array Warning Light w/Flashback Hood and 12' Wire Harness	156.33
DLX4-HK2**	Dual 4 LED Array Warning Light w/Flashback Hood and Cig Plug Adapter	312.65
DLX4-HK2-1**	Dual 4 LED Array Warning Light w/Flashback Hood and 12' Wire Harness	312.65

DLX6 Series

DLX6-**	6 LED Array Warning Light w/Black Bezel	166.89
DLX6-HK**	6 LED Array Warning Light w/Flashback Hood and Cig Plug Adapter	188.01
DLX6-HK-1**	6 LED Array Warning Light w/Flashback Hood and 12' Wire Harness	188.01
DLX6-HK2**	Dual 6 LED Array Warning Light w/Flashback Hood and Cig Plug Adapter	376.03
DLX6-HK2-1**	Dual 6 LED Array Warning Light w/Flashback Hood and 12' Wire Harness	376.03

DLX4 & DLX6 Optional Mounting Brackets

274-DLX4-6-1X2	Bracket for ONE Row of TWO LED Lights	9.43
274-DLX4-6-2X1	Bracket for TWO Rows of ONE LED Light	9.43
274-DLX4-6-45	Bracket for 45 Degree Angle Mounting	9.43
274-DLX4-6-RL	Bracket for License Plate Mounting	18.86
274-DLX4-6-T	Bracket for Trunk Mounting	9.43
274-DLX4-6-U	Bracket for Universal Mounting	9.43
274-DLX4-6-W	Bracket for Window Mounting	9.43

DLX4HK & DLX6HK Series Optional Mounting Bracket

274-DLX4-6-H	Headliner Bracket	9.43
--------------	-------------------	------

VL22 LED Visor Light

Standard Color Combinations Available: AA, AG, AW, BA, BB, BW, RA, RB, RR, RW, WW

VL22	LED visor Light w/Cig Plug Adapter	242.94
------	------------------------------------	--------

STAR PHANTOM Undercover Interior LED Lightbar with Directional LED Pursuit

Standard Color Combinations Available: AA, AB, AG, AR, AW, BB, BW, GG, RB, RR, RW

Model Number	Description	LIST
ULB42-DLP	Interior Undercover LED Lightbar with Directional LED Pursuit	
	Amber/Red LED	\$792.19
	Green/Blue/White LED	1,056.23
	Combination of (Amber/Red) and (Green/Blue/White) LED	950.60

STARBURST HALF-PHANTOM Undercover Interior LED Lightbar

Standard Color Combinations Available: AA, AB, AG, AR, BB, GG, RB, RR, RW

ULB14	Interior Undercover LED Lightbar with vehicle specific mounting bracket kit	
	Amber/Red LED	390.81
	Green/Blue/White LED	501.73
	Combination of (Amber/Red) and (Green/Blue/White) LED	448.91
Please Choose One Mounting Bracket Kit (ULB10 price includes ONE bracket kit):		
274-ULB10-IM	Chevrolet Impala	31.69
274-ULB10-TA	Chevrolet Tahoe	31.69
274-ULB10-CH	Dodge Charger	31.69
274-ULB10-CV	Ford Crown Victoria	31.69
274-ULB10-EX	Ford Explorer	31.69
274-ULB10-U1	Universal Mount Star Half-Phantom Bracket Kit	31.69

STARBURST SPLIT-PHANTOM Undercover Interior LED Lightbar

Standard Color Combinations Available: AA, AB, AG, AR, BB, GG, RB, RR, RW

ULB24	Interior Undercover LED Lightbar for Vehicles with Center Consoles	
	Amber/Red LED	781.63
	Green/Blue/White LED	1,045.69
	Combination of (Amber/Red) and (Green/Blue/White) LED	940.06
Please Choose One Mounting Bracket Kit (ULB21 price includes ONE bracket kit):		
274-ULB21-IM	Chevrolet Impala	63.38
274-ULB21-TA	Chevrolet Tahoe	63.38
274-ULB21-CH	Dodge Charger	63.38
274-ULB21-CV	Ford Crown Victoria	63.38
274-ULB21-EX	Ford Explorer	63.38
274-ULB10-U1	Universal Mount Star Split-Phantom Bracket Kit	63.38

STARBURST SPLIT-PHANTOM Undercover Interior LED Lightbar w/Takedowns

Standard Color Combinations Available: AA, AB, AG, AR, BB, GG, RB, RR, RW

ULB24-DLP	Interior Undercover LED Lightbar w/Directional LED Pursuit	
	Amber/Red LED	834.44
	Green/Blue/White LED	1,098.50
	Combination of (Amber/Red) and (Green/Blue/White) LED	992.88

STARBURST PHANTOM Undercover Interior LED Lightbar

Standard Color Combinations Available: AA, AB, AG, AR, AW, BB, BW, GG, RB, RR, RW

ULB44	Interior Undercover LED Lightbar Front Windshield Mount	
	Amber/Red LED	834.44
	Green/Blue/White LED	1,098.50
	Combination of (Amber/Red) and (Green/Blue/White) LED	992.88
ULB44-1	Interior Undercover Lightbar Rear Window Mount	
	Amber/Red LED	834.44
	Green/Blue/White LED	1,098.50
	Combination of (Amber/Red) and (Green/Blue/White) LED	992.88

STARBURST PHANTOM Undercover Interior LED Lightbar w/Directional LED Pursuit

Standard Color Combinations Available: AA, AB, AG, AR, BB, GG, RB, RR, RW

ULB44-DLP	Interior Undercover LED Lightbar w/Directional LED Pursuit	
	Amber/Red LED	887.25
	Green/Blue/White LED	1,151.31
	Combination of (Amber/Red) and (Green/Blue/White) LED	1,045.69

STARBURST PHANTOM Undercover Traffic Director


Colors Available only as listed

STARBURST Phantom Traffic Directors include 15' cable and Control Unit

ULB44-TD-AA	STARBURST Phantom Traffic Director, Amber/Amber Flashers	1,045.69
ULB44-TD-AB	STARBURST Phantom Traffic Director, Amber/Blue Flashers	1,098.50
ULB44-TD-BB	STARBURST Phantom Traffic Director, Blue/Blue Flashers	1,151.31
ULB44-TD-RB	STARBURST Phantom Traffic Director, Red/Blue Flashers	1,098.50
ULB44-TD-RR	STARBURST Phantom Traffic Director, Red/Red Flashers	1,045.69

TERMS and ORDERING INFORMATION

- SALES POLICY:** All SVP products are sold through distributors. Possession of our catalog and/or price list does not constitute our offer to sell to or the right to purchase directly from SVP
- DAMAGE CLAIMS:** Claims for damage or loss in transit must be filed by the distributor against the carrier. Claims for shortages in shipment must be filed, in writing, with SVP no more than 10 days from receipt of shipment.
- DELIVERY:** SVP will make every effort to deliver ordered merchandise on the date requested by the distributor. SVP shall not be liable for any damages to the distributor arising out of delayed shipments where the delivery circumstances are beyond the control of SVP
- RETURNS:** All returned merchandise is subject to inspection. Any merchandise not returned in new and saleable condition will be returned to the distributor and no credit will be issued. All returns are subject to a 15% restocking fee.
- INSTALLATION:** Installation of the equipment is the sole responsibility of the buyer. The use of magnetically mounted equipment on the exterior of moving vehicles is at the sole discretion of the user. Alterations to the magnet surface will void the warranty.
- WARRANTY:** The manufacturer warrants each new product, under normal use, against factory defects in material and workmanship for one year after the date of purchase. The owner will be responsible for returning to the Service Center any defective item(s) with the transportation costs prepaid. **The manufacturer will, without charge, repair or replace at its option, products, or part(s), which its inspection determines to be defective. Repaired or replacement item(s) will be returned to the purchaser with transportation costs prepaid from the service point.** A copy of the purchaser's receipt must be returned with the defective item(s) in order to qualify for the warranty coverage. Exclusions from this warranty include, but are not limited to, bulbs, strobe tubes, domes, and/or the finish. This warranty shall not apply to any light, which has been altered, such that in the manufacturer's judgment, the performance or reliability has been affected, or if any damage has resulted from abnormal use or service. This warranty does not apply to defect or damage occurring as a result of disaster, accident, abuse, misuse, lightning, power surges, or failure to follow enclosed manuals. Any damage or defects occurring as a result of any unauthorized service or repairs by unauthorized persons shall be excluded from this warranty. There are no warranties expressed or implied (including any warranty of merchantability or fitness), which extend this warranty period. **The loss of use of the product, loss of time, inconvenience, commercial loss or consequential damages, including costs of any labor, are not covered.** The manufacturer reserves the right to change the design of the product without assuming any obligation to modify any product previously manufactured. This warranty gives you specific legal rights. You might also have additional rights which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts. Some states do not allow the exclusion or limitation of incidental or consequential damages. Therefore, the above limitation(s) or exclusion(s) may not apply to you.



CAUTION: High voltages exist in electronic strobe lights. Before attempting service on any strobe light, be sure to disconnect the power for at least five minutes to allow the capacitor to discharge. Failure to heed this warning may result in severe electrical shock and/or injury.

Please Note: Most strobe and rotating beacon failures can be traced to wiring and battery problems. Before attempting any service on the circuit itself, please be sure to check all connections and wiring to ensure the correct voltage and/or polarity is reaching your light or remote head.

NOTE: Bulbs and flash tubes are not covered under warranty. Speakers are not covered against water damage.

DISTRIBUTED BY:

MAILING

455 Rochester Street
Avon, NY 14414

PHONE 585-226-9500

PROUDLY MADE IN THE U.S.A.



An **ISO 9001:2008** Certified Company
www.starheadlight.com

SHIPPING

455 Rochester Street
Avon, NY 14414

FAX 585-226-2029